

Generic Name	Brand Name	Therapeutic Category	Restrictions	Dosage Forms	Comments
Abacavir, Dolutegravir, and Lamivudine	Triumeq; Triumeq PD;	Antiretroviral, Integrase Inhibitor (Anti-HIV); Antiretroviral, Reverse Transcriptase Inhibitor, Nucleoside (Anti-HIV);		Tablet, Oral: Triumeq: Abacavir 600 mg, dolutegravir 50 mg, and lamivudine 300 mg Tablet Soluble, Oral: Triumeq PD: Abacavir 60 mg, dolutegravir 5 mg, and lamivudine 30 mg	
Acetaminophen	Acephen™ [OTC]; Mapap Infant 's [OTC]; Mapap [OTC]; Tylenol [OTC];	Analgesic, Nonopioid;		Solution, Intravenous: Generic: 1000 mg/100 mL (100 mL) Suppository, rectal: Generic: 120 mg, 650 mg Suspension, oral: 160 mg/5 mL (118 mL) Tablet, oral: 325 mg	
Acetaminophen and Codeine	Capital® and Codeine; Tylenol® With Codeine;	Analgesic Combination (Opioid); Analgesic, Opioid;		Elixir, oral [C-V]: Acetaminophen 120 mg and codeine phosphate 12 mg per 5 mL (120 mL) [contains alcohol 7.3%; cherry flavor] Tablet [C-III]: 300/30: Acetaminophen 300 mg and codeine phosphate 30 mg	
AcetaZOLAMIDE	Diamox® Sequels®;	Antiseizure Agent, Miscellaneous; Carbonic Anhydrase Inhibitor; Diuretic, Carbonic Anhydrase Inhibitor; Ophthalmic Agent, Antiglaucoma;		Capsule, sustained release, oral: Diamox® Sequels®: 500 mg Injection, powder for reconstitution, as sodium: 500 mg Tablet, oral: 250 mg	

Acetic Acid and Hydrocortisone	Acetasol® HC;	Otic Agent, Anti-infective;		Solution, otic [drops]: Acetasol® HC: Acetic acid 2%, propylene glycol diacetate 3%, and hydrocortisone 1% (10 mL)	
Acetic Acid (Otic)		Otic Agent, Anti-infective;		Solution, otic [drops]: Generic: 2% (15 mL) [alcohol free]	
Acetic Acid (Topical)		Genitourinary Irrigant;		Solution, for irrigation [preservative free]: 0.25% (1000 mL)	
Acetylcysteine	Acetadote®;	Antidote;Mucolytic Agent;		Solution, for oral inhalation: 10% [100 mg/mL] (30 mL); 20% [200 mg/mL] (4 mL, 30 mL) [contains disodium edetate]	
Acyclovir (Systemic)		Antiviral Agent;		Capsule, oral: 200 mg Injection, powder for reconstitution, as sodium [preservative free]: 500 mg Tablet, oral: 800 mg	
Acyclovir (Topical)	Zovirax;	Antiviral Agent, Topical;		Cream, External: Generic: 5% (5 g) Ointment, External: Generic: 5% (15 g)	

Adalimumab	Humira;Humira Pen;Humira Pen-Crohns Starter;Humira Pen-Psoriasis Starter;	Antirheumatic, Disease Modifying;Gastrointestinal Agent, Miscellaneous;Monoclonal Antibody;Tumor Necrosis Factor (TNF) Blocking Agent;		Kit, Subcutaneous [preservative-free, citrate-free]: 40 mg/0.4 mL Kit, Subcutaneous [contains polysorbate 80]: 40 mg/0.8 mL	
Adapalene and Benzoyl Peroxide	Epiduo;	Acne Products;Retinoic Acid Derivative;Topical Skin Product;Topical Skin Product, Acne;		Gel, External: Epiduo: Adapalene 0.1% and benzoyl peroxide 2.5% (45 g) [contains edetate disodium, polysorbate 80, propylene glycol] Generic: Adapalene 0.1% and benzoyl peroxide 2.5% (45 g)	
Adenosine	Adenocard® ;	Antiarrhythmic Agent, Miscellaneous;Diagnostic Agent;		Injection, solution [preservative free]: Adenocard® IV: 3 mg/mL (2 mL)	
Albendazole	Albenza;	Anthelmintic;		Tablet, Oral: Albenza: 200 mg [contains saccharin sodium]	
Albumin	Plasbumin®-25;	Blood Product Derivative;Plasma Volume Expander, Colloid;		Injection, solution [human]: Plasbumin®-25: 25% (50 mL)	

Albuterol	Proventil® HFA;	Beta2 Agonist;		Aerosol, for oral inhalation: Proventil® HFA: 90 mcg/inhalation (6.7 g) [chlorofluorocarbon free] Solution, for nebulization: 0.083% (3 mL)	
Alendronate	Fosamax®;	Bisphosphonate Derivative;		Tablet, oral: 5 mg, 10 mg, 35 mg, 40 mg, 70 mg	
Alfuzosin	Uroxatral;	Alpha1 Blocker;Alpha1a Blocker, Selective;		Tablet Extended Release 24 Hour, Oral, as hydrochloride: Uroxatral: 10 mg [contains hydrogenated castor oil] Generic: 10 mg	
Allopurinol		Antigout Agent;Xanthine Oxidase Inhibitor;		Tablet, oral: 100 mg, 300 mg	
Alteplase	Activase®;	Thrombolytic Agent;		Injection, powder for reconstitution [recombinant]: Activase®: 50 mg [29 million int. units], 100 mg [58 million int. units] [contains polysorbate 80; derived from or manufactured using Chinese hamster ovary cells; supplied with diluent]	
Aluminum Acetate		Topical Skin Product;		Powder	

Aluminum Hydroxide		Antacid;Antidote;Protectant , Topical;		Suspension, oral: 320 mg/5 mL (473 mL) [sugar free; contains benzyl alcohol; mint flavor]	
Aluminum Hydroxide and Magnesium Trisilicate	Alenic Alka Tablet [OTC];Gaviscon® Tablet [OTC];Genaton Tablet [OTC];	Antacid;		Tablet, chewable: Aluminum hydroxide 80 mg and magnesium trisilicate 20 mg	
Aluminum Hydroxide, Magnesium Hydroxide, and Simethicone	Alamag Plus [OTC] [DSC];Aldroxicon I [OTC];Aldroxicon II [OTC];Almacone Double Strength [OTC];Almacone [OTC] [DSC];Alumina-Magnesia-Simethicone [OTC];Gelusil [OTC];Geri-Mox [OTC];HyVee Advanced Antacid [OTC];Maalox Advanced Maximum Strength [OTC] [DSC];Mi-Acid Maximum Strength [OTC] [DSC];Mi-Acid [OTC];Mintox Plus [OTC];Mintox Regular Strength [OTC] [DSC];Mylanta Classic Maximum Strength Liquid [OTC];Mylanta Classic Regular Strength Liquid [OTC];Rulox [OTC];	Antacid;Antiflatulent;		Liquid, Oral: Generic: Aluminum hydroxide 200 mg, magnesium hydroxide 200 mg, and simethicone 20 mg per 5 mL (360 mL); Aluminum hydroxide 400 mg, magnesium hydroxide 400 mg, and simethicone 40 mg per 5 mL (360 mL) Suspension, Oral: Generic: Aluminum hydroxide 200 mg, magnesium hydroxide 200 mg, and simethicone 20 mg per 5 mL (30 mL); Aluminum hydroxide 225 mg, magnesium hydroxide 200 mg, and simethicone 25 mg per 5 mL (360 mL); Aluminum hydroxide 400 mg, magnesium hydroxide 400 mg, and simethicone 40 mg per 5 mL (30 mL, 355 mL)	

Amantadine	Symmetrel®;	Anti-Parkinson Agent, Dopamine Agonist;Antiviral Agent;Antiviral Agent, Adamantane;		Capsule, oral, as hydrochloride: 100 mg Capsule, softgel, oral, as hydrochloride: 100 mg Syrup, oral, as hydrochloride: 50 mg/5 mL (473 mL) [alcohol free, dye free, sugar free; raspberry flavor]	
Amiodarone	Cordarone®;Pacerone®;	Antiarrhythmic Agent, Class III;		Injection, solution, as hydrochloride: 50 mg/mL (3 mL) [contains benzyl alcohol and polysorbate 80] Tablet, oral, as hydrochloride: 200 mg	
Amitriptyline		Antidepressant, Tricyclic (Tertiary Amine);		Tablet, oral, as hydrochloride: 10 mg, 25 mg, 50 mg	
AmLODIPine	Norvasc®;	Antihypertensive;Calcium Channel Blocker;		Tablet, oral: 5 mg, 10 mg	
Ammonia Spirit (Aromatic)		Respiratory Stimulant;		Solution for inhalation [ampul]: 1.7% to 2.1% (0.33 mL)	
Amoxicillin	Amoxil®;	Antibiotic, Penicillin;		Capsule, oral: 250 mg, 500 mg Powder for suspension, oral: Amoxil®: 250 mg/5 mL (100 mL, 150 mL) [contains sodium benzoate; bubblegum flavor]	

Amoxicillin and Clavulanate	Augmentin®;	Antibiotic, Penicillin;		<p>Powder for suspension, oral: 200: Amoxicillin 200 mg and clavulanate potassium 28.5 mg per 5 mL (50 mL, 100 mL) [contains phenylalanine 7 mg/5 mL and potassium 0.14 mEq/5 mL; orange flavor]; 400: Amoxicillin 400 mg and clavulanate potassium 57 mg per 5 mL (50 mL, 100 mL) [contains phenylalanine 7 mg/5 mL and potassium 0.29 mEq/5 mL; orange flavor]</p> <p>Tablet, oral: 250/125: Amoxicillin 250 mg and clavulanate potassium 125 mg [contains potassium] 500/125: Amoxicillin 500 mg and clavulanate potassium 125 mg [contains potassium]</p>	
Ampicillin		Antibiotic, Penicillin;		<p>Injection, powder for reconstitution: 1 g, 2 g [contains sodium 2.9 mEq/g]</p>	
Ampicillin and Sulbactam	Unasyn®;	Antibiotic, Penicillin;		<p>Injection, powder for reconstitution: Unasyn®: 1.5 g, 3 g [contains sodium 115 mg (5 mEq)/1.5 g]</p>	
Anastrozole		Antineoplastic Agent, Aromatase Inhibitor;		<p>Tablet, Oral: Generic: 1 mg</p>	

Antivenin (Crotalidae) Polyvalent	CroFab™ [Ovine];	Antivenin;		Injection, powder for reconstitution: CroFab™ [ovine]: Derived from Crotalus adamanteus, C. atrox, C. scutulatus, and Agkistrodon piscivorus snake venoms [ovine origin; contains thimerosal; manufactured with papain]	
Apixaban	Eliquis;	Anticoagulant;Anticoagulant, Factor Xa Inhibitor;Direct Oral Anticoagulant (DOAC);		Tablet, Oral: Eliquis: 2.5 mg, 5 mg	
ARIPiprazole	Abilify;Abilify Maintena;	Antimanic Agent;Second Generation (Atypical) Antipsychotic;		Prefilled Syringe, Intramuscular: Abilify Maintena: 300 mg (1 ea); 400 mg (1 ea) Tablet, Oral: Generic: 2 mg, 5 mg, 10 mg, 15 mg, 20 mg, 30 mg	
Artificial Tears		Ophthalmic Agent, Miscellaneous;		Solution, ophthalmic: 1.4% (15 mL) [contains benzalkonium chloride]	
Ascorbic Acid	Ascor;	Vitamin, Water Soluble;	FOR HOSPITAL (ER/INPT) USE ONLY	Solution, Intravenous [preservative free]: Ascor: 500 mg/mL (50 mL) [contains edetate (edta) disodium]	

Aspirin		Analgesic, Nonopioid; Antiplatelet Agent; Nonsteroidal Anti-inflammatory Drug (NSAID), Oral; Salicylate;		Tablet, oral: 325 mg Tablet, chewable, oral: 81 mg Tablet, enteric coated, oral: 81 mg, 325 mg	
Aspirin and Dipyridamole	Aggrenox®;	Antiplatelet Agent;		Capsule, variable release: Aggrenox®: Aspirin 25 mg (immediate release) and dipyridamole 200 mg (extended release) [contains lactose, sucrose]	
Atenolol		Antihypertensive; Beta-Blocker, Beta-1 Selective;		Tablet, oral: 25 mg, 50 mg, 100 mg	
Atomoxetine	Strattera;	Norepinephrine Reuptake Inhibitor, Selective;		Capsule, Oral: Generic: 10 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg, 100 mg	
Atorvastatin		Antilipemic Agent, HMG-CoA Reductase Inhibitor;		Tablet, Oral: Generic: 10 mg, 20 mg, 40 mg, 80 mg	
Atropine (Ophthalmic)		Anticholinergic Agent, Ophthalmic; Ophthalmic Agent, Mydriatic;		Solution, ophthalmic, as sulfate: 1% (5 mL) [contains benzalkonium chloride]	
Atropine (Systemic)		Anticholinergic Agent; Antidote; Antispasmodic Agent, Gastrointestinal;		Injection, solution, as sulfate: 0.1 mg/mL (10 mL); 0.4 mg/mL (20 mL)	
AzaTHIOprine	Azasan; Imuran;	Immunosuppressant Agent;		Tablet, Oral: Generic: 50 mg	

Azelastine (Nasal)	Astelin [DSC];Astepro;	Histamine H1 Antagonist;Histamine H1 Antagonist, Second Generation;		Solution, Nasal, as hydrochloride: Generic: 0.1% (30 mL)	
Azithromycin (Systemic)	Zithromax®;Zithromax® Z-PAK®;	Antibiotic, Macrolide;		Powder for suspension, immediate release, oral, as dihydrate: Zithromax®: 100 mg/5 mL (15 mL) [contains sodium 3.7 mg/5 mL; cherry-crème de vanilla-banana flavor]; 200 mg/5 mL (15 mL) [contains sodium 7.4 mg/5 mL; cherry-crème de vanilla-banana flavor]; 1 g/packet [contains sodium 37 mg/packet; banana-cherry flavor] Tablet, oral, as dihydrate: Zithromax®: 250 mg [contains sodium 0.9 mg/tablet] Zithromax® Z-PAK® [unit-dose pack]: 250 mg (6s) [contains sodium 0.9 mg per tablet] Tablet, oral, as monohydrate: 250 mg [contains sodium 0.21 mg/tablet]	
Aztreonam (Systemic)	Azactam;	Antibiotic, Monobactam;		Solution Reconstituted, Injection [preservative free]: Generic: 2 g (1 ea)	

Bacitracin and Polymyxin B (Ophthalmic)	Polysporin® [OTC];	Antibiotic, Ophthalmic;		Ointment, ophthalmic: Bacitracin 500 units and polymyxin B 10,000 units per g (3.5 g)	
Bacitracin, Neomycin, and Polymyxin B (Ophthalmic)	Neosporin® Neo To Go® [OTC]; Neosporin® Topical [OTC];	Antibiotic, Ophthalmic;		Ointment, ophthalmic: Bacitracin 400 units, neomycin 3.5 mg, and polymyxin B 10,000 units per g (3.5 g)	
Bacitracin (Ophthalmic)		Antibiotic, Ophthalmic;		Ointment, Ophthalmic: Generic: 500 units/g (3.5 g)	
Baclofen		Skeletal Muscle Relaxant;		Tablet, oral: 10 mg	

Beclomethasone (Oral Inhalation)	QVAR®;	Corticosteroid, Inhalant (Oral);		Aerosol, for oral inhalation, as dipropionate: QVAR®: 40 mcg/inhalation (7.3 g [DSC]) [chlorofluorocarbon free; contains ethanol; 100 metered actuations] QVAR®: 40 mcg/inhalation (8.7 g) [chlorofluorocarbon free; contains ethanol; 120 metered actuations] QVAR®: 80 mcg/inhalation (7.3 g [DSC]) [chlorofluorocarbon free; contains ethanol; 100 metered actuations] QVAR®: 80 mcg/inhalation (8.7 g) [chlorofluorocarbon free; contains ethanol; 120 metered actuations]	
Belladonna, Phenobarbital, and Ergotamine	Bellamine S;	Ergot Derivative;		Tablet: Belladonna alkaloids 0.2 mg, phenobarbital 40 mg, and ergotamine tartrate 0.6 mg	
Benadryl® and Maalox®		Miscellaneous Product;		Suspension, oral: Extemporaneously prepared by Pharmacy	
Benadryl®, Lidocaine, and Nystatin		Miscellaneous Product;		Solution: 1:1:1, extemporaneously prepared by Pharmacy	

Benadryl®, Maalox®, and Xylocaine®		Miscellaneous Product;		Suspension: Extemporaneously prepared by Pharmacy	
Benzocaine		Analgesic, Topical;Local Anesthetic;		Solution: 20%	
Benzocaine, Butamben, and Tetracaine	Cetacaine®;	Local Anesthetic;		Aerosol, topical [spray]: Cetacaine®: Benzocaine 14%, butamben 2%, and tetracaine hydrochloride 2% (56 g) [contains benzalkonium chloride]	
Benzonatate		Antitussive;		Capsule, softgel, oral: 100 mg	
Benzoyl Peroxide		Acne Products;Topical Skin Product;Topical Skin Product, Acne;		Gel, topical: 10% (45 g)	
Benztropine	Cogentin®;	Anti-Parkinson Agent, Anticholinergic;Anticholinergic Agent;		Solution, for injection, as mesylate: Cogentin®: 1 mg/mL (2 mL) Tablet, oral, as mesylate: 1 mg	
Betamethasone and Clotrimazole		Antifungal Agent, Topical;Corticosteroid, Topical;		Cream, topical: Betamethasone dipropionate 0.05% (base) and clotrimazole 1% (45 g) [contains benzyl alcohol]	
Betamethasone (Topical)		Corticosteroid, Topical;		Cream, External, as dipropionate [strength expressed as base]: Generic: 0.05% (15 g, 45 g)	

Betaxolol (Ophthalmic)	Betoptic S®;	Beta-Blocker, Beta-1 Selective; Ophthalmic Agent, Antiglaucoma;		Solution, ophthalmic: 0.5% (5 mL, 10 mL) [contains benzalkonium chloride] Suspension, ophthalmic: Betoptic S®: 0.25% (10 mL) [contains benzalkonium chloride]	
Bictegravir, Emtricitabine, and Tenofovir Alafenamide	Biktarvy;	Antiretroviral, Integrase Inhibitor (Anti-HIV); Antiretroviral, Reverse Transcriptase Inhibitor, Nucleoside (Anti-HIV); Antiretroviral, Reverse Transcriptase Inhibitor, Nucleotide (Anti-HIV);		Tablet, Oral: Biktarvy: Bictegravir 30 mg, emtricitabine 120 mg, and tenofovir alafenamide 15 mg, Bictegravir 50 mg, emtricitabine 200 mg, and tenofovir alafenamide 25 mg	
Bisacodyl		Laxative, Stimulant;		Suppository, rectal: 10 mg	
Bismuth Subsalicylate		Antidiarrheal;		Tablet, chewable, oral, as subsalicylate: 262 mg [sugar free; contains sodium 0.1 mg/tablet]	
Brimonidine (Ophthalmic)	Alphagan P;	Alpha2 Agonist, Ophthalmic; Ophthalmic Agent, Antiglaucoma;		Solution, Ophthalmic, as tartrate: Alphagan P: 0.15% (5 mL) [contains carboxymethylcellulose sodium]	

Bromocriptine	Parlodel® SnapTabs®;	Anti-Parkinson Agent, Dopamine Agonist;Antidiabetic Agent, Dopamine Agonist;Ergot Derivative;Hyperprolactinemia Agent, Dopamine (D2) Agonist;		Tablet, oral, as mesylate: Parlodel® SnapTabs®: 2.5 mg	
Budesonide and Formoterol	Symbicort;	Beta2 Agonist;Beta2-Adrenergic Agonist, Long-Acting;Corticosteroid, Inhalant (Oral);		Aerosol, Inhalation: Generic: Budesonide 160 mcg and formoterol fumarate dihydrate 4.5 mcg per actuation (10.2 g); Budesonide 80 mcg and formoterol fumarate dihydrate 4.5 mcg per actuation (10.2 g)	
Budesonide (Oral Inhalation)	Pulmicort Flexhaler;Pulmicort Respules;	Corticosteroid, Inhalant (Oral);		Powder, for oral inhalation: Pulmicort Flexhaler: 180mcg/inhalation (225 mg) Suspension, for nebulization: Pulmicort Respules: 0.25 mg/2 mL (2 mL); 0.5 mg/2 mL (2 mL)	
Bumetanide	Bumex;	Antihypertensive;Diuretic, Loop;		Solution, Injection: Generic: 0.25 mg/mL (10 mL) Tablet, Oral: Generic: 0.5 mg, 1 mg, 2 mg	

BUPivacaine	Marcaine®;	Local Anesthetic;		Injection, solution, as hydrochloride [preservative free]: Marcaine®: 0.5% (30 mL)	
Buprenorphine	Brixadi;Butrans;Sublocade; Subutex;	Analgesic, Opioid;Analgesic, Opioid Partial Agonist;		Patch Weekly, Transdermal: Generic: 5 mcg/hr (1 ea, 4 ea); 7.5 mcg/hr (1 ea, 4 ea); 10 mcg/hr (1 ea, 4 ea); 15 mcg/hr (1 ea, 4 ea); 20 mcg/hr (1 ea, 4 ea) Solution Prefilled Syringe, Subcutaneous: Brixadi: 64 mg/0.18 mL [extended-release] (0.18 mL); 96 mg/0.27 mL [extended-release] (0.27 mL); 128 mg/0.36 mL [extended-release] (0.36 mL) Brixadi (Weekly): 8 mg/0.16 mL [extended-release] (0.16 mL); 16 mg/0.32 mL [extended-release] (0.32 mL); 24 mg/0.48 mL [extended-release] (0.48 mL); 32 mg/0.64 mL [extended-release] (0.64 mL) [contains alcohol, usp] Solution Prefilled Syringe, Subcutaneous [preservative free]: Sublocade: 100 mg/0.5 mL (0.5 mL); 300 mg/1.5 mL	

Buprenorphine and Naloxone	Suboxone®;	Analgesic, Opioid;Analgesic, Opioid Partial Agonist;	C-III	Tablet, Sublingual: Buprenorphine 2 mg and naloxone 0.5 mg; Buprenorphine 8 mg and naloxone 2 mg Film, Sublingual: Buprenorphine 2 mg and naloxone 0.5 mg; Buprenorphine 8 mg and naloxone 2 mg; Buprenorphine 12 mg and naloxone 3 mg	
BuPROPion	Wellbutrin;Wellbutrin SR;Wellbutrin XL;	Antidepressant, Dopamine/Norepinephrine-Reuptake Inhibitor;Dopamine and Norepinephrine - Reuptake Inhibitor;Smoking Cessation Aid;		Tablet, oral, as hydrochloride: 75 mg, 100 mg Tablet, extended release, oral, as hydrochloride: 100 mg, 150 mg Tablet, extended release 24 hour, oral, as hydrochloride: 150 mg, 300 mg	
BusPIRone		Antianxiety Agent, Miscellaneous;		Tablet, oral, as hydrochloride: 7.5 mg, 10 mg, 30 mg	
Butalbital, Acetaminophen, and Caffeine		Analgesic, Nonopioid;Barbiturate;		Tablet, oral: Butalbital 50 mg, acetaminophen 325 mg, and caffeine 40 mg	
Butalbital, Aspirin, and Caffeine		Barbiturate;		Capsule, oral: Butalbital 50 mg, aspirin 325 mg, and caffeine 40 mg	
Calcipotriene	Calcitrene;Dovonex;Sorilux ;	Topical Skin Product;Vitamin D Analog;		Ointment, External: Generic: 0.005% (60 g)	

Calcitriol (Systemic)	Rocaltrol;	Vitamin D Analog;		Capsule, Oral: Rocaltrol: 0.25 mcg [contains fd&c yellow #6 (sunset yellow), methylparaben, propylparaben] Generic: 0.5 mcg	
Calcium Acetate	PhosLo®;	Antidote;Calcium Salt;Phosphate Binder;		Gelcap, oral: 667 mg	
Calcium Carbonate	Antacid [OTC];Calcium Antacid [OTC];Oysco 500 [OTC] [DSC];Tums [OTC];	Antacid;Antidote;Calcium Salt;Electrolyte Supplement, Oral;Phosphate Binder;	CHEWABLE RESTRICTED TO DIALYSIS PATIENTS FOR PHOSPHATE BINDER	Tablet, Oral: Generic: 1250 mg (elemental calcium 500 mg) Tablet Chewable, Oral: Generic: 500 mg	
Calcium Chloride		Calcium Salt;Electrolyte Supplement, Parenteral;		Solution, Intravenous: Generic: 10% (10 mL) Solution, Intravenous [preservative free]: Generic: 10% (10 mL)	
Calcium Citrate and Vitamin D		Calcium Salt;		Tablet, oral: Calcium citrate 315 mg and vitamin D 200 int. units	
Calcium Gluconate		Calcium Salt;Electrolyte Supplement, Oral;Electrolyte Supplement, Parenteral;		Injection, solution [preservative free]: 10% (10 mL)	
Capsaicin	Capsaicin [OTC];	Analgesic, Topical;Topical Skin Product;Transient Receptor Potential Vanilloid 1 (TRPV1) Agonist;	FOR HOSPITAL (ER/INPT) USE ONLY May be fast-tracked for cannabis hyperemesis syndrome (CHS)	Cream, External: Generic: 0.025% (25 g, 50 g, 60 g, 120 g); 0.1% (42.5 g)	
Captopril		Angiotensin-Converting Enzyme (ACE) Inhibitor;Antihypertensive;		Tablet, oral: 12.5 mg, 25 mg	

CarBAMazepine	Carbatrol®;TEGretol®;TEGretol®-XR;	Antimanic Agent;Antiseizure Agent, Miscellaneous;		Capsule, extended release, oral: 200 mg, 300 mg Suspension, oral: 100 mg/5 mL (480 mL) [alcohol free; citrus-vanilla flavor] Tablet, oral: 200 mg Tablet, chewable, oral: 100 mg Tablet, extended release, oral: 100 mg, 400 mg	
Carbamide Peroxide		Anti-inflammatory, Locally Applied;Otic Agent, Cerumenolytic;		Solution, otic [drops]: Generic: 6.5% (15 mL)	
Carboxymethylcellulose	Refresh Celluvisc [OTC];Refresh Plus [OTC];	Ophthalmic Agent, Miscellaneous;		Solution, Ophthalmic, as sodium: Refresh Plus: 0.5% (30 ea) Solution, Ophthalmic, as sodium [preservative free]: Refresh Celluvisc: 1% (30 ea)	
Carteolol (Ophthalmic)		Beta-Blocker, Nonselective;Ophthalmic Agent, Antiglaucoma;		Solution, Ophthalmic, as hydrochloride: Generic: 1% (5 mL)	
Carvedilol	Coreg®;	Antihypertensive;Beta-Blocker With Alpha-Blocking Activity;		Tablet, oral: 6.25 mg, 12.5 mg, 25 mg	
Cefadroxil		Antibiotic, Cephalosporin (First Generation);		Capsule, Oral: Generic: 500 mg	

CeFAZolin		Antibiotic, Cephalosporin (First Generation);		Infusion [iso-osmotic dextrose solution]: 1 g (50 mL) Injection, powder for reconstitution: 1 g, 10 g	
Cefdinir	Omnicef®;	Antibiotic, Cephalosporin (Third Generation);		Capsule, oral: 300 mg Omnicef®: 300 mg Powder for oral suspension: 125 mg/5 mL (60 mL, 100 mL); 250 mg/5 mL (60 mL, 100 mL) Omnicef®: 125 mg/5 mL (60 mL, 100 mL) [contains sodium benzoate and sucrose 2.86 g/5 mL; strawberry flavor]; 250 mg/5 mL (60 mL, 100 mL) [contains sodium benzoate and sucrose 2.86 g/5 mL; strawberry flavor]	
Cefepime	Maxipime;	Antibiotic, Cephalosporin (Fourth Generation);		Solution Reconstituted, Injection, as hydrochloride: Maxipime: 1 g (1 ea); 2 g (1 ea) Generic: 1 g (1 ea); 2 g (1 ea) Solution Reconstituted, Intravenous, as hydrochloride: Maxipime: 1 g (1 ea); 2 g (1 ea)	

Cefotaxime	Claforan®;	Antibiotic, Cephalosporin (Third Generation);		Injection, powder for reconstitution, as sodium: 1 g, 2 g [contains sodium 50.5 mg (2.2 mEq)/g]	
CefoTEtan	Cefotan®;	Antibiotic, Cephalosporin (Second Generation);		Injection, powder for reconstitution: Cefotan®: 2 g	
Cefprozil		Antibiotic, Cephalosporin (Second Generation);		Suspension Reconstituted, Oral: Generic: 125 mg/5 mL (50 mL, 75 mL, 100 mL); 250 mg/5 mL (50 mL, 75 mL, 100 mL)	
CefTAZidime	Fortaz®;	Antibiotic, Cephalosporin (Third Generation);		Injection, powder for reconstitution: Fortaz®: 1 g, 2 g	
CefTRIAxone	Rocephin®;	Antibiotic, Cephalosporin (Third Generation);		Injection, powder for reconstitution: 250 mg, 1 g, 2 g [contains sodium 83 mg (3.6 mEq)/g]	
Cefuroxime	Ceftin;	Antibiotic, Cephalosporin (Second Generation);		Tablet, Oral, as axetil [strength expressed as base]: Generic: 250 mg, 500 mg	
Celecoxib	CeleBREX;	Analgesic, Nonopioid; Nonsteroidal Anti-inflammatory Drug (NSAID), COX-2 Selective;		Capsule, Oral: Generic: 100 mg, 200 mg	

Cephalexin		Antibiotic, Cephalosporin (First Generation);		Capsule, oral: 250 mg, 500 mg Powder for suspension, oral: 250 mg/5 mL (100 mL, 200 mL) [mixed berry flavor]	
Cetirizine (Systemic)	ZyrTEC;ZyrTEC Allergy [OTC];ZyrTEC Children's Allergy [OTC];ZyrTEC Children's Hives Relief [OTC];	Antihistamine, H1 Blocker, Nonsedating;		Syrup, Oral, as hydrochloride: ZyrTEC: 5 mg/5 mL (120 mL, 480 mL) [contains propylene glycol; banana-grape flavor] ZyrTEC Children's Allergy: 5 mg/5 mL (118 mL) [dye free, sugar free; contains propylene glycol, sodium benzoate] ZyrTEC Children's Hives Relief: 5 mg/5 mL (120 mL) [contains propylene glycol; grape flavor] Tablet, Oral, as hydrochloride: ZyrTEC: 5 mg, 10 mg Generic: 5 mg, 10 mg	
Charcoal, Activated		Antidote;		Powder for suspension, oral: USP (30 g)	
Chlordiazepoxide		Benzodiazepine;		Capsule, oral, as hydrochloride: 10 mg, 25 mg	
Chlorhexidine Gluconate (Oral)		Antibiotic, Oral Rinse;		Solution, Mouth/Throat: Generic: 0.12% (473 mL)	

Chlorhexidine Gluconate (Topical)	Betasept Surgical Scrub [OTC];	Antibiotic, Topical;		Liquid, External: Betasept Surgical Scrub: 4% (118 mL)	
Chloroquine		Aminoquinoline (Antimalarial);Antimalarial Agent;		Tablet, oral, as phosphate: 500 mg	
ChlorproMAZINE		Antimanic Agent;First Generation (Typical) Antipsychotic;Phenothiazine Derivative;		Injection, solution, as hydrochloride: 25 mg/mL (2 mL) [contains sodium metabisulfite 1 mg/mL and sodium sulfite 1 mg/mL] Tablet, oral, as hydrochloride: 10 mg, 25 mg	
Chlorthalidone		Antihypertensive;Diuretic, Thiazide-Related;		Tablet, Oral: Generic: 25 mg, 50 mg, 100 mg	
Cholecalciferol		Vitamin D Analog;		Capsule, Oral [preservative free]: Generic: 2000 units, 5000 units Tablet, Oral: Generic: 1000 units, 2000 units,	
Cilostazol		Antiplatelet Agent;Phosphodiesterase-3 Enzyme Inhibitor;Vasodilator;		Tablet, Oral: Generic: 50 mg, 100 mg	
Cimetidine		Histamine H2 Antagonist;		Solution, oral: 300 mg/5 mL (237 mL) [gluten free, sugar free; contains alcohol 2.8%; peach flavor] Tablet, oral: 400 mg	

Ciprofloxacin (Ophthalmic)		Antibiotic, Fluoroquinolone; Antibiotic, Ophthalmic;		Solution, ophthalmic, as hydrochloride: 0.3% (5 mL) [contains benzalkonium chloride]	
Ciprofloxacin (Systemic)	Cipro®;	Antibiotic, Fluoroquinolone;		Tablet, oral, as hydrochloride [strength expressed as base]: Cipro®: 250 mg, 500 mg	
Citalopram	CeleXA®;	Antidepressant, Selective Serotonin Reuptake Inhibitor;		Tablet, oral: 20 mg, 40 mg	
Clindamycin and Benzoyl Peroxide	BenzaClin;	Acne Products; Topical Skin Product; Topical Skin Product, Acne;		Gel, topical: Generic: Clindamycin 1% and benzoyl peroxide 5% (25 g)	
Clindamycin (Systemic)	Cleocin HCl®; Cleocin Phosphate®; Cleocin®;	Antibiotic, Lincosamide;		Capsule, oral, as hydrochloride: 150 mg Injection, solution, as phosphate (Cleocin Phosphate®): 150 mg/mL (6 mL) [contains benzyl alcohol and disodium edetate 0.5 mg/mL] Suspension, oral: 75 mg/mL	

Clindamycin (Topical)	Cleocin®;	Antibiotic, Lincosamide;Topical Skin Product, Acne;		Cream, Vaginal, as phosphate [strength expressed as base]: Cleocin: 2% (40 g) [contains benzyl alcohol] Generic: 2% (40 g) Solution, External, as phosphate [strength expressed as base]: Cleocin-T: 1% (60 mL) [contains isopropyl alcohol, propylene glycol] Generic: 1% (60 mL) Generic: 1% (60 ea)	
Clobetasol (Topical)		Corticosteroid, Topical;		Ointment, External, as propionate: Generic: 0.05% (15 g) Solution, External, as propionate: Generic: 0.05% (25 mL, 50 mL)	
ClomiPHENE		Ovulation Stimulator;Selective Estrogen Receptor Modulator (SERM);		Tablet, oral, as citrate: 50 mg	
ClomiPRAMINE		Antidepressant, Tricyclic (Tertiary Amine);		Capsule, oral, as hydrochloride: 25 mg	
ClonazePAM		Antiseizure Agent, Benzodiazepine;Benzodiaz epine;		Tablet, oral: 0.5 mg, 1 mg	
CloNIDine		Alpha2-Adrenergic Agonist;Antihypertensive;		Tablet, oral, as hydrochloride: 0.1 mg, 0.2 mg	

Clopidogrel	Plavix®;	Antiplatelet Agent;Antiplatelet Agent, Thienopyridine;P2Y12 Antagonist;		Tablet, oral: 75 mg	
Clotrimazole (Oral)	Mycelex®;	Antifungal Agent, Imidazole Derivative;Antifungal Agent, Oral Nonabsorbed;		Troche, oral: Mycelex®: 10 mg	
Clotrimazole (Topical)		Antifungal Agent, Imidazole Derivative;Antifungal Agent, Oral Nonabsorbed/Partially Absorbed;Antifungal Agent, Topical;Antifungal Agent, Vaginal;		Cream, topical/vaginal: 1% (45 g) [contains benzyl alcohol] Cream, topical: 1% (30 g)	
Coal Tar	Polytar® [OTC];	Topical Skin Product;		Shampoo, topical: Polytar®: Coal tar 0.5% (177 mL)	
Colchicine		Antigout Agent;		Tablet, oral: 0.6 mg	
Colestipol	Colestid®;	Antilipemic Agent;Antilipemic Agent, Bile Acid Sequestrant;		Granules, oral, as hydrochloride: Colestid®: 5 g/7.5 g packet Tablet, oral, as hydrochloride: Colestid®: 1 g	
Copper IUD	Paragard Intrauterine Copper;	Contraceptive;		Intrauterine Device, Intrauterine: Paragard Intrauterine Copper:	
Cortisone		Corticosteroid, Systemic;		Tablet, oral, as acetate: 25 mg	

Cromolyn (Oral Inhalation)		Mast Cell Stabilizer;		Nebulization Solution, Inhalation, as sodium: Generic: 20 mg/2 mL (2 mL)	
Cyanocobalamin		Vitamin, Water Soluble;		Injection, solution: 1000 mcg/mL (1 mL) [contains benzyl alcohol] Tablet, sublingual: 2500 mcg	
Cyclobenzaprine		Skeletal Muscle Relaxant;		Tablet, oral, as hydrochloride: 10 mg	
Cyclopentolate	Cyclogyl®;	Anticholinergic Agent, Ophthalmic;		Solution, ophthalmic, as hydrochloride: Generic: 1% (2 mL) [contains benzalkonium chloride]	
Cyclopentolate and Phenylephrine	Cyclomydril®;	Ophthalmic Agent, Mydriatic;		Solution, ophthalmic: Cyclomydril®: Cyclopentolate hydrochloride 0.2% and phenylephrine hydrochloride 1% (5 mL) [contains benzalkonium chloride]	
CycloPHOSphamide	Cytosan®;	Antineoplastic Agent, Alkylating Agent; Antineoplastic Agent, Alkylating Agent (Nitrogen Mustard); Antirheumatic Miscellaneous; Immunosuppressant Agent;		Tablet, oral: Cytosan®: 50 mg	

CycloSPORINE (Systemic)	Neoral®;SandIMMUNE®;	Calcineurin Inhibitor;Immunosuppressant Agent;		Capsule, softgel, oral [modified]: Neoral®: 25 mg, 100 mg [contains castor oil and dehydrated alcohol 11.9% and propylene glycol] Capsule, softgel, oral [non-modified]: SandIMMUNE®: 25 mg, 100 mg [contains dehydrated alcohol 12.7%]	
Cyproheptadine		Histamine H1 Antagonist;Histamine H1 Antagonist, First Generation;Piperidine Derivative;		Tablet, Oral, as hydrochloride: Generic: 4 mg	
Dapsone (Systemic)		Antibiotic, Miscellaneous;		Tablet, oral: 25 mg, 100 mg	
Deferoxamine	Desferal®;	Antidote;Chelating Agent;		Injection, powder for reconstitution, as mesylate: Desferal®: 500 mg	
Desipramine		Antidepressant, Tricyclic (Secondary Amine);		Tablet, oral, as hydrochloride: 25 mg, 50 mg	
DexAMETHasone (Ophthalmic)		Anti-inflammatory Agent, Ophthalmic;Corticosteroid, Ophthalmic;Corticosteroid, Otic;		Solution, Ophthalmic, as phosphate: Generic: 0.1% (5 mL)	

DexAMETHasone (Systemic)		Anti-inflammatory Agent;Antiemetic;Corticosteroid, Systemic;		Elixir, as base: 0.5 mg/5 mL (240 mL) Injection, solution, as sodium phosphate: 4 mg/mL (1 mL, 5 mL), 10 mg/mL (1 mL) [contains benzyl alcohol and sodium sulfite] Tablet, oral: 0.5 mg, 2 mg, 4 mg	
Dextroamphetamine	Dexedrine;ProCentra;Zenzedi;	Central Nervous System Stimulant;		Tablet, Oral, as sulfate: Generic: 10 mg	

Dextroamphetamine and Amphetamine	Adderall XR®;	Central Nervous System Stimulant;		Capsule, extended release, oral: Adderall XR® 5 mg [dextroamphetamine sulfate 1.25 mg, dextroamphetamine saccharate 1.25 mg, amphetamine aspartate monohydrate 1.25 mg, amphetamine sulfate 1.25 mg (equivalent to amphetamine base 3.1 mg)] 10 mg [dextroamphetamine sulfate 2.5 mg, dextroamphetamine saccharate 2.5 mg, amphetamine aspartate monohydrate 2.5 mg, amphetamine sulfate 2.5 mg (equivalent to amphetamine base 6.3 mg)] 15 mg [dextroamphetamine sulfate 3.75 mg, dextroamphetamine saccharate 3.75 mg, amphetamine aspartate monohydrate 3.75 mg, amphetamine sulfate 3.75 mg (equivalent to	
Dextrose		Antidote, Hypoglycemia; Intravenous Nutritional Therapy;		Infusion: 5% (250 mL, 500 mL, 1000 mL); Injection, solution: 50% (50 mL) Gel, oral: 40%	

Dextrose and Ringer's Injection (Lactated)		Electrolyte Supplement, Parenteral;		Solution, Intravenous: Generic: Dextrose 5% in Lactated Ringer's	
Dextrose and Sodium Chloride		Intravenous Nutritional Therapy;		Injection: D5 1/4NS: Dextrose 5% in sodium chloride 0.225% (500 mL) D5 1/2NS: Dextrose 5% in sodium chloride 0.45% (500 mL) D5NS: Dextrose 5% in sodium chloride 0.9% (500 mL, 1000 mL)	
Diatrizoate Meglumine and Diatrizoate Sodium	Gastrografin;	Iodinated Contrast Media; Radiological/Contrast Media, Ionic (High Osmolality);		Solution, Oral: Gastrografin: Diatrizoate meglumine 660 mg and diatrizoate sodium 100 mg per 1 mL (30 mL, 120 mL) [contains disodium edta, polysorbate 80, saccharin sodium]	

DiazePAM	Diastat®;Diastat® AcuDial™;	Antiseizure Agent, Benzodiazepine;Benzodiaz epine;		Gel, rectal: Pediatric rectal tip [4.4 cm]: Diastat®: 5 mg/mL (0.5 mL) [contains benzoic acid and benzyl alcohol and ethyl alcohol 10% and sodium benzoate] Pediatric/Adult rectal tip [4.4 cm]: Diastat® AcuDial™: 10 mg (2 mL) [contains benzoic acid and benzyl alcohol 1.5% and ethyl alcohol 10% and sodium benzoate] Injection, solution: 5 mg/mL (2 mL, 10 mL) [contains benzyl alcohol] Tablet, oral: 5 mg	
Diclofenac (Topical)	Voltaren;	Nonsteroidal Anti- inflammatory Drug (NSAID);Nonsteroidal Anti- inflammatory Drug (NSAID), Topical;		Gel, Transdermal, as sodium: Voltaren: 1% (100 g) [contains isopropyl alcohol, propylene glycol]	
Dicloxacillin		Antibiotic, Penicillin;		Capsule, oral: 250 mg	
Dicyclomine		Anticholinergic Agent;		Tablet, oral, as hydrochloride: 10 mg, 20 mg	

Digoxin	Lanoxin®;	Antiarrhythmic Agent, Miscellaneous;Cardiac Glycoside;		Elixir, oral [pediatric]: Lanoxin®: 0.05 mg/mL (60 mL) [contains alcohol 10%; lime flavor] Injection, solution: Lanoxin®: 0.25 mg/mL (2 mL) [contains alcohol 10% and propylene glycol] Tablet, oral: Lanoxin®: 125 mcg, 250 mcg	
Dihydroergotamine		Antimigraine Agent;Ergot Derivative;		Injection: 1 mg/mL	
Diltiazem	Cardizem® CD;	Antihypertensive;Calcium Channel Blocker;		Capsule, extended release, oral, as hydrochloride [once-daily dosing]: Generic: 120 mg, 180 mg, 240 mg, 300 mg, 360 mg Injection, solution, as hydrochloride: 5 mg/mL (5 mL)	
Dimercaprol	BAL in Oil®;	Antidote;		Injection, oil: BAL in Oil®: 100 mg/mL (3 mL) [contains benzyl benzoate and peanut oil]	
Dimethicone (Topical)	Secura Dimethicone Protectant [OTC];	Protectant, Topical;Topical Skin Product;		Solution, External: Nix Ultra: 4%, 3.4 oz	

DiphenhydrAMINE (Systemic)	Banophen™ [OTC]; Genahist™ [OTC];	Ethanolamine Derivative; Histamine H1 Antagonist; Histamine H1 Antagonist, First Generation;		Capsule, oral, as hydrochloride: 25 mg Elixir, oral, as hydrochloride: Banophen™: 12.5 mg/5 mL (120 mL) Injection, solution, as hydrochloride: 50 mg/mL (1 mL) Tablet, oral, as hydrochloride: 25 mg Genahist™: 25 mg	
Diphenoxylate and Atropine		Antidiarrheal;		Tablet: 2.5/0.025: Diphenoxylate hydrochloride 2.5 mg and atropine sulfate 0.025 mg	
Diphtheria and Tetanus Toxoid		Vaccine; Vaccine, Inactivated (Bacterial);		Injection, suspension: Diphtheria 6.6 Lf units and tetanus 5 Lf units per 0.5 mL (5 mL) [contains thimerosal]	
Diphtheria, Tetanus Toxoids, Acellular Pertussis, Hepatitis B (Recombinant), and Poliovirus (Inactivated) Vaccine	Pediarix™;	Vaccine; Vaccine, Inactivated (Bacterial); Vaccine, Inactivated (Viral);		Injection, suspension: Pediarix™: Diphtheria toxoid 25 Lf, tetanus toxoid 10 Lf, inactivated PT 25 mcg, FHA 25 mcg, pertactin 8 mcg, HBsAg 10 mcg, poliovirus type 1 40 DU, poliovirus type 2 8 DU, and poliovirus type 3 32 DU per 0.5 mL (0.5 mL) [contains packaging contains natural rubber/natural latex]	

Diphtheria, Tetanus Toxoids, and Acellular Pertussis Vaccine	Boostrix®;Infanrix®;Tripedia®;	Vaccine;Vaccine, Inactivated (Bacterial);		Injection, powder for reconstitution: Tripedia®: Diphtheria 6.7 Lf units, tetanus 5 Lf units, and acellular pertussis vaccine 46.8 mcg (0.5 mL) [contains packaging contains natural rubber/natural latex and thimerosal] Injection, suspension: Boostrix®: Diphtheria 2.5 Lf units, tetanus 5 Lf units, and acellular pertussis 8 mcg per 0.5 mL (0.5 mL) [contains aluminum and polysorbate 80 ≤100 mcg/0.5 mL] Infanrix®: Diphtheria 25 Lf units, tetanus 10 Lf units, and acellular pertussis vaccine 25 mcg per 0.5 mL (0.5 mL)	
Dipyridamole		Antiplatelet Agent;Vasodilator;		Tablet, oral: 25 mg, 50 mg	
Disopyramide	Norpace® CR;	Antiarrhythmic Agent, Class Ia;		Capsule, controlled release, oral: Norpace® CR: 100 mg Capsule, extended release, oral: 150 mg	
Disulfiram	Antabuse®;	Aldehyde Dehydrogenase Inhibitor;		Tablet, oral: 250 mg	

Divalproex	Depakote®;Depakote® ER;Depakote® Sprinkle;	Antimanic Agent;Antiseizure Agent, Miscellaneous;Histone Deacetylase (HDAC) Inhibitor;		Capsule, sprinkle, oral: 125 mg [strength expressed as valproic acid] Depakote® Sprinkle: 125 mg [strength expressed as valproic acid] Tablet, delayed release, oral: 125 mg [strength expressed as valproic acid], 250 mg [strength expressed as valproic acid], 500 mg [strength expressed as valproic acid] Depakote®: 125 mg, 250 mg, 500 mg [strength expressed as valproic acid] Tablet, extended release, oral: 250 mg [strength expressed as valproic acid], 500 mg [strength expressed as valproic acid] Depakote® ER: 250 mg, 500 mg [strength expressed as valproic acid]	
DOBUTamine		Adrenergic Agonist Agent;Inotrope;		Injection, solution, as hydrochloride: 12.5 mg/mL (20 mL)	
Docusate	Doc-Q-Lace [OTC];	Stool Softener;		Capsule, softgel, oral, as sodium: 100 mg Syrup, oral, as sodium: Doc-Q-Lace: 60 mg/15 mL (480 mL)	

<p>Docusate and Senna</p>	<p>Doc-Q-Lax [OTC];Dok Plus [OTC];Geri-Stool [OTC];Peri-Colace [OTC] [DSC];Senexon-S [OTC];Senna Plus [OTC];SennaLax-S [OTC];Senokot-S [OTC];SenoSol-SS [OTC];</p>	<p>Laxative, Stimulant;Stool Softener;</p>		<p>Tablet, oral: Doc-Q-Lax: Docusate sodium 50 mg and sennosides 8.6 mg Dok Plus: Docusate sodium 50 mg and sennosides 8.6 mg [contains sodium benzoate] Geri-Stool: Docusate sodium 50 mg and sennosides 8.6 mg Peri-Colace: Docusate sodium 50 mg and sennosides 8.6 mg [DSC] Senexon-S: Docusate sodium 50 mg and sennosides 8.6 mg [contains calcium 20 mg/tablet, sodium 6 mg/tablet] SennaLax-S: Docusate sodium 50 mg and sennosides 8.6 mg [contains sodium benzoate] Senna Plus: Docusate sodium 50 mg and sennosides 8.6 mg Senokot-S: Docusate sodium 50 mg and sennosides 8.6 mg [sugar free; contains sodium 4</p>	
<p>Dolutegravir</p>	<p>Tivicay;Tivicay PD;</p>	<p>Antiretroviral, Integrase Inhibitor (Anti-HIV);</p>		<p>Tablet, Oral: Tivicay: 10 mg, 25 mg, 50 mg Tablet Soluble, Oral: Tivicay PD: 5 mg</p>	

Donepezil	Aricept®;	Acetylcholinesterase Inhibitor (Central);		Tablet, Oral, as hydrochloride: Generic: 5 mg, 10 mg	
DOPamine		Adrenergic Agonist Agent; Inotrope;		Infusion [premixed in D5W], as hydrochloride: 1.6 mg/mL (250 mL) Injection, solution, as hydrochloride: 40 mg/mL (5 mL) [contains sodium metabisulfite]	
Dorzolamide	Trusopt®;	Carbonic Anhydrase Inhibitor (Ophthalmic); Ophthalmic Agent, Antiglaucoma;		Solution, ophthalmic: Generic: 2% (10 mL) [contains benzalkonium chloride]	
Dorzolamide and Timolol	Cosopt; Cosopt PF;	Beta-Adrenergic Blocker, Nonselective; Carbonic Anhydrase Inhibitor (Ophthalmic); Ophthalmic Agent, Antiglaucoma;		Solution, Ophthalmic: Generic: Dorzolamide 2% and timolol 0.5% (10 mL)	
Doxazosin		Alpha1 Blocker; Alpha1 Blocker, Nonselective; Antihypertensive;	EBCI Supplemental Formulary - for EBCI enrolled patients	Tablet, Oral: Generic: 1 mg, 4mg	
Doxepin (Systemic)		Antidepressant, Tricyclic (Tertiary Amine);		Capsule, Oral: Generic: 10 mg, 25 mg, 50 mg Tablet, Oral: Generic: 3 mg, 6 mg	Note: lower strengths (3mg, 6mg) are indicated for insomnia; higher strengths (10mg, 25mg, 50mg) are indicated for depression/anxiety/bipolar disorder.

Doxycycline	Vibramycin®;	Antibiotic, Tetracycline Derivative;		Capsule, oral, as hyclate: 100 mg Injection, powder for reconstitution, as hyclate: 100 mg Suspension, oral, as calcium: Vibramycin®: 50 mg/5 mL (473 mL) [contains sodium metabisulfite; raspberry-apple flavor]	
Doxylamine	Sleep Aid [OTC];	Ethanolamine Derivative;Histamine H1 Antagonist;Histamine H1 Antagonist, First Generation;		Tablet, Oral, as succinate: Sleep Aid: 25 mg [scored; contains fd&c blue #1 aluminum lake]	
Doxylamine and Pyridoxine	Diclegis;	Ethanolamine Derivative;Histamine H1 Antagonist;Histamine H1 Antagonist, First Generation;Vitamin, Water Soluble;		Tablet Delayed Release, Oral: Generic: doxylamine succinate 10 mg and pyridoxine hydrochloride 10 mg	
DULoxetine	Cymbalta®;	Antidepressant, Serotonin/Norepinephrine Reuptake Inhibitor;		Capsule, delayed release, enteric coated pellets, oral: Cymbalta®: 20 mg, 30 mg, 60 mg	
Edetate Disodium	Endrate®;	Chelating Agent;		Injection, solution: Endrate®: 150 mg/mL (20 mL)	

Edrophonium	Enlon®;	Acetylcholinesterase Inhibitor;Antidote;Diagnostic Agent;		Injection, solution, as chloride: Enlon®: 10 mg/mL (15 mL) [contains sodium sulfite]	
Eletriptan	Relpax;	Antimigraine Agent;Serotonin 5-HT _{1B} , 1D Receptor Agonist;		Tablet, Oral: Generic: 40 mg	
Empagliflozin	Jardiance;	Antidiabetic Agent, Sodium-Glucose Cotransporter 2 (SGLT2) Inhibitor;Sodium-Glucose Cotransporter 2 (SGLT2) Inhibitor;		Tablet, Oral: Jardiance: 10 mg, 25 mg	
Emtricitabine and Tenofovir Alafenamide	Descovy;	Antiretroviral, Reverse Transcriptase Inhibitor, Nucleoside (Anti-HIV);Antiretroviral, Reverse Transcriptase Inhibitor, Nucleotide (Anti-HIV);		Tablet, Oral: Descovy: Emtricitabine 120 mg and tenofovir alafenamide 15 mg Descovy: Emtricitabine 200 mg and tenofovir alafenamide 25 mg [contains fd&c blue #2 aluminum lake]	
Emtricitabine and Tenofovir Disoproxil Fumarate	Truvada;	Antiretroviral, Reverse Transcriptase Inhibitor, Nucleoside (Anti-HIV);Antiretroviral, Reverse Transcriptase Inhibitor, Nucleotide (Anti-HIV);		Tablet, Oral: Generic: Emtricitabine 200 mg and tenofovir disoproxil fumarate 300 mg	
Enalaprilat		Angiotensin-Converting Enzyme (ACE) Inhibitor;Antihypertensive;		Injectable, Intravenous: Generic: 1.25 mg/mL (1 mL, 2 mL)	

Enoxaparin	Lovenox®;	Anticoagulant;Anticoagulant, Low Molecular Weight Heparin;		Injection, solution, as sodium [preservative free]: Lovenox®: 30 mg/0.3 mL (0.3 mL); 40 mg/0.4 mL (0.4 mL); 60 mg/0.6 mL (0.6 mL); 80 mg/0.8 mL (0.8 mL); 100 mg/mL (1 mL); 150 mg/mL (1 mL)	
EPINEPHrine (Systemic)	EpiPen 2-Pak;EpiPen Jr 2-Pak;	Alpha/Beta Agonist;		Injection, solution [prefilled auto injector]: EpiPen®: 0.3 mg/0.3 mL [1:1000] (2 mL) [contains sodium metabisulfite] EpiPen® Jr.: 0.15 mg/0.3 mL [1:2000] (2 mL) [contains sodium metabisulfite] Injection, solution: 0.1 mg/mL [1:10,000] (10 mL); 1 mg/mL [1:1000] (1 mL, 30 mL)	
Epoetin Alfa	Epogen®;	Colony Stimulating Factor;Erythropoiesis-Stimulating Agent (ESA);Hematopoietic Agent;		Injection, solution: Epogen®: 10,000 units/mL (2 mL), 20,000 units/mL (1 mL) [contains benzyl alcohol] Injection, solution [preservative free]: Epogen®: 2000 units/mL (1 mL)	
Ergocalciferol	Calciferol™;Drisdol®;	Vitamin D Analog;		Capsule, softgel, oral: 50,000 int. units	

Ergotamine and Caffeine	Cafergot®;	Antimigraine Agent;Central Nervous System Stimulant;Ergot Derivative;		Tablet: Cafergot®: 1/100: Ergotamine tartrate 1 mg and caffeine 100 mg	
Erythromycin and Sulfisoxazole		Antibiotic, Macrolide;Antibiotic, Macrolide Combination;Antibiotic, Sulfonamide Derivative;		Powder for suspension, oral: Erythromycin ethylsuccinate 200 mg and sulfisoxazole acetyl 600 mg per 5 mL (200 mL) [strawberry-banana flavor]	
Erythromycin (Ophthalmic)		Antibiotic, Macrolide;Antibiotic, Ophthalmic;		Ointment, ophthalmic: 0.5% (3.5 g)	
Erythromycin (Systemic)	EryPed®;Erythrocin®;	Antibiotic, Macrolide;		Powder for suspension, oral, as ethylsuccinate: EryPed®: 400 mg/5 mL (100 mL) [banana flavor] Tablet, oral, as stearate: Erythrocin®: 250 mg	
Erythromycin (Topical)		Acne Products;Antibiotic, Macrolide;Antibiotic, Topical;Topical Skin Product;Topical Skin Product, Acne;		Solution, topical: 2% (60 mL) [sugar free; contains alcohol 66%]	
Escitalopram	Lexapro;	Antidepressant, Selective Serotonin Reuptake Inhibitor;		Tablet, Oral: Generic: 5 mg, 10 mg, 20 mg	
Esmolol	Brevibloc;	Antiarrhythmic Agent, Class II;Antihypertensive;Beta-Blocker, Beta-1 Selective;		Solution, Intravenous, as hydrochloride [preservative free]: Generic: 2500 mg/250 mL (250 mL)	

Estradiol (Systemic)	Estrace;Vivelle-Dot;	Estrogen Derivative;		Tablet, oral: Generic: 1 mg, 2 mg Patch Weekly, Transdermal: 0.0375 mg/24 hr (4 ea)	
Estradiol (Topical)	Estrace;	Estrogen Derivative;		Cream, Vaginal: Generic: 0.1 mg/g (42.5 g)	
Estrogens (Conjugated/Equine, Systemic)		Estrogen Derivative;		Injection, powder for reconstitution: 25 mg Tablet, oral: 0.3 mg, 0.625 mg, 0.9 mg, 1.25 mg	
Estrogens (Conjugated/Equine, Topical)	Premarin®;	Estrogen Derivative;		Cream, vaginal: 0.625 mg/g (42.5 g)	
Estropipate	Ogen®;	Estrogen Derivative;		Tablet, oral: 1.25 mg	
Ethambutol	Myambutol®;	Antitubercular Agent;		Tablet, oral, as hydrochloride: 100 mg, 400 mg	
Ethinyl Estradiol and Drospirenone	Jasmiel;Lo- Zumandimine;Loryna;Nikki; Ocella;Syeda;Vestura;Yas min 28;YAZ;Zumandimine;	Contraceptive;Estrogen and Progestin Combination;		Generic: Ethinyl estradiol 0.03 mg and drospirenone 3 mg [21 active tablets and 7 inactive tablets]	

Ethinyl Estradiol and Ethynodiol Diacetate	Zovia™ 1/35; Zovia™ 1/50;	Contraceptive; Estrogen and Progestin Combination;		Tablet, oral: Zovia™ 1/35: Ethinyl estradiol 0.035 mg and ethynodiol diacetate 1 mg [21 light pink tablets and 7 white inactive tablets] Zovia™ 1/50: Ethinyl estradiol 0.05 mg and ethynodiol diacetate 1 mg [21 pink tablets and 7 white inactive tablets]	
Ethinyl Estradiol and Etonogestrel	NuvaRing;	Contraceptive; Estrogen and Progestin Combination;		Ring, vaginal: NuvaRing: Ethinyl estradiol 0.015 mg/day and etonogestrel 0.12 mg/day (3s) [3-week duration]	

<p>Ethinyl Estradiol and Levonorgestrel</p>	<p>Camrese® 91;Levlen® 28;Seasonique® 91;Tri- Levlen® 28;Trivora® 28;</p>	<p>Contraceptive;Estrogen and Progestin Combination;</p>		<p>Tablet, monophasic formulation: Levlen® 28: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg [21 light orange tablets and 7 pink inactive tablets] Levora® 28: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg [21 light orange tablets and 7 pink inactive tablets] Tablet, triphasic formulation: Myzitra® 28: Day 1-6: Ethinyl estradiol 0.03 mg and levonorgestrel 0.05 mg [6 brown tablets]; Day 12-2: Ethinyl estradiol 0.03 mg and levonorgestrel 0.125 mg [10 light yellow tablets]; Day 22-28: 7 light green inactive tablets; Day 7-11: Ethinyl estradiol 0.04 mg and levonorgestrel 0.075 mg [5 white tablets] Tri-Levlen® 28: Day 1-6: Ethinyl estradiol 0.03 mg and levonorgestrel 0.05 mg [6 brown tablets]; Day 12-2: Ethinyl estradiol 0.03 mg</p>	
---	---	--	--	--	--

Ethinyl Estradiol and Norelgestromin	Xulane;Zafemy;	Contraceptive;Estrogen and Progestin Combination;		Patch Weekly, Transdermal: Xulane: Ethinyl estradiol 35 mcg and norelgestromin 150 mcg per day (1 ea, 3 ea) Zafemy: Ethinyl estradiol 35 mcg and norelgestromin 150 mcg per day (1 ea, 3 ea)	
--------------------------------------	----------------	---	--	--	--

<p>Ethinyl Estradiol and Norethindrone</p>	<p>Brevicon®;Loestrin® 21 1/20;Loestrin® Fe 1.5/30;Loestrin® Fe 1/20;Norinyl® 1/35-28;Ortho-Novum® 1/35-28;Ortho-Novum® 7/7/7-21;</p>	<p>Contraceptive;Estrogen and Progestin Combination;</p>		<p>Tablet, monophasic formulation: Loestrin® 21 1/20: Ethinyl estradiol 0.02 mg and norethindrone acetate 1 mg Loestrin® Fe 1.5/30: Ethinyl estradiol 0.03 mg and norethindrone acetate 1.5 mg [21 green tablets] and ferrous fumarate 75 mg [7 brown tablets] Loestrin® Fe 1/20: Ethinyl estradiol 0.02 mg and norethindrone acetate 1 mg [21 white tablets] and ferrous fumarate 75 mg [7 brown tablets] Brevicon®: Ethinyl estradiol 0.035 mg and norethindrone 0.5 mg [21 blue tablets and 7 orange inactive tablets] Norinyl® 1/35-28: Ethinyl estradiol 0.035 mg and norethindrone 1 mg [21 yellow green tablets and 7 orange inactive tablets] Ortho-Novum® 1/35-28: Ethinyl estradiol 0.035 mg and norethindrone 1 mg [21 peach tablets and 7</p>	
--	---	--	--	---	--

Ethinyl Estradiol and Norgestimate	Estarylla; Femynor; Mono-Linyah; MonoNessa; Ortho Tri-Cyclen; Ortho Tri-Cyclen Lo; Ortho-Cyclen; Previfem; Sprintec; Tri-Estarylla; Tri-Linyah; Tri-Lo-Estarylla; Tri-Lo-Marzia; Tri-Lo-Sprintec; Tri-Previfem; Tri-Sprintec; TriNessa; TriNessa Lo;	Contraceptive; Estrogen and Progestin Combination;		<p>Tablet, oral [monophasic formulation]:</p> <p>Estarylla: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 green inactive tablets] (28s)</p> <p>Femynor: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 red tablets and 7 white inactive tablets] (28s)</p> <p>MonoNessa, Ortho-Cyclen: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 dark green inactive tablets] (28s)</p> <p>Previfem: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 light green inactive tablets] (28s)</p> <p>Mono-Linya, Sprintec: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 white inactive tablets] (28s)</p> <p>Tablet, oral [triphasic formulation]:</p> <p>Ortho Tri-Cyclen:</p>	
Ethinyl Estradiol and Norgestrel	Ogestrel® 28;	Contraceptive; Estrogen and Progestin Combination;		Tablet, oral: Ogestrel® 28: Ethinyl estradiol 0.05 mg and norgestrel 0.5 mg	
Ethosuximide	Zarontin;	Antiseizure Agent, Succinimide;		Capsule, Oral: Generic: 250 mg	

Etomidate		Cortisol Synthesis Inhibitor; General Anesthetic;		Injection, solution [preservative free]: 2 mg/mL (10 mL) [contains propylene glycol]	
Etonogestrel	Nexplanon;	Contraceptive; Progestin;		Implant, Subcutaneous: Nexplanon: 68 mg (1 ea)	
Exenatide	Bydureon; Byetta 10 MCG Pen; Byetta 5 MCG Pen;	Antidiabetic Agent, Glucagon-Like Peptide-1 (GLP-1) Receptor Agonist;		Pen-injector, Subcutaneous: Bydureon: 2 mg (1 ea) Solution Pen-injector, Subcutaneous: Byetta 10 MCG Pen: 10 mcg/0.04 mL (2.4 mL) [contains metacresol] Byetta 5 MCG Pen: 5 mcg/0.02 mL (1.2 mL) [contains metacresol]	
Ezetimibe	Zetia;	Antilipemic Agent, 2-Azetidinone;		Tablet, Oral: Generic: 10 mg	
Famotidine	Acid Controller Max St [OTC]; Acid Controller Original Str [OTC]; Acid Reducer Maximum Strength [OTC]; Acid Reducer [OTC]; Heartburn Relief Max St [OTC]; Heartburn Relief [OTC]; Pepcid; Pepcid AC Maximum Strength [OTC];	Histamine H2 Antagonist;		Solution, Intravenous: Generic: 20 mg (50 mL); 20 mg/2 mL (2 mL); 40 mg/4 mL (4 mL); 200 mg/20 mL (20 mL) Solution, Intravenous [preservative free]: Generic: 20 mg/2 mL (2 mL) Suspension Reconstituted, Oral: Generic: 40 mg/5 mL (50 mL) Tablet, Oral: Generic: 10 mg, 20 mg, 40 mg	

Fenofibrate and Derivatives	Antara;Fenoglide;Fibricor;Lipofen;Lofibra [DSC];Tricor;Triglide [DSC];Trilipix;	Antilipemic Agent, Fibric Acid;		Tablet, Oral, as fenofibrate: Tricor: 48 mg [contains fd&c blue #2 aluminum lake, fd&c yellow #10 aluminum lake, fd&c yellow #6 aluminum lake, soybean lecithin] Generic: 40 mg, 48 mg, 54 mg, 120 mg, 145 mg, 160 mg	
FentaNYL	Duragesic®;	Analgesic, Opioid;Anilidopiperidine Opioid;General Anesthetic;		Injection, solution, as citrate [preservative free]: 0.05 mg/mL (50 mL) Injection, solution, as citrate: 0.05mg/ml (2ml) Transdermal system, topical, as base: Duragesic®: 12 (5s) [delivers 12.5 mcg/hour, contains alcohol 0.1 mL/10 cm2]; 25 (5s) [delivers 25 mcg/hour, contains alcohol 0.1 mL/10 cm2]; 50 (5s) [delivers 50 mcg/hour, contains alcohol 0.1 mL/10 cm2]; 75 (5s) [delivers 75 mcg/hour, contains alcohol 0.1 mL/10 cm2]; 100 (5s) [delivers 100 mcg/hour, contains alcohol 0.1 mL/cm2]	

Ferric Gluconate		Iron Preparations;		Injection, solution: Elemental iron 12.5 mg/mL (5 mL) [contains benzyl alcohol and sucrose 20%]	
Ferric Subsulfate	Monsels Ferric Subsulfate;	Hemostatic Agent;		Solution, External: Monsels Ferric Subsulfate: (8 mL, 60 mL)	
Ferrous Sulfate	Fer-Gen Sol [OTC];	Iron Preparations;		Elixir, oral: 220 mg/5 mL (480 mL) Liquid, oral [drops]: Fer-Gen Sol: 75 mg/0.6 mL (50 mL) Tablet, oral: 325 mg [elemental iron 65 mg]	
Ferumoxytol	Feraheme;	Iron Preparations;		Solution, Intravenous [preservative free]: Generic: 510 mg/17 mL (17 mL)	
Finasteride	Proscar®;	5 Alpha-Reductase Inhibitor;		Tablet, oral: Generic: 1 mg, 5 mg	
FlavoxATE	Urispas®;	Antispasmodic Agent, Urinary;		Tablet, oral: Urispas®: 100 mg	
Fluconazole	Diflucan®;	Antifungal Agent, Oral;Antifungal Agent, Parenteral;		Tablet, oral: Generic: 100 mg, 150 mg, 200 mg Suspension Reconstituted, Oral: Generic: 40 mg/mL (35 mL)	

Fludrocortisone		Corticosteroid, Systemic;		Tablet, oral, as acetate: 0.1 mg	
Flumazenil	Romazicon®;	Antidote;		Injection, solution: Romazicon®: 0.1 mg/mL (5 mL) [contains disodium edetate 0.01%]	
Fluorescein		Diagnostic Agent;		Strip, ophthalmic, as sodium: 1 mg	
Fluorescein and Benoxinate		Anesthetic, Topical; Diagnostic Agent; Ophthalmic Agent;		Solution, ophthalmic: Fluorescein sodium 0.25% and benoxinate hydrochloride 0.4% (5 mL)	
Fluoride	PreviDent® 5000 Plus™;	Nutritional Supplement;		Cream, oral, as sodium [toothpaste]: PreviDent® 5000 Plus™: 1.1% (51 g) [spearmint flavor]	
Fluorometholone	FML Forte®;	Corticosteroid, Ophthalmic;		Suspension, ophthalmic, as base: 0.1% (5 mL) FML Forte®: 0.25% (5 mL) [contains benzalkonium chloride]	
Fluorouracil (Topical)	Efudex®;	Antineoplastic Agent, Antimetabolite; Antineoplastic Agent, Antimetabolite (Pyrimidine Analog); Topical Skin Product;		Cream, topical: Efudex®: 5% (40 g)	
FLUoxetine		Antidepressant, Selective Serotonin Reuptake Inhibitor;		Capsule, oral, as hydrochloride: 10 mg, 20 mg	

FluPHENAZine		First Generation (Typical) Antipsychotic;Phenothiazine Derivative;		Injection, oil, as decanoate: 25 mg/mL (5 mL) [contains benzyl alcohol and sesame oil]	
Fluticasone and Salmeterol	Advair Diskus;Wixela;	Beta2 Agonist;Beta2-Adrenergic Agonist, Long-Acting;Corticosteroid, Inhalant (Oral);		Powder, for oral inhalation: 100/50: Fluticasone propionate 100 mcg and salmeterol 50 mcg (60s) 250/50: Fluticasone propionate 250 mcg and salmeterol 50 mcg (60s) 500/50: Fluticasone propionate 500 mcg and salmeterol 50 mcg (60s)	
Fluticasone HFA Aerosol Inhaler	Flovent HFA;				
Fluticasone (Nasal)		Corticosteroid, Nasal;		Suspension, Nasal, as propionate: Generic: 50 mcg/actuation (16 g)	
Folic Acid		Vitamin, Water Soluble;		Injection, solution, as sodium folate: 5 mg/mL Tablet, oral: 1 mg	
Fosfomycin	Monurol;	Antibiotic, Miscellaneous;		Packet, Oral: Generic: 3 g (1 ea)	
Fosinopril		Angiotensin-Converting Enzyme (ACE) Inhibitor;Antihypertensive;		Tablet, oral, as sodium: 5 mg, 10 mg, 20 mg, 40 mg	

Fosphenytoin	Cerebyx®;	Antiseizure Agent, Hydantoin;		Injection, solution, as sodium: 75 mg/mL (2 mL, 10 mL) [equivalent to phenytoin sodium 50 mg/mL] Cerebyx®: 75 mg/mL (2 mL) [equivalent to phenytoin sodium 50 mg/mL] Injection, solution, as sodium [preservative free]: 75 mg/mL (2 mL)	
Furosemide		Antihypertensive;Diuretic, Loop;		Injection, solution: 10 mg/mL (4 mL) Injection, solution [preservative free]: 10 mg/mL (2 mL, 10 mL) Solution, oral: 10 mg/mL (60 mL) [sugar free; contains alcohol 11.6%; orange flavor] Tablet, oral: 20 mg, 40 mg, 80 mg	
Gabapentin	Neurontin®;	Antiseizure Agent, Miscellaneous;GABA Analog;		Capsule, oral: 100 mg, 300 mg, 400 mg Neurontin®: 100 mg, 300 mg, 400 mg	
Gentamicin (Ophthalmic)	Gentak™;	Antibiotic, Aminoglycoside;Antibiotic, Ophthalmic;		Solution, Ophthalmic: Generic: 0.3% (5 mL)	
Gentamicin (Systemic)		Antibiotic, Aminoglycoside;		Injection, solution, as sulfate: 40 mg/mL (2 mL)	

Gentamicin (Topical)		Antibiotic, Aminoglycoside;Antibiotic, Topical;	Gentamicin cream is available via fast-track non-formulary approval for dialysis patients with dialysis site infections	Ointment, External: Generic: 0.1% (15 g)	
Gentian Violet		Antibiotic, Topical;Antifungal Agent, Topical;		Solution, topical: 2% (30 mL) [contains ethyl alcohol 10%]	
Glecaprevir and Pibrentasvir	Mavyret;	Antihepaciviral, NS3/4A Protease Inhibitor (Anti-HCV);Antihepaciviral, NS5A Inhibitor;NS3/4A Inhibitor;NS5A Inhibitor;		Tablet, Oral: Mavyret: Glecaprevir 100 mg and pibrentasvir 40 mg	
GlipiZIDE	Glucotrol®;	Antidiabetic Agent, Sulfonylurea;		Tablet, oral: 5 mg, 10 mg	
Glucagon	Gvoke Kit;	Antidote;Antidote, Hypoglycemia;Diagnostic Agent;		Kit, for injection: Glucagon Emergency Kit: 1 mg [contains lactose 49 mg]	
GlyBURIDE		Antidiabetic Agent, Sulfonylurea;	Only for use in pregnancy	Tablet, oral: 2.5 mg, 5 mg	
Glyburide and Metformin	Glucovance®;	Antidiabetic Agent, Biguanide;Antidiabetic Agent, Sulfonylurea;		Tablet: 2.5/500: Glyburide 2.5 and metformin hydrochloride 500 mg 5/500: Glyburide 5 mg and metformin hydrochloride 500 mg	
Glycerin	Sani-Supp® [OTC];	Laxative, Osmotic;		Suppository, rectal: 82.5% (25) Sani-Supp®: 82.5% (25)	
Glycopyrrolate (Systemic)	Robinul;	Anticholinergic Agent;		Tablet, Oral: Generic: 1 mg	

Griseofulvin	Grifulvin V®;Gris-PEG®;	Antifungal Agent, Oral;		Suspension, oral, microsize: Grifulvin V®: 125 mg/5 mL (120 mL) [contains alcohol 0.2%] Tablet, oral, microsize: Grifulvin V®: 500 mg Tablet, oral, ultramicrosize: Gris-PEG®: 125 mg	
Guaifenesin and Codeine	Cheratussin AC [OTC];	Antitussive;Expectorant;		Syrup, oral: Guaifenesin 100 mg and codeine phosphate 10 mg per 5 mL (10 mL, 120 mL)	
Guaifenesin and Dextromethorphan	Q-Tussin DM [OTC];	Antitussive;Expectorant;		Liquid, oral: Q-Tussin DM: 100/10: guaifenesin 100 mg and dextromethorphan hydrobromide 10 mg per 5 mL (120 mL) [cherry flavor]	
GuanFACINE	Intuniv;	Alpha2-Adrenergic Agonist;Antihypertensive;		Tablet, Oral: Generic: 1 mg, 2 mg Tablet Extended Release 24 Hour, Oral: Generic: 1 mg, 2 mg, 3 mg, 4 mg	

Haemophilus b Conjugate Vaccine	ActHIB®; PedvaxHIB®;	Vaccine; Vaccine, Inactivated (Bacterial);		<p>Injection, powder for reconstitution [preservative free]: ActHIB®: Haemophilus b capsular polysaccharide 10 mcg and tetanus toxoid 24 mcg per dose [contains sucrose 8.5%] Injection, suspension: PedvaxHIB®: Haemophilus b capsular polysaccharide 7.5 mcg and Neisseria meningitidis OMPC 125 mcg per 0.5 mL (0.5 mL) [contains aluminum 225 mcg/0.5 mL]</p>	
Haloperidol	Haldol®; Haldol® Decanoate;	First Generation (Typical) Antipsychotic;		<p>Injection, oil, as decanoate: Haldol® Decanoate: 50 mg/mL (1 mL); 100 mg/mL (5 mL) [contains benzyl alcohol and sesame oil] Injection, solution, as lactate: Haldol®: 5 mg/mL (10 mL) [contains methylparaben] Tablet, oral: 0.5 mg, 1 mg, 2 mg, 10 mg</p>	

Heparin	Hep-Lock U/P;Hep-Lock®;HepFlush®-10;	Anticoagulant;		Injection, solution, as sodium [lock flush preparation; porcine intestinal mucosa source]: 10 units/mL (5 mL); 100 units/mL (1 mL, 30 mL) [contains benzyl alcohol] Injection: 5000 units/mL (1 mL, 30 mL)	
Hepatitis A Inactivated and Hepatitis B (Recombinant) Vaccine	Twinrix®;	Vaccine;Vaccine, Inactivated (Viral);		Injection, suspension: Twinrix®: Inactivated hepatitis A virus 720 ELISA units and hepatitis B surface antigen 20 mcg per mL (1 mL)	
Hepatitis A Vaccine	Havrix®;	Vaccine;Vaccine, Inactivated (Viral);		Injection, suspension [adult]: Havrix®: Viral antigen 1440 ELISA units/mL (1 mL)	
Hepatitis B Vaccine	Engerix-B®;	Vaccine;Vaccine, Inactivated (Viral);Vaccine, Recombinant;		Injection, suspension: Recombinant DNA, adult: Engerix-B®: Hepatitis B surface antigen 20 mcg/mL (1 mL) Recombinant DNA, pediatric/adolescent: Engerix-B®: Hepatitis B surface antigen 10 mcg/0.5 mL (0.5 mL)	

Hepatitis B Vaccine (Recombinant [Adjuvanted])	Hepelisav-B;	Vaccine;Vaccine, Inactivated (Viral);Vaccine, Recombinant;		Solution, Intramuscular [preservative free]: Hepelisav-B: Hepatitis B surface antigen 20 mcg/0.5 mL (0.5 mL [DSC]) [contains polysorbate 80] Solution Prefilled Syringe, Intramuscular [preservative free]: Hepelisav-B: 20 mcg/0.5 mL (0.5 mL) [contains polysorbate 80]	
Histoplasmin		Diagnostic Agent;		Injection: 1:100	
Homatropine	Isopto® Homatropine;	Anticholinergic Agent, Ophthalmic;Ophthalmic Agent, Mydriatic;		Solution, ophthalmic, as hydrobromide: Isopto® Homatropine: 2% (5 mL); 5% (5 mL)	
Human Papillomavirus Vaccine (Quadrivalent)	Gardasil®;	Vaccine;Vaccine, Inactivated (Viral);		Injection, suspension [preservative free]: Gardasil®: HPV 6 L1 protein 20 mcg, HPV 11 L1 protein 40 mcg, HPV 16 L1 protein 40 mcg, and HPV 18 L1 protein 20 mcg per 0.5 mL (0.5 mL) [contains aluminum, polysorbate 80; manufactured using <i>S. cerevisiae</i> (baker's yeast)]	

Hyaluronate and Derivatives	Euflexxa;Gel-One;	Antirheumatic Miscellaneous;Cosmetic Agent, Implant;Ophthalmic Agent, Viscoelastic;Skin and Mucous Membrane Agent, Miscellaneous;		Injection, gel, intra-articular [cross-linked hyaluronate]: Gel-One: 10 mg/mL (3 mL) [derived from or manufactured using an avian source] Injection, solution, intra-articular [sodium hyaluronate]: Euflexxa: 10 mg/mL (2 mL)	
HydrALAZINE		Antihypertensive;Vasodilator;		Injection, solution, as hydrochloride: 20 mg/mL (1 mL) [contains methylparaben and propylene glycol and propylparaben] Tablet, oral, as hydrochloride: 25 mg	
HydroCHLOROthiazide	Microzide®;	Antihypertensive;Diuretic, Thiazide;		Capsule, oral: Microzide®: 12.5 mg Tablet, oral: 25 mg	
Hydrochlorothiazide and Triamterene		Antihypertensive;Antihypertensive Agent, Combination;Diuretic, Potassium-Sparing;Diuretic, Thiazide;		Tablet, oral: 50/75: Hydrochlorothiazide 50 mg and triamterene 75 mg	

Hydrocodone and Acetaminophen		Analgesic Combination (Opioid);Analgesic, Opioid;		Elixir, oral: 7.5mg hydrocodone/500mg acetaminophen/15ml Tablet, oral: 5/325: Hydrocodone bitartrate 5 mg and acetaminophen 325 mg 10/325: Hydrocodone bitartrate 10 mg and acetaminophen 325 mg	
Hydrocortisone (Systemic)	Cortef®;Solu-CORTEF®;	Corticosteroid, Systemic;		Injection, powder for reconstitution, as sodium succinate: Solu-CORTEF®: 100 mg Tablet, oral, as base: 10 mg, 20 mg	
Hydrocortisone (Topical)		Antihemorrhoidal Agent;Corticosteroid, Rectal;Corticosteroid, Topical;		Suppository, rectal, as acetate: 25 mg Generic: 25 mg (12 ea) Cream, Rectal, as base: Generic: 2.5% (28.35 g)	
Hydroxocobalamin	Cyanokit;	Antidote;Vitamin, Water Soluble;		Solution Reconstituted, Intravenous: Cyanokit: 5 g (1 ea)	
Hydroxyamphetamine and Tropicamide	Paremyd;	Adrenergic Agonist Agent, Ophthalmic;		Solution, ophthalmic: Paremyd: Hydroxyamphetamine hydrobromide 1% and tropicamide 0.25% (15 mL) [contains benzalkonium chloride]	
Hydroxychloroquine		Aminoquinoline (Antimalarial);Antimalarial Agent;Antirheumatic, Disease Modifying;		Tablet, oral, as sulfate: 200 mg	

Hydroxyurea	Hydrea®;	Antineoplastic Agent, Miscellaneous;		Capsule, oral: Hydrea®: 500 mg	
HydrOXYzine		Antiemetic;Histamine H1 Antagonist;Histamine H1 Antagonist, First Generation;Piperazine Derivative;		Capsule, oral, as pamoate: 25 mg Injection, solution, as hydrochloride: 25 mg/mL (1 mL); 50 mg/mL Syrup, oral, as hydrochloride: 10 mg/5 mL (480 mL) [contains alcohol 0.5%; peppermint flavor]	
Hyoscyamine		Anticholinergic Agent;		Capsule, extended release, oral, as sulfate: 0.375 mg Tablet, sublingual, as sulfate: 0.125 mg	
Hyoscyamine, Atropine, Scopolamine, and Phenobarbital		Anticholinergic Agent;Antispasmodic Agent, Gastrointestinal;		Elixir, oral: Hyoscyamine sulfate 0.1037 mg, atropine sulfate 0.0194 mg, scopolamine hydrobromide 0.0065 mg, and phenobarbital 16.2 mg per 5 mL (480 mL) [contains alcohol 23%] Tablet: Hyoscyamine sulfate 0.1037 mg, atropine sulfate 0.0194 mg, scopolamine hydrobromide 0.0065 mg, and phenobarbital 16.2 mg	

Ibuprofen	Motrin®;	Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;		Suspension, oral: 100 mg/5 mL (120 mL) [alcohol free; contains sodium benzoate; grape flavor] Suspension, oral: 100 mg/5 mL (480 mL) [berry flavor] Tablet, oral: 400 mg, 800 mg	
Imipramine		Antidepressant, Tricyclic (Tertiary Amine);		Tablet, oral, as hydrochloride: 10 mg, 25 mg	
Imiquimod	Aldara;	Skin and Mucous Membrane Agent; Topical Skin Product;		Cream, External: Aldara: 5% (12 ea) [contains benzyl alcohol, cetyl alcohol, methylparaben, propylparaben, sorbitan monostearate(sorbitan stearate)] Generic: 5% (1 ea, 12 ea, 24 ea)	

Immune Globulin	Carimune® NF; Flebogamma® DIF; Flebogamma® [DSC]; GamaSTAN™ S/D; Gammagard S/D®; Gammagard® Liquid; Gammaplex®; Gamu nex®; Gamunex®- C; Hizentra®; Octagam®; Pri vigen®; Vivaglobin®;	Blood Product Derivative; Immune Globulin;		Injection, powder for reconstitution [preservative free]: Carimune® NF: 3 g, 6 g, 12 g [contains sucrose] Gammagard S/D®: 2.5 g, 5 g, 10 g [contains albumin (human), glucose, glycine, natural rubber/natural latex in packaging, polyethylene glycol, polysorbate 80] Injection, solution [preservative free]: Flebogamma®: 5% [50 mg/mL] (10 mL [DSC], 50 mL [DSC], 100 mL [DSC], 200 mL [DSC]) [contains polyethylene glycol, sorbitol] Flebogamma® DIF: 5% [50 mg/mL] (10 mL, 50 mL, 100 mL, 200 mL, 400 mL); 10% [100 mg/mL] (100 mL, 200 mL) [contains polyethylene glycol, sorbitol] GamaSTAN™ S/D: 15% to 18% (2 mL, 10 mL) Gammagard® Liquid: 10% [100 mg/mL] (10 mL, 25 mL, 50 mL, 100 mL, 200	
Indapamide		Antihypertensive; Diuretic, Thiazide-Related;		Tablet, Oral: Generic: 1.25 mg, 2.5 mg	
Indomethacin		Nonsteroidal Anti- inflammatory Drug (NSAID), Oral;		Capsule, oral: 50 mg	

Inhalation Devices	AeroChamber™;	Inhalation, Miscellaneous;		AeroChamber™, AeroChamber™ with mask (small, medium, large)	
Insulin Aspart	NovoLOG FlexPen;NovoLOG®;	Insulin, Rapid-Acting;		Solution, Subcutaneous: NovoLOG: 100 units/mL (10 mL) [contains metacresol, phenol] Solution Pen-injector, Subcutaneous: NovoLOG FlexPen: 100 units/mL (3 mL) [contains metacresol, phenol]	
Insulin Aspart Protamine and Insulin Aspart	NovoLOG® Mix 70/30 FlexPen®;	Insulin, Combination;		Injection, suspension: NovoLOG® Mix 70/30 FlexPen®: Insulin aspart protamine suspension 70% [intermediate acting] and insulin aspart solution 30% [rapid acting]: 100 units/mL (3 mL)	
Insulin Detemir	Levemir;Levemir FlexPen;	Insulin, Long-Acting;		Solution, Subcutaneous: Levemir: 100 units/mL (10 mL) [contains metacresol, phenol] Solution Pen-injector, Subcutaneous: Levemir FlexPen: 100 units/mL (3 mL) [contains metacresol, phenol]	

Insulin Glargine	Lantus;Lantus SoloStar;	Insulin, Long-Acting;		Solution, Subcutaneous: Lantus: 100 units/mL (10 mL) [contains metacresol] Solution Pen-injector, Subcutaneous: Lantus SoloStar: 100 units/mL (3 mL) [contains metacresol]	
Insulin NPH	NovoLIN® N;	Insulin, Intermediate-Acting;		Injection, suspension: NovoLIN® N: 100 units/mL (10 mL)	
Insulin NPH and Insulin Regular	NovoLIN® 70/30;	Insulin, Combination;		Injection, suspension: NovoLIN® 70/30: 100 units/mL: Insulin NPH suspension 70% [intermediate acting] and insulin regular solution 30% [short-acting] (10 mL)	
Insulin Regular	NovoLIN® R;	Insulin, Short-Acting;		Injection, suspension: NovoLIN® R: 100 units/mL (10 mL)	
Ipecac Syrup		Antidote;		Syrup, oral: USP (30 mL) [contains ethyl alcohol]	

Ipratropium and Albuterol	Combivent®; DuoNeb;	Anticholinergic Agent; Beta2-Adrenergic Agonist;		Aerosol, for oral inhalation: Combivent®: Ipratropium bromide 18 mcg and albuterol sulfate 103 mcg per inhalation (14.7 g) [contains chlorofluorocarbon and soya lecithin] Solution, for nebulization: Generic: Ipratropium bromide 0.5 mg and albuterol (base) 2.5 mg per 3 mL (30s)	
Ipratropium (Oral Inhalation)		Anticholinergic Agent;		Solution, for nebulization, as bromide [preservative free]: 0.02% (2.5 mL)	
Iron Sucrose	Venofer;	Iron Preparations;		Solution, Intravenous [preservative free]: Venofer: 20 mg/mL (10 mL)	
Isoniazid		Antitubercular Agent;		Tablet, oral: 300 mg	
Isoproterenol	Isuprel®;	Beta1/Beta2 Agonist;		Injection, solution, as hydrochloride: Isuprel®: 0.2 mg/mL (1 mL) [contains sodium metabisulfite]	
Isosorbide Dinitrate	Isordil;	Antianginal Agent; Vasodilator;		Tablet, Oral: Generic: 5 mg, 10 mg	
Isosorbide Mononitrate	Imdur®;	Antianginal Agent; Vasodilator;		Tablet, extended release, oral: 30 mg, 60 mg, 120 mg Imdur®: 30 mg, 60 mg	

ISotretinoin (Systemic)	Absorica;Amnesteem;Clarithis;Myorisan;Zenatane;	Acne Products;Antineoplastic Agent, Retinoic Acid Derivative;Retinoic Acid Derivative;		Capsule, Oral: Amnesteem: 10 mg, 20 mg, 40 mg [contains soybean oil] Myorisan: 10 mg, 20 mg [contains soybean oil] Myorisan: 30 mg Myorisan: 40 mg [contains fd&c yellow #6 (sunset yellow), soybean oil]	
Ketamine		Antidepressant;General Anesthetic;		Injection, solution: 100 mg/mL (5 mL)	
Ketoconazole (Topical)	Ketodan;	Antifungal Agent, Imidazole Derivative;Antifungal Agent, Topical;		Shampoo, External: Generic: 2% (120 mL)	
Ketorolac (Ophthalmic)	Acular®;	Nonsteroidal Anti-inflammatory Drug (NSAID), Ophthalmic;		Solution, ophthalmic, as tromethamine: Generic: 0.5% (5 mL) [contains benzalkonium chloride]	
Ketorolac (Systemic)		Analgesic, Nonopioid;Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;Nonsteroidal Anti-inflammatory Drug (NSAID), Parenteral;	Tablets: restricted for up to 5 days for post-op pain only	Injection, solution, as tromethamine: 30 mg/mL (1 mL, 2 mL) [contains alcohol 10%] Tablet, Oral, as tromethamine: Generic: 10 mg	
Ketotifen (Ophthalmic)	Zaditor [OTC];	Histamine H1 Antagonist;Histamine H1 Antagonist, Second Generation;Mast Cell Stabilizer;Piperidine Derivative;		Solution, Ophthalmic: Zaditor: 0.025% (5 mL) [contains benzalkonium chloride] Generic: 0.025% (5 mL)	

Labetalol		Antihypertensive;Beta-Blocker With Alpha-Blocking Activity;		Injection, solution, as hydrochloride: 5 mg/mL	
Lactic Acid and Ammonium Hydroxide	AmLactin® [OTC];	Topical Skin Product;		Lotion, topical: AmLactin®: Lactic acid 12% with ammonium hydroxide (225 g)	
Lactobacillus	Culturelle Baby Digestive Calm + Comfort [OTC];Culturelle Kids Purely Probiotics [OTC];	Dietary Supplement;Probiotic;	Restricted to pediatrics only	Granules: Culturelle Kids Purely Probiotics: L. rhamnosus 5 billion colony-forming units per packet (30s) [contains sucrose] Liquid, Oral: Culturelle Baby Calm + Comfort: L. rhamnosus and Bifidobacterium animalis 2 billion colony-forming units per 5 drops (8.5 mL) Tablet, chewable, Oral: Culturelle Kids Purely Probiotics: L. rhamnosus 5 billion colony-forming units per tablet (30s)	
Lactulose		Ammonium Detoxicant;Laxative, Osmotic;		Syrup, oral: 10 g/15 mL (1892 mL) [banana flavor]	
Lamotrigine		Antiseizure Agent, Miscellaneous;		Tablet, oral: 25 mg, 100 mg, 150 mg, 200 mg Tablet, chewable/dispersible, oral: 5 mg, 25 mg	
Lanolin		Topical Skin Product;		Ointment: 30 g	

Latanoprost		Ophthalmic Agent, Antiglaucoma; Prostaglandin, Ophthalmic;		Solution, Ophthalmic: Generic: 0.005% (2.5 mL)	
Ledipasvir and Sofosbuvir	Harvoni;	Antihepaciviral, NS5A Inhibitor; Antihepaciviral, Polymerase Inhibitor (Anti-HCV); NS5A Inhibitor; NS5B RNA Polymerase Inhibitor;		Tablet, Oral: Generic: Ledipasvir 90 mg and sofosbuvir 400 mg	
Leflunomide	Arava;	Antirheumatic, Disease Modifying;		Tablet, Oral: Arava: 10 mg, 20 mg Generic: 10 mg, 20 mg	
Letrozole	Femara;	Antineoplastic Agent, Aromatase Inhibitor;		Tablet, Oral: Femara: 2.5 mg Generic: 2.5 mg	
Leucovorin		Antidote; Chemotherapy Modulating Agent; Rescue Agent (Chemotherapy); Vitamin, Water Soluble;		Injection, powder for reconstitution, as calcium: 350 mg Tablet, oral, as calcium: 5 mg	

Leuprolide	Lupron Depot (1-Month);Lupron Depot (3-Month);Lupron Depot (4-Month);Lupron Depot (6-Month);	Antineoplastic Agent, Gonadotropin-Releasing Hormone Agonist;Gonadotropin Releasing Hormone Agonist;		<p>Kit, Intramuscular, as acetate:</p> <p>Lupron Depot (1-Month): 7.5 mg [latex free; contains polysorbate 80]</p> <p>Lupron Depot (6-Month): 45 mg [latex free; contains polysorbate 80]</p> <p>Kit, Intramuscular, as acetate [preservative free]:</p> <p>Lupron Depot (1-Month): 3.75 mg [latex free; contains polysorbate 80]</p> <p>Lupron Depot (3-Month): 11.25 mg, 22.5 mg [latex free; contains polysorbate 80]</p> <p>Lupron Depot (4-Month): 30 mg [latex free; contains polysorbate 80]</p>	
Levetiracetam		Antiseizure Agent, Miscellaneous;		<p>Solution, Intravenous:</p> <p>Generic: 500 mg/5 mL (5 mL)</p> <p>Solution, Oral:</p> <p>Keppra: 100 mg/mL (473 mL) [gluten free, lactose free; contains acesulfame potassium, methylparaben, propylparaben; grape flavor]</p> <p>Generic: 100 mg/mL (5 mL, 473 mL, 500 mL)</p> <p>Tablet, Oral:</p> <p>Generic: 250 mg, 500 mg, 750 mg, 1000 mg</p>	

Levodopa and Carbidopa	Sinemet® CR;	Anti-Parkinson Agent, Decarboxylase Inhibitor; Anti-Parkinson Agent, Dopamine Precursor;		Tablet: 100/10: Levodopa 100 mg and carbidopa 10 mg 100/25: Levodopa 100 mg and carbidopa 25 mg 250/25: Levodopa 250 mg and carbidopa 25 mg Tablet, extended release: 100/25: Levodopa 100 mg and carbidopa 25 mg Tablet, sustained release: 100/25: Levodopa 100 mg and carbidopa 25 mg 200/50: Levodopa 200 mg and carbidopa 50 mg	
LevoFLOXacin (Systemic)	Levaquin®;	Antibiotic, Fluoroquinolone; Antibiotic, Respiratory Fluoroquinolone;		Injection, solution [preservative free]: Levaquin®: 25 mg/mL (20 mL) Tablet, oral: 250 mg, 500 mg	
Levonorgestrel (IUD)	Mirena;	Contraceptive; Progestin;		Intrauterine Device, Intrauterine: Mirena: 20 mcg/24 hr	
Levonorgestrel (Systemic)	Plan B One-Step [OTC];	Contraceptive; Progestin;		Tablet, Oral: Generic: 1.5 mg	
Levothyroxine	Synthroid®;	Thyroid Product;		Tablet, oral, as sodium: Synthroid®: 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 125 mcg, 150 mcg, 175 mcg	

Lidocaine and Epinephrine		Local Anesthetic;		Injection, solution: 1% / 1:100,000: Lidocaine hydrochloride 1% and epinephrine 1:100,000 (20 mL) [contains sodium metabisulfite] 2% / 1:100,000: Lidocaine hydrochloride 2% and epinephrine 1:100,000 (20 mL) [contains sodium metabisulfite]	
Lidocaine and Maalox®		Miscellaneous Product;		Suspension: 1:1, 1:3; extemporaneously prepared by Pharmacy	
Lidocaine and Prilocaine		Local Anesthetic;		Cream, topical: 2.5% / 2.5%: Lidocaine 2.5% and prilocaine 2.5% (5 g, 30 g)	

Lidocaine (Systemic)	Xylocaine®;	Antiarrhythmic Agent, Class Ib;Local Anesthetic;		Infusion [premixed in D5W], as hydrochloride: 0.4% (250 mL, 500 mL) Injection, solution, as hydrochloride (Xylocaine®): 1% (50 mL) Injection, solution, as hydrochloride: 1% (20 mL), 2% (20 mL) [contains sodium chloride] Injection, solution, as hydrochloride [preservative free]: 2% (5 mL) [contains sodium chloride 6 mg/mL] Solution, viscous, as hydrochloride: 2% (20 mL, 100 mL)	
Lidocaine (Topical)	Xylocaine®;	Analgesic, Topical;Local Anesthetic;		Ointment, topical: 5% (37.5 g) Patch, topical: 5%	
Lipid Emulsion (Plant Based)	Intralipid;	Caloric Agent;		Emulsion, Intravenous: Intralipid: 20% (250 mL)	
Lisinopril	Prinivil®;	Angiotensin-Converting Enzyme (ACE) Inhibitor;Antihypertensive;		Tablet, oral: 5 mg, 10 mg, 20 mg, 40 mg Prinivil®: 10 mg	
Lithium		Antimanic Agent;		Capsule, oral, as carbonate: 300 mg Tablet Extended Release, oral, as carbonate: Generic: 300 mg, 450 mg	

Lodoxamide	Alomide®;	Mast Cell Stabilizer;		Solution, ophthalmic: Alomide®: 0.1% (10 mL) [contains benzalkonium chloride]	
Loperamide		Antidiarrheal;		Capsule, oral, as hydrochloride: 2 mg	
LORazepam		Antiseizure Agent, Benzodiazepine; Benzodiazepine;		Injection, solution: 2 mg/mL (1 mL) Tablet, oral: 0.5 mg, 1 mg	
Losartan	Cozaar®;	Angiotensin II Receptor Blocker; Antihypertensive;		Tablet, oral, as potassium: Cozaar®: 25 mg, 50 mg, 100 mg	
Losartan and Hydrochlorothiazide	Hyzaar;	Angiotensin II Receptor Blocker; Antihypertensive; Diuretic, Thiazide;		Tablet, Oral: Generic: 50/12.5: Losartan potassium 50 mg and hydrochlorothiazide 12.5 mg; 100/12.5: Losartan potassium 100 mg and hydrochlorothiazide 12.5 mg; 100/25: Losartan potassium 100 mg and hydrochlorothiazide 25 mg	
Lubiprostone	Amitiza;	Chloride Channel Activator; Gastrointestinal Agent, Miscellaneous;		Capsule, Oral: Amitiza: 8 mcg Amitiza: 24 mcg [contains fd&c red #40, fd&c yellow #10 (quinoline yellow)]	

Lurasidone	Latuda;	Second Generation (Atypical) Antipsychotic;		Tablet, Oral, as hydrochloride: Generic: 20 mg, 40 mg, 60 mg, 80 mg, 120 mg	
Magnesium Citrate	Citroma® [OTC];	Laxative, Saline;Magnesium Salt;		Solution, oral: Citroma®: 290 mg/5 mL (296 mL) [contains magnesium 48 mg/5 mL and potassium 13 mg/5 mL; lemon flavor]	
Magnesium Hydroxide	Milk of Magnesia [OTC];	Antacid;Laxative;Magnesium Salt;		Suspension, Oral: Milk of Magnesia: 400 mg/5 mL (30 mL) [contains methylparaben, propylene glycol, propylparaben]	
Magnesium Oxide		Antacid;Electrolyte Supplement, Oral;Magnesium Salt;		Tablet, oral: 400 mg	
Magnesium Sulfate		Antiseizure Agent, Miscellaneous;Electrolyte Supplement, Parenteral;Magnesium Salt;		Injection, solution [preservative free]: 500 mg/mL (2 mL)	
Mannitol (Systemic)		Diuretic, Osmotic;Genitourinary Irrigant;		Injection, solution: 25% (50 mL)	
Measles, Mumps, and Rubella Vaccines (Combined)	M-M-R® II;	Vaccine;Vaccine, Live (Viral);		Injection, powder for reconstitution [preservative free]: M-M-R® II: Measles virus 1000 TCID50, rubella virus 1000 TCID50, and mumps virus 20,000 TCID50	

Meclizine		Antiemetic;Histamine H1 Antagonist;Histamine H1 Antagonist, First Generation;Piperazine Derivative;		Tablet, oral, as hydrochloride: 25 mg	
Meclofenamate		Analgesic, Nonopioid;Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;		Capsule, oral, as sodium: 100 mg	
MedroxyPROGESTERone	Depo-Provera® Contraceptive;	Contraceptive;Progestin;		Injection, suspension, as acetate: Depo-Provera® Contraceptive: 150 mg/mL (1 mL) Tablet, oral, as acetate: 2.5 mg, 10 mg	
Megestrol		Antineoplastic Agent, Hormone;Appetite Stimulant;Progestin;		Suspension, oral, as acetate: 40 mg/mL (240 mL) [contains alcohol 0.6% and sodium benzoate; lemon-lime flavor] Tablet, oral, as acetate: 40 mg	
Meloxicam	Mobic®;	Analgesic, Nonopioid;Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;Nonsteroidal Anti-inflammatory Drug (NSAID), Parenteral;		Tablet, oral: 7.5 mg, 15 mg Mobic®: 7.5 mg, 15 mg	

Memantine	Namenda;	N-Methyl-D-Aspartate (NMDA) Receptor Antagonist;		Solution, Oral, as hydrochloride: Generic: 2 mg/mL (240 mL, 360 mL) Tablet, Oral, as hydrochloride: Namenda: 5 mg [contains fd&c blue #2 (indigotine), fd&c yellow #6 (sunset yellow)] Namenda: 10 mg Generic: 5 mg, 10 mg, 5 mg (28s) and 10 mg (21s)	
Meningococcal (Groups A / C / Y and W-135) Conjugate Vaccine	Menactra®;	Vaccine;Vaccine, Inactivated (Bacterial);		Injection, solution: Menactra®: 4 mcg each of polysaccharide antigen groups A, C, Y, and W-135 per 0.5 mL [conjugated to diphtheria toxoid protein 48 mcg; adjuvant and preservative free; vial stopper contains dry, natural latex rubber]	
Meningococcal Polysaccharide Vaccine (Groups A / C / Y and W-135)	Menomune®-A/C/Y/W-135;	Vaccine;Vaccine, Inactivated (Bacterial);		Injection, powder for reconstitution [preservative free]: Menomune®-A/C/Y/W-135: 50 mcg each of polysaccharide antigen groups A, C, Y, and W-135 (1) [contains packaging contains natural rubber/natural latex]	

Mercaptopurine		Antineoplastic Agent, Antimetabolite; Antineoplastic Agent, Antimetabolite (Purine Analog); Immunosuppressant Agent;		Tablet, oral: 50 mg	
Meropenem	Merrem [DSC];	Antibiotic, Carbapenem;		Solution Reconstituted, Intravenous [preservative free]: Generic: 1 g (1 ea)	
Mesalamine	Asacol®; Canasa®; Pentasa®; Rowasa®;	5-Aminosalicylic Acid Derivative;		Capsule, controlled release, oral: Pentasa®: 250 mg Suppository, rectal: Canasa®: 500 mg, 1000 mg Rowasa®: 4 g/60 mL (60 mL) [contains potassium metabisulfite and sodium benzoate] Tablet, delayed release, enteric coated, oral: Asacol®: 400 mg	
MetFORMIN		Antidiabetic Agent, Biguanide;		Tablet, oral, as hydrochloride: 500 mg Tablet, extended release, oral, as hydrochloride: 500 mg	
MethazolAMIDE		Carbonic Anhydrase Inhibitor; Diuretic, Carbonic Anhydrase Inhibitor; Ophthalmic Agent, Antiglaucoma;		Tablet, oral: 50 mg	

Methenamine, Phenyl Salicylate, Atropine, Hyoscyamine, Benzoic Acid, and Methylene Blue	Urised®;	Antibiotic, Urinary Anti-infective; Urinary Tract Product;		Tablet, oral: Methenamine 40.8 mg, phenyl salicylate 18.1 mg, atropine sulfate 0.03 mg, hyoscyamine sulfate 0.03 mg, benzoic acid 4.5 mg, and methylene blue 5.4 mg	
MethIMazole		Antithyroid Agent; Thioamide;		Tablet, oral: 10 mg	
Methocarbamol		Skeletal Muscle Relaxant;		Tablet, oral: 750 mg	
Methotrexate		Antineoplastic Agent, Antimetabolite (Antifolate); Antirheumatic, Disease Modifying; Immunosuppressant Agent;		Injection, solution [preservative free]: 25 mg/mL (2 mL, 4 mL) Tablet, oral: 2.5 mg	
Methyldopa		Alpha2-Adrenergic Agonist; Antihypertensive;		Injection, solution, as methyldopate hydrochloride: 50 mg/mL (5 mL) Tablet, oral: 250 mg	
Methylene Blue		Antidote; Diagnostic Agent; Phenothiazine Derivative;		Injection, solution [preservative free]: 10 mg/mL (1 mL)	
Methylergonovine	Methergine®;	Ergot Derivative;		Injection, solution, as maleate: Methergine®: 0.2 mg (1 mL) Tablet, oral, as maleate: Methergine®: 0.2 mg	

Methylphenidate		Central Nervous System Stimulant;		Tablet, oral, as hydrochloride: 10 mg XR Tablet: Concerta: 18 mg, 27mg, 36mg, 54mg	
MethylPREDNISolone	Depo-Medrol®;Medrol;Solu-MEDROL ®;	Corticosteroid, Systemic;		Injection, powder for reconstitution, as sodium succinate: Solu-MEDROL ®: 125 mg, 500 mg, 1 g Injection, suspension, as acetate: Depo-Medrol®: 40 mg/mL (1 mL), 80 mg/mL (1 mL) Tablet Therapy Pack, Oral: Generic: 4 mg (21 ea)	
Metoclopramide		Antiemetic;Dopamine Antagonist;Gastrointestinal Agent, Prokinetic;Serotonin 5-HT4 Receptor Agonist;		Injection, solution: 5 mg/mL Solution, oral, as hydrochloride: 5 mg/5 mL (473 mL) [alcohol free, sugar free; berry-citrus flavor] Tablet, oral: 10 mg	
MetOLazone		Diuretic, Thiazide-Related;		Tablet, oral: 2.5 mg, 5 mg	
Metoprolol		Antihypertensive;Beta-Blocker, Beta-1 Selective;		Injection, solution, as tartrate: 1 mg/mL (5 mL) Tablet, oral, as tartrate: 50 mg Tablet, extended release, oral, as succinate: 25 mg, 50 mg, 100mg	

MetroNIDAZOLE (Systemic)		Amebicide;Antibiotic, Miscellaneous;Antiprotozoal, Nitroimidazole;		Infusion [premixed iso-osmotic sodium chloride solution]: 500 mg (100 mL) [contains sodium 14 mEq] Tablet, oral: 250 mg, 500 mg	
MetroNIDAZOLE (Topical)	Metrogel;	Antibiotic, Topical;		Gel, External: Generic: 0.75% (45 g) Gel, Vaginal: Generic: 0.75% (70 g)	
Midazolam		Antiseizure Agent, Benzodiazepine;Benzodiazepine;		Solution, Injection: Generic: 5 mg/mL (1 mL); 10 mg/2 mL (2 mL); 50 mg/10 mL (10 mL) Solution, Nasal: Nayzilam: 5 mg/0.1 mL (1 ea) [contains propylene glycol]	
Midodrine		Alpha1 Agonist;		Tablet, Oral, as hydrochloride: Generic: 2.5 mg, 5 mg, 10 mg	
Mineral Oil		Laxative, Lubricant;		Oil, rectal [enema]: 100% (130 mL)	
Minocycline (Systemic)	CoreMino;Minocin;Minolira;Solodyn;Ximino;	Antibiotic, Tetracycline Derivative;		Capsule, Oral: Generic: 50 mg, 100 mg	
Mirtazapine		Antidepressant, Alpha-2 Antagonist;		Tablet, oral: 15 mg, 30 mg	
Moisturizing Cream		Topical Skin Product;		Cream	

Mometasone (Oral Inhalation)	Asmanex® Twisthaler®;	Corticosteroid, Inhalant (Oral);		Powder, for oral inhalation, as furoate: Asmanex® Twisthaler®: 110 mcg (30 units) [contains lactose; delivers 100 mcg/actuation] Asmanex® Twisthaler®: 220 mcg (14 units, 30 units, 60 units, 120 units) [contains lactose; delivers 200 mcg/actuation]	
Montelukast	Singulair;	Leukotriene-Receptor Antagonist;		Tablet, Oral: Generic: 10 mg Tablet Chewable, Oral: Generic: 4 mg, 5 mg	
Morphine Sulfate (Systemic)		Analgesic, Opioid;		Injection, solution: 5 mg/mL (1 mL); 10 mg/mL (1 mL); 15 mg/mL (1 mL); 50 mg/mL (50 mL) Solution, oral: 10 mg/5 mL (5 mL); 20 mg/5 mL (100 mL) Solution, oral [concentrate]: 20 mg/mL (1 mL) [contains sodium benzoate] Tablet, extended release, oral: 15 mg, 30 mg, 60 mg, 100 mg	
Moxifloxacin (Ophthalmic)	Vigamox;	Antibiotic, Fluoroquinolone; Antibiotic, Ophthalmic;		Solution, Ophthalmic: Generic: 0.5% (3 mL)	

Mupirocin	Bactroban®;	Antibiotic, Topical;		Note: Strength expressed as base Cream, topical, as calcium: Bactroban Cream®: 2% (15 g, 30 g) [contains benzyl alcohol] Ointment, topical: 2% (0.9 g, 22 g) Bactroban®: 2% (22 g) [contains polyethylene glycol]	
Mycophenolate	CellCept®;	Immunosuppressant Agent;		Capsule, oral, as mofetil: CellCept®: 250 mg	
Nadolol	Corgard®;	Antianginal Agent;Antihypertensive;Beta-Blocker, Nonselective;		Tablet, oral: 20 mg, 40 mg, 80 mg Corgard®: 20 mg, 40 mg, 80 mg [scored]	
Nafcillin		Antibiotic, Penicillin;		Injection, powder for reconstitution: 2 g, 10 g	
Naloxone	Narcan®;	Antidote;Opioid Antagonist;		Liquid, Nasal, as hydrochloride: Generic: 4 mg/0.1 mL (2 ea) Injection, solution, as hydrochloride [preservative free]: Generic: 0.4 mg/mL (1 mL); 1 mg/mL (2 mL)	

Naltrexone		Antidote;Opioid Antagonist;		Suspension Reconstituted, Intramuscular: Vivitrol: 380 mg (1 ea) Tablet, Oral, as hydrochloride: Generic: 50 mg	
Naltrexone and Bupropion	Contrave;	Anorexiant;Antidepressant, Dopamine/Norepinephrine-Reuptake Inhibitor;Opioid Antagonist;		Tablet Extended Release 12 Hour, Oral: Contrave: Naltrexone hydrochloride 8 mg and bupropion hydrochloride 90 mg [contains edetate (edta) disodium, fd&c blue #2 (indigo carm) aluminum lake]	Due to extreme cost, preference is for using individual tablets rather than the combination. Please use the following conversion: Naltrexone 25mg (1/2 of 50mg tablet) daily AND Bupropion XL 150mg daily x 1 week then 300mg daily
Naproxen		Analgesic, Nonopioid;Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;		Tablet, oral: 250 mg	
Neomycin, Polymyxin B, and Dexamethasone (Ophthalmic)		Antibiotic/Corticosteroid, Ophthalmic;		Ointment, ophthalmic: Generic: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per g (3.5 g) Suspension, ophthalmic: Generic: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per 1 mL (5 mL) [contains benzalkonium chloride]	

Neomycin, Polymyxin B, and Gramicidin		Antibiotic, Ophthalmic;		Solution, ophthalmic: Neomycin 1.75 mg, polymyxin B 10,000 units, and gramicidin 0.025 mg per 1 mL (10 mL) [contains alcohol 0.5% and thimerosal]	
Neomycin, Polymyxin B, and Hydrocortisone (Otic)		Antibiotic, Otic;Antibiotic/Corticosteroid, Otic;Corticosteroid, Otic;		Suspension, otic: Generic: Neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per 1 mL (10 mL) [contains thimerosal]	
Neomycin (Systemic)		Ammonium Detoxicant;Antibiotic, Aminoglycoside;		Tablet, oral, as sulfate: 500 mg	
Neostigmine (Systemic)		Acetylcholinesterase Inhibitor;		Injection, solution, as methylsulfate: 1 mg/mL (10 mL)	
NiCARdipine	Cardene IV;	Antianginal Agent;Antihypertensive;Calcium Channel Blocker;Calcium Channel Blocker, Dihydropyridine;		Solution, Intravenous, as hydrochloride: Cardene IV: 20 mg (200 mL); 40 mg (200 mL) Generic: 2.5 mg/mL (10 mL)	

Nicotine	Nicorette Mini [OTC]; Nicorette [OTC]; Nicotine Mini [OTC]; Nicotine Step 1 [OTC]; Nicotine Step 2 [OTC]; Nicotine Step 3 [OTC];	Smoking Cessation Aid;		Gum, Mouth/Throat, as polacrilex: Generic: 2 mg (110 ea); 4 mg (110 ea) Lozenge, Mouth/Throat, as polacrilex: Nicorette Mini: 2 mg (81 ea); 4 mg (81 ea) Generic: 2 mg (72 ea, 81 ea); 4 mg (72 ea, 81 ea) Patch 24 Hour, Transdermal: Generic: 7 mg/24 hr (14 ea); 14 mg/24 hr (14 ea); 21 mg/24 hr (14 ea)	
Nirmatrelvir and Ritonavir	Paxlovid (150/100); Paxlovid (300/100);	Antiviral Agent; Cytochrome P-450 Inhibitor;		Tablet Therapy Pack, Oral: Paxlovid (300/100): Nirmatrelvir 20 x 150 mg and ritonavir 10 x 100 mg (6 ea, 30 ea) Paxlovid (150/100): Nirmatrelvir 10 x 150 mg and ritonavir 10 x 100 mg (2 ea, 4 ea [DSC], 20 ea)	Note: check patient's kidney function as well as drug interactions. CRCL >60 = use 300mg strength CRCL 30-60 = use 150mg strength CRCL < 30 = not recommended For drug interaction checking, please utilize both Lexicomp Interactions menu as well as the Liverpool COVID interactions website: https://www.covid19-druginteractions.org/checker

Nitrofurantoin	Furadantin®;Macrochantin® ;	Antibiotic, Miscellaneous;		Capsule, oral [macrocrystal]: Macrochantin®: 50 mg Capsule, oral [macrocrystal/monohydrate]: 100 mg Suspension, oral: Furadantin®: 25 mg/5 mL (470 mL)	
Nitroglycerin	Nitro-Bid®;Nitro-Dur®;NitroQuick®;	Antianginal Agent;Antidote, Extravasation;Vasodilator;		Injection, solution: 5 mg/mL Ointment, topical: Nitro-Bid®: 2% (30 g) Tablet, sublingual: NitroQuick®: 0.4 mg (1/150grain) Transdermal system, topical [once-daily patch]: Nitro-Dur®: 0.1 mg/hour; 0.2 mg/hour; 0.4 mg/hour; 0.6 mg/hour	
Nitroprusside	Nitropress®;	Antihypertensive;Vasodilat or;		Injection, solution, as sodium: Nitropress®: 25 mg/mL (2 mL)	
Norepinephrine		Alpha/Beta Agonist;		Injection, solution, as bitartrate: 1 mg/mL (4 mL) [contains sodium metabisulfite]	
Norethindrone	Nor-QD®;	Contraceptive;Progestin;		Tablet, oral: Nor-QD®: 0.35 mg	

Norethindrone and Mestranol	Ortho-Novum® 1/50;	Contraceptive; Estrogen and Progestin Combination;		Tablet, monophasic formulation: Ortho-Novum® 1/50: Norethindrone 1 mg and mestranol 0.05 mg [21 yellow tablets and 7 green inactive tablets]	
Nortriptyline		Antidepressant, Tricyclic (Secondary Amine);		Capsule, oral: 10 mg, 25 mg, 50 mg	
Nystatin and Triamcinolone		Antifungal Agent, Topical; Corticosteroid, Topical;		Cream, topical: Nystatin 100,000 units and triamcinolone acetonide 0.1% (60 g)	
Nystatin, Benadryl®, Lidocaine, and Maalox®		Miscellaneous Product;		Suspension: Extemporaneously prepared by Pharmacy	
Nystatin (Oral)		Antifungal Agent, Oral Nonabsorbed/Partially Absorbed;		Suspension, oral: 100,000 units/mL (60 mL, 480 mL) [contains alcohol <1%; fruit flavor] Tablet, oral: 500,000 units	
Nystatin (Topical)		Antifungal Agent, Topical;		Cream, topical: 100,000 units/g (15 g, 30 g) Powder, topical: 100,000 units/g (15 g) [contains talc]	
Octreotide	SandoSTATIN LAR®; SandoSTATIN®;	Antidiarrheal; Antidote; Somatostatin Analog;		Injection, solution, as acetate [preservative free]: 0.05 mg/mL (1 mL)	

Ocular Lubricant	Refresh Lacri-Lube [OTC];	Lubricant, Ocular;Ophthalmic Agent, Miscellaneous;		Ointment, ophthalmic [preservative free]: Generic: Mineral oil 42.5% and white petrolatum 57.3% (3.5 g)	
Ofloxacin (Ophthalmic)	Ocuflox;	Antibiotic, Fluoroquinolone;Antibiotic, Ophthalmic;		Solution, Ophthalmic: Generic: 0.3% (10 mL)	
OLANzapine	ZyPREXA;	Antimanic Agent;Second Generation (Atypical) Antipsychotic;		Solution Reconstituted, Intramuscular: Generic: 10 mg (1 ea) Tablet, Oral: Generic: 2.5 mg, 5 mg, 7.5 mg, 10 mg, 15 mg, 20 mg	
Omega-3 Fatty Acids	Lovaza;Omega-3 Fish Oil [OTC];	Antilipemic Agent, Omega- 3 Fatty Acids;		Capsule, Oral: Lovaza: 1 g [contains soybean oil, tocopherol, dl- alpha (vit e)] Capsule, Oral: Nature Made Fish Oil: 1000 mg, 1200 mg Generic: 1000 mg, 1200 mg	
Omeprazole	PriLOSEC OTC™ [OTC];PriLOSEC®;	Proton Pump Inhibitor;		Capsule, delayed release, oral: 20 mg PriLOSEC®: 20 mg Suspension, oral: 2 mg/mL	

Ondansetron	Zofran®; Zofran® ODT;	Antiemetic; Selective 5-HT ₃ Receptor Antagonist;		Injection, solution: Generic: 2 mg/mL (2 mL) Solution, oral: Generic: 4 mg/5 mL (50 mL) [contains sodium benzoate; strawberry flavor] Tablet, oral: Generic: 4 mg; 8 mg Tablet Disintegrating, Oral: Generic: 4 mg, 8 mg	
Ophthalmic Irrigant Mixture		Ophthalmic Agent, Miscellaneous;		Solution, ophthalmic: 120 mL	
Orphenadrine		Skeletal Muscle Relaxant;		Solution, Injection, as citrate: Generic: 30 mg/mL (2 mL) Solution, Injection, as citrate [preservative free]: Generic: 30 mg/mL (2 mL)	
Oseltamivir	Tamiflu®;	Antiviral Agent; Neuraminidase Inhibitor;		Capsule, as phosphate: Tamiflu®: 30 mg, 45 mg, 75 mg Powder for oral suspension: Tamiflu®: 12 mg/mL (25 mL) [contains sodium benzoate; tutti-frutti flavor]	

Oxcarbazepine	Trileptal;	Antiseizure Agent, Miscellaneous;		Suspension, Oral: Generic: 300 mg/5 mL (250 mL) Tablet, Oral: Generic: 150 mg, 300 mg, 600 mg	
OxyBUTYnin		Antispasmodic Agent, Urinary;		Tablet, Oral, as chloride: Generic: 5 mg Tablet Extended Release 24 Hour, Oral, as chloride: Generic: 5 mg, 10 mg, 15 mg Solution, Oral, as chloride: Generic: 5 mg/5 mL (473 mL)	
OxyCODONE	Oxaydo;OxyCONTIN;Roxicodone;Xtampza ER;	Analgesic, Opioid;		Capsule, Oral, as hydrochloride: Generic: 5 mg Tablet, Oral, as hydrochloride: Generic: 5 mg Tablet, Oral, extended-release: OxyCONTIN: 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg Generic: 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg	
Oxytocin	Pitocin®;	Oxytocic Agent;		Injection, solution: Pitocin®: 10 units/mL (1 mL)	

Palivizumab	Synagis®;	Monoclonal Antibody;		Injection, solution [preservative free]: Synagis®: 100 mg/mL (1 mL)	
Pancrelipase	Pancrease®; Pangestyme™ EC;	Enzyme;		Capsule, delayed release, enteric-coated beads, oral [porcine derived]: Zenpep: Lipase 5,000 USP units, protease 17,000 USP units, and amylase 24,000 USP units Zenpep: Lipase 20,000 USP units, protease 63,000 USP units, and amylase 84,000 USP units Capsule, delayed release, enteric coated microspheres, oral [porcine derived]: Creon: Lipase 12,000 USP units, protease 38,000 USP units, and amylase 60,000 USP units Creon: Lipase 36,000 USP units, protease 114,000 USP units, and amylase 180,000 USP units	

Pantoprazole	Protonix;	Proton Pump Inhibitor; Substituted Benzimidazole;		Solution Reconstituted, Intravenous [preservative free]: Generic: 40 mg (1 ea) Tablet Delayed Release, Oral: Generic: 20 mg, 40 mg	
PARoxetine	Paxil;	Antidepressant, Selective Serotonin Reuptake Inhibitor;		Tablet, Oral, as hydrochloride [strength expressed as base]: Generic: 20 mg	
PenicillAMINE	Depen®;	Chelating Agent;		Tablet, oral: Depen®: 250 mg	
Penicillin V Potassium		Antibiotic, Penicillin;		Powder for solution, oral: 250 mg/5 mL (200 mL) [contains phenylalanine 4.5 mg/5 mL; fruit flavor] Tablet, oral: 250 mg, 500 mg	
Penicillin G Benzathine	Bicillin® L-A;	Antibiotic, Penicillin;		Injection, suspension: Bicillin® L-A: 600,000 units/mL (1 mL, 2 mL)	
Penicillin G Benzathine and Penicillin G Procaine	Bicillin® C-R 900/300;	Antibiotic, Penicillin;		Injection, suspension: Bicillin® C-R 900/300: 1,200,000 units: Penicillin G benzathine 900,000 units and penicillin G procaine 300,000 units per 2 mL (2 mL)	

Penicillin G (Parenteral/Aqueous)		Antibiotic, Penicillin;		Injection, powder for reconstitution, as sodium: 5 million units [contains sodium 1.68 mEq per 1 million units]	
Pentoxifylline		Blood Viscosity Reducer Agent;		Tablet, extended release, oral: 400 mg	
Permethrin		Antiparasitic Agent, Topical;Pediculocide;Scabidical Agent;		Cream, External: Generic: 5% (60 g) Lotion, External: Generic: 1% (2 x 59 mL)	
Perphenazine		Antiemetic;First Generation (Typical) Antipsychotic;Phenothiazine Derivative;		Tablet, oral: 2 mg	
Personal Lubricant		Topical Skin Product;		Jelly	
Phenazopyridine		Analgesic, Urinary;		Tablet, oral, as hydrochloride: 100 mg	
PHENobarbital	Luminal®;	Antiseizure Agent, Barbiturate;Barbiturate;		Elixir, oral: 20 mg/5 mL (480 mL) [orange flavor] Injection, solution, as sodium: Luminal®: 60 mg/mL; 130 mg/mL (1 mL) [contains alcohol 10% and propylene glycol] Tablet, oral: 15 mg, 16.2 mg, 30 mg, 100 mg	
Phenol	Phenol EZ Swabs [OTC];	Anesthetic, Topical;		Swab, External: Phenol EZ Swabs: 89% (30 ea)	

Phentermine	Adipex-P®; Ionamin®;	Anorexiant; Central Nervous System Stimulant; Sympathomimetic;	<p>Pharmacotherapy for weight loss is recommended only for obese patients with a body mass index ≥ 30 kg/m², or ≥ 27 kg/m² in the presence of other risk factors such as hypertension, diabetes, and/or dyslipidemia or a high waist circumference; therapy should be used in conjunction with a comprehensive weight management program. Rule out organic causes of obesity (eg, untreated hypothyroidism) prior to use.</p> <p>Note: Phentermine is not approved for long-term use. The limited usefulness of medications in this class should be weighed against possible risks associated with their use. Consult weight loss guidelines for current pharmacotherapy recommendations.</p>	<p>Capsule, oral, as hydrochloride: 15 mg, 30 mg, 37.5 mg Adipex-P®: 37.5 mg Capsule, resin complex: Ionamin®: 15 mg Tablet, oral, as hydrochloride: 37.5 mg Adipex-P®: 37.5 mg</p>	
-------------	----------------------	--	---	---	--

Phentermine and Topiramate	Qsymia;	Anorexiant;Antiseizure Agent, Miscellaneous;Sympathomimetic;		Capsule, extended release, oral: Qsymia: 3.75/23: Phentermine 3.75 mg [immediate release] and topiramate 23 mg [extended release] [contains tartrazine] Qsymia: 7.5/46: Phentermine 7.5 mg [immediate release] and topiramate 46 mg [extended release] [contains tartrazine] Qsymia: 11.25/69: Phentermine 11.25 mg [immediate release] and topiramate 69 mg [extended release] [contains tartrazine] Qsymia: 15/92: Phentermine 15 mg [immediate release] and topiramate 92 mg [extended release] [contains tartrazine]	
Phentolamine (Systemic)		Alpha1 and Alpha2 Blocker, Nonselective;Antidote, Extravasation;Antihypertensive;		Injection, powder for reconstitution, as mesylate: 5 mg	
Phenylephrine (Ophthalmic)	AK-Dilate™;	Alpha-Adrenergic Agonist ;Ophthalmic Agent, Mydriatic;		Solution, ophthalmic, as hydrochloride: AK-Dilate™: 2.5% (15 mL) [contains benzalkonium chloride and benzyl alcohol]	

Phenylephrine (Topical)	Anu-Med [OTC];	Alpha-Adrenergic Agonist ;Antihemorrhoidal Agent;		Suppository, rectal, as hydrochloride: Anu-Med: 0.25%	
Phenytoin	Dilantin-125®;Dilantin® Infatabs®;Dilantin® Kapseals®;	Antiseizure Agent, Hydantoin;		Capsule, extended release, oral, as sodium: Dilantin® Kapseals®: 100 mg Injection, solution, as sodium: 50 mg/mL (2 mL, 5 mL) [contains alcohol 10% and propylene glycol 40%] Suspension, oral: Dilantin-125®: 125 mg/5 mL (240 mL) [contains alcohol ≤0.6% and sodium benzoate; orange-vanilla flavor] Tablet, chewable, oral: Dilantin® Infatabs®: 50 mg	
PHYSostigmine		Acetylcholinesterase Inhibitor;Antidote;		Injection, solution, as salicylate: 1 mg/mL (2 mL) [contains benzyl alcohol and sodium metabisulfite]	
Phytonadione	Mephyton®;	Vitamin, Fat Soluble;		Injection, aqueous colloidal: 2 mg/mL (0.5 mL); 10 mg/mL (1 mL) Tablet, oral: Mephyton®: 5 mg	
Pilocarpine (Ophthalmic)		Ophthalmic Agent, Antiglaucoma;Ophthalmic Agent, Miotic;		Solution, ophthalmic, as hydrochloride [drops]: 1% (15 mL); 2% (15 mL); 4% (15 mL)	

Pioglitazone	Actos;	Antidiabetic Agent, Thiazolidinedione;		Tablet, Oral: Generic: 15 mg, 30 mg, 45 mg	
Piperacillin		Antibiotic, Penicillin;		Injection, powder for reconstitution: 3 g [contains sodium 42.5 mg (1.85 mEq)/g]	

Piperacillin and Tazobactam	Zosyn®;	Antibiotic, Penicillin;		<p>Note: 8:1 ratio of piperacillin sodium/tazobactam sodium</p> <p>Infusion [premixed iso-osmotic solution, frozen]:</p> <p>2.25 g: Piperacillin 2 g and tazobactam 0.25 g (50 mL) [contains sodium 5.58 mEq (128 mg) and EDTA]</p> <p>3.375 g: Piperacillin 3 g and tazobactam 0.375 g (50 mL) [contains sodium 8.38 mEq (192 mg) and EDTA]</p> <p>4.5 g: Piperacillin 4 g and tazobactam 0.5 g (50 mL) [contains sodium 11.17 mEq (256 mg) and EDTA]</p> <p>Injection, powder for reconstitution:</p> <p>2.25 g: Piperacillin 2 g and tazobactam 0.25 g [contains sodium 5.58 mEq (128 mg) and EDTA]</p> <p>3.375 g: Piperacillin 3 g and tazobactam 0.375 g [contains sodium 8.38 mEq (192 mg) and EDTA]</p> <p>4.5 g: Piperacillin 4 g and tazobactam 0.5 g [contains sodium 11.17 mEq (256 mg) and EDTA]</p>	
Piroxicam (Systemic)		Analgesic, Nonopioid; Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;		Capsule, oral: 20 mg	

Pneumococcal Conjugate Vaccine (7-Valent)	Prevnar®;	Vaccine, Inactivated (Bacterial);		Injection, suspension: Prevnar®: 2 mcg of each saccharide for serotypes 4, 9V, 14, 18C, 19F, and 23F and 4 mcg of serotype 6B per 0.5 mL (0.5 mL) [contains packaging contains natural rubber/natural latex]	
Pneumococcal Conjugate Vaccine (13-Valent)	Prevnar 13;	Vaccine;Vaccine, Inactivated (Bacterial);		Injection, suspension: Prevnar 13: 2 mcg of each capsular saccharide for serotypes 1, 3, 4, 5, 6A, 7F, 9V, 14, 18C, 19A, 19F, and 23F, and 4 mcg of serotype 6B [bound to diphtheria CRM197 protein ~34 mcg] per 0.5 mL (0.5 mL) [contains aluminum, polysorbate 80, and yeast]	
Pneumococcal Conjugate Vaccine (20-Valent)	Prevnar 20;	Vaccine;Vaccine, Inactivated (Bacterial);		Suspension Prefilled Syringe, Intramuscular: Prevnar 20: 0.5 mL (0.5 mL) [contains polysorbate 80]	
Pneumococcal Polysaccharide Vaccine (23-Valent)	Pneumovax® 23;	Vaccine;Vaccine, Inactivated (Bacterial);		Injection, solution: 25 mcg each of 23 polysaccharide isolates/0.5 mL	

Poliovirus Vaccine (Inactivated)	IPOL®;	Vaccine; Vaccine, Inactivated (Viral);		Injection, suspension: IPOL®: Type 1 poliovirus 40 D antigen units/0.5 mL, Type 2 poliovirus 8 D antigen units/0.5 mL, and Type 3 poliovirus 32 D antigen units/0.5 mL (0.5 mL)	
Polyethylene Glycol 3350	MiraLax [OTC];	Laxative, Osmotic;		Packet, Oral: Generic: 17 g/dose (30 ea) **for hospital use only** Powder, Oral: Generic: 17 g/dose (238 g, 510 g)	
Polyethylene Glycol-Electrolyte Solution	GoLYTELY;	Laxative, Osmotic;		Powder for solution, oral: GoLYTELY: PEG 3350 236 g, sodium sulfate 22.74 g, sodium bicarbonate 6.74 g, sodium chloride 5.86 g, and potassium chloride 2.97 g (4000 mL) [regular flavor]	

Potassium Chloride	Klor-Con® 8;	Electrolyte Supplement, Oral; Electrolyte Supplement, Parenteral;		Elixir, oral: 20 mEq/15 mL (480 mL) [sugar free] Infusion [premixed in D5W and sodium chloride 0.2%]: 20 mEq (1000 mL); 30 mEq (1000 mL) Infusion [premixed in D5W and sodium chloride 0.45%]: 20 mEq (1000 mL); 30 mEq (1000 mL) Infusion [premixed in NS]: 20 mEq (1000 mL), 40 mEq (1000 mL) Infusion [premixed in water for injection] [highly concentrated]: 10 mEq (100 mL), 20 mEq (100 mL) Injection, solution [concentrate]: 2 mEq/mL (20 mL) Tablet, extended release, oral: Klor-Con® 8: 8 mEq	
Potassium Citrate	Urocit-K 10; Urocit-K 15; Urocit-K 5;	Alkalinizing Agent, Oral;		Tablet Extended Release, Oral: Generic: 10 mEq	
Potassium Iodide	SSKI®;	Antidote; Antithyroid Agent; Expectorant;		Solution, oral: SSKI®: 1 g/mL (30 mL)	
Potassium Phosphate		Electrolyte Supplement, Parenteral; Urinary Acidifying Agent;		Injection, solution: Potassium 4.4 mEq and phosphorus 3 mmol per mL (5 mL, 15 mL, 50 mL) [equivalent to potassium 170 mg and phosphate 285 mg per mL]	

Potassium Phosphate and Sodium Phosphate	Phospha 250™ Neutral;	Electrolyte Supplement, Oral;		Tablet: Phospha 250™ Neutral: Monobasic potassium phosphate 155 mg, dibasic sodium phosphate 852 mg, and monobasic sodium phosphate 130 mg	
Povidone-Iodine (Ophthalmic)	Betadine Ophthalmic Prep;	Antiseptic, Ophthalmic;		Solution, Ophthalmic: Betadine Ophthalmic Prep: 5% (30 mL)	
Pralidoxime	Protopam®;	Antidote;		Injection, powder for reconstitution, as chloride: Protopam®: 1 g	
Pramipexole	Mirapex [DSC];	Anti-Parkinson Agent, Dopamine Agonist;		Tablet, Oral, as dihydrochloride monohydrate: Generic: 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg	
Pravastatin		Antilipemic Agent, HMG-CoA Reductase Inhibitor;		Tablet, Oral, as sodium: Generic: 10 mg, 20 mg, 40 mg, 80 mg	
Prazosin		Alpha1 Blocker;Antihypertensive;		Capsule, oral, as hydrochloride: 1 mg, 2 mg, 5 mg	
PrednisoLONE (Ophthalmic)	Pred Forte®;Pred Mild®;	Corticosteroid, Ophthalmic;		Suspension, ophthalmic, as acetate: Generic: 0.12% (5 mL); 1% (5 mL)	

PrednisolONE (Systemic)	Pred Mild®;	Corticosteroid, Systemic;		Syrup, oral, as base: 15 mg/5 mL (473 mL) [contains alcohol 5% and propylene glycol and sodium benzoate; berry flavor]	
PredniSONE	Deltasone®;	Corticosteroid, Systemic;		Solution, oral: 1 mg/mL (500 mL) [dye free; contains alcohol 5% and propylene glycol and sodium benzoate; peppermint-vanilla flavor] Tablet, oral: 1 mg, 5 mg, 10 mg, 20 mg	
Pregabalin	Lyrica;	Antiseizure Agent, Miscellaneous;GABA Analog;		Capsule, Oral: Lyrica: 25 mg, 50 mg, 75 mg, 100 mg, 150 mg, 200 mg, 225 mg, 300 mg	
Primidone		Antiseizure Agent, Miscellaneous;Barbiturate;		Tablet, oral: 50 mg, 250 mg	
Probenecid		Uricosuric Agent;		Tablet, oral: 500 mg	
Procainamide	Pronestyl-SR®;	Antiarrhythmic Agent, Class Ia;		Injection, solution, as hydrochloride: 100 mg/mL (10 mL) [contains sodium metabisulfite] Tablet, as hydrochloride: Pronestyl-SR®: 500 mg	

Prochlorperazine	Compro™;	Antiemetic;First Generation (Typical) Antipsychotic;Phenothiazine Derivative;		Injection, solution, as edisylate: 5 mg/mL (2 mL) [contains benzyl alcohol] Suppository, rectal: Compro™: 25 mg [contains coconut oil and palm oil] Tablet, oral, as maleate: 5 mg	
Promethazine	Phenergan®;	Antiemetic;Histamine H1 Antagonist;Histamine H1 Antagonist, First Generation;Phenothiazine Derivative;		Suppository, rectal, as hydrochloride: 12.5 mg, 25 mg Syrup, oral, as hydrochloride: 6.25 mg/5 mL (473 mL) [gluten free; contains alcohol 7% and sugar 37%; tropical fruit flavor] Tablet, oral, as hydrochloride: 25 mg	
Proparacaine		Local Anesthetic, Ophthalmic;		Solution, ophthalmic, as hydrochloride: 0.5% (15 mL) [contains benzalkonium chloride]	

Propranolol	Inderal® LA;	Antiarrhythmic Agent, Class II;Antihypertensive;Beta- Adrenergic Blocker, Nonselective;		Capsule, extended release, oral, as hydrochloride: 60 mg Capsule, sustained release, oral, as hydrochloride: Inderal® LA: 60 mg, 80 mg Injection, solution, as hydrochloride: 1 mg/mL (1 mL) Tablet, oral, as hydrochloride: 10 mg, 40 mg	
Propylthiouracil		Antithyroid Agent;Thioamide;		Tablet, oral: 50 mg	
Protamine		Antidote;		Injection, solution, as sulfate [preservative free]: 10 mg/mL (5 mL) Generic: 10 mg/mL (25 mL)	
Psyllium	Konsyl-D™ [OTC];	Antidiarrheal;Fiber Supplement;Laxative, Bulk- Producing;		Powder, oral: Konsyl-D™: 3.4 g/dose (397 g) [contains calcium 6 mg/teaspoon, dextrose 3.1 g/teaspoon, potassium 31 mg/teaspoon, and sodium 3 mg/teaspoon]	

Pyrantel Pamoate	Pamix [OTC] [DSC];Pin-X [OTC] [DSC];Reeses Pinworm Medicine [OTC];	Anthelmintic;		Suspension, Oral [strength expressed as base]: Reeses Pinworm Medicine: 50 mg/mL (30 mL) [contains saccharin sodium, sodium benzoate]	
Pyrazinamide		Antitubercular Agent;		Tablet, oral: 500 mg	
PyRIDostigmine		Acetylcholinesterase Inhibitor;		Injection, solution, as bromide: 5 mg/mL	
Pyridoxine		Vitamin, Water Soluble;		Injection, solution, as hydrochloride: 100 mg/mL (1 mL) [contains aluminum] Tablet, oral, as hydrochloride: 50 mg	
QUetiapine	SEROquel®;	Antimanic Agent;Second Generation (Atypical) Antipsychotic;		Tablet, oral: Generic: 25 mg, 50 mg, 100 mg, 200 mg, 300 mg, 400 mg	
QuiNIDine		Antiarrhythmic Agent, Class Ia;Antimalarial Agent;		Injection, solution, as gluconate: 80 mg/mL (10 mL) [contains disodium edetate]	
Rabies Immune Globulin (Human)	BayRab®;	Blood Product Derivative;Immune Globulin;		Injection, solution [preservative free]: BayRab®: 150 int. units/mL (2 mL)	

Rabies Virus Vaccine	Imovax® Rabies;	Vaccine;Vaccine, Inactivated (Viral);		Injection, powder for reconstitution: Imovax® Rabies: 2.5 int. units	
Racpinephrine Inhalation Solution	Asthmanefrin;S2;	Alpha/Beta Agonist;		Asthmanefrin Refill: 2.25% (1 ea) [contains edetate disodium]	
Raltegravir	Isentress;	Antiretroviral, Integrase Inhibitor (Anti-HIV);		Tablet, Oral: Isentress: 400 mg	
Respiratory Syncytial Virus Vaccine (Recombinant [Adjuvanted])	Arexvy;	Vaccine;Vaccine, Inactivated (Viral);Vaccine, Recombinant;		Suspension Reconstituted, Intramuscular: Arexvy: 120 mcg/0.5 mL (1 ea) [contains polysorbate 80]	
Rho(D) Immune Globulin	RhoGAM®;	Blood Product Derivative;Immune Globulin;		Injection, solution [preservative free]: RhoGAM®: ~300 mcg [contains polysorbate 80]	
RifAMPin	Rifadin®;	Antitubercular Agent;Rifamycin;		Capsule, oral: 300 mg	
Rifapentine	Priftin;	Antitubercular Agent;Rifamycin;		Tablet, Oral: Priftin: 150 mg [contains disodium edta, fd&c blue #2 aluminum lake]	
RifAXIMin	Xifaxan;	Rifamycin;		Tablet, Oral: Xifaxan: 200 mg [contains edetate (edta) disodium] Xifaxan: 550 mg	
Ringer's Injection (Lactated)		Electrolyte Supplement, Parenteral;		Injection: 1000 mL	

Risperidone	RisperDAL®;	Antimanic Agent; Second Generation (Atypical) Antipsychotic;		Tablet, oral: 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3mg Injection: 25 mg, 37.5 mg, 50 mg	
Rivaroxaban	Xarelto;	Anticoagulant; Anticoagulant, Factor Xa Inhibitor; Direct Oral Anticoagulant (DOAC);		Tablet, Oral: Xarelto: 2.5 mg, 10 mg, 15 mg, 20 mg	
Rizatriptan	Maxalt; Maxalt-MLT;	Antimigraine Agent; Serotonin 5-HT _{1B} , 1D Receptor Agonist;		Tablet Disintegrating, Oral: Maxalt-MLT: 5 mg [DSC] [contains aspartame] Maxalt-MLT: 5 mg [contains aspartame; peppermint flavor] Maxalt-MLT: 10 mg [DSC] [contains aspartame] Maxalt-MLT: 10 mg [contains aspartame; peppermint flavor] Generic: 5 mg, 10 mg	
Rocuronium		Neuromuscular Blocker Agent, Nondepolarizing;		Solution, Intravenous, as bromide: Generic: 50 mg/5 mL (5 mL); 100 mg/10 mL (10 mL) Solution, Intravenous, as bromide [preservative free]: Generic: 50 mg/5 mL (5 mL); 100 mg/10 mL (10 mL)	

ROPivacaine	Naropin;	Local Anesthetic;		Solution, Injection, as hydrochloride [preservative free]: Generic: 2 mg/mL (20 mL)	
Rosuvastatin	Crestor;	Antilipemic Agent, HMG-CoA Reductase Inhibitor;		Tablet, Oral: Crestor: 5 mg, 10 mg, 20 mg, 40 mg Generic: 5 mg, 10 mg, 20 mg, 40 mg	
Rotavirus Vaccine	Rotarix;	Vaccine;Vaccine, Live (Viral);		Powder, for suspension, oral [preservative free; human derived]: Rotarix: G1P[8] ≥106 CCID50 per 1 mL [contains sorbitol, sucrose; supplied with diluent which may contain natural rubber/natural latex in packaging]	
Saccharomyces boulardii	Florastor [OTC];	Dietary Supplement;Probiotic;	FOR HOSPITAL (ER/INPT) USE ONLY	Capsule, oral: Generic: 250 mg	
Sacubitril and Valsartan	Entresto;	Angiotensin II Receptor Blocker;Neprilysin Inhibitor;		Tablet, Oral: Entresto: Sacubitril 24 mg and valsartan 26 mg, Sacubitril 49 mg and valsartan 51 mg, Sacubitril 97 mg and valsartan 103 mg	
Salicylic Acid		Acne Products;Keratolytic Agent;Topical Skin Product, Acne;		Plaster: 40%	

Saliva Substitute	Biotene Oral Balance [OTC];	Gastrointestinal Agent, Miscellaneous;	RESTRICTED TO DENTAL PROVIDERS ONLY	Gel, oral: Biotene Oral Balance: Glycerin, water, sorbitol, xylitol, carbomer, hydroxyethylcellulose, sodium hydroxide (42 g) [alcohol-free, sugar-free]	
Salsalate		Salicylate;		Tablet, oral: 750 mg	
Selegiline		Anti-Parkinson Agent, MAO Type B Inhibitor; Antidepressant, Monoamine Oxidase Inhibitor;		Tablet, oral, as hydrochloride: 5 mg	
Selenium Sulfide		Antiseborrheic Agent, Topical; Topical Skin Product;		Lotion, topical: 2.5% (120 mL)	
Semaglutide	Ozempic (0.25 or 0.5 MG/DOSE); Ozempic (1 MG/DOSE);	Antidiabetic Agent, Glucagon-Like Peptide-1 (GLP-1) Receptor Agonist;		Solution Pen-injector, Subcutaneous: Ozempic (0.25 or 0.5 MG/DOSE): 0.25 mg or 0.5 mg per dose [2 mg/1.5 mL] (1.5 mL) [contains phenol, propylene glycol] Ozempic (1 MG/DOSE): 1 mg per dose [2 mg/1.5 mL] (1.5 mL) [contains phenol, propylene glycol]	
Sertraline	Zoloft®;	Antidepressant, Selective Serotonin Reuptake Inhibitor;		Tablet, oral: 25 mg, 50 mg, 100 mg Zoloft®: 25 mg, 50 mg, 100 mg	
Sevelamer	Renvela®;	Phosphate Binder;		Tablet, oral, as carbonate: Renvela®: 800 mg	

Sildenafil	Revatio;Viagra;	Phosphodiesterase-5 Enzyme Inhibitor;		Tablet, Oral: Generic: 20 mg, 100 mg	
Silver Nitrate		Antibiotic, Topical;Cauterizing Agent, Topical;Topical Skin Product, Antibacterial;		Applicator sticks, topical: Silver nitrate 75% and potassium nitrate 25%	
Silver Sulfadiazine	SSD®;	Antibiotic, Topical;		Cream, topical: 1% (25 g, 50 g, 400 g)	
Simethicone	Mytab Gas [OTC];	Antiflatulent;		Tablet, chewable, oral: 80 mg	
Simvastatin	Zocor®;	Antilipemic Agent;Antilipemic Agent, HMG-CoA Reductase Inhibitor;		Tablet, oral: 5 mg, 40 mg, 80 mg Zocor®: 5 mg, 10 mg, 20 mg, 40 mg, 80 mg	
SITagliptin	Januvia;	Antidiabetic Agent, Dipeptidyl Peptidase 4 (DPP-4) Inhibitor;		Tablet, Oral: Generic: 25 mg, 50 mg, 100 mg	
Sodium Bicarbonate (Systemic)		Alkalinizing Agent;Antacid;Electrolyte Supplement, Oral;Electrolyte Supplement, Parenteral;		Injection, solution [preservative free]: 4.2% (10 mL); 8.4% (50 mL) Tablet, oral: 325 mg	

Sodium Chloride	Deep Sea [OTC]; Muro 128® [OTC];	Electrolyte Supplement, Parenteral; Genitourinary Irrigant; Irrigant; Lubricant, Ocular; Sodium Salt;		<p>Nebulization Solution, Inhalation: Generic: 0.9% (3 mL)</p> <p>Ointment, Ophthalmic: Generic: 5% (3.5 g)</p> <p>Solution, Injection: Generic: 0.9% (10 mL)</p> <p>Solution, Intravenous: Generic: 0.45% (1000 mL); 0.9% (50 mL, 100 mL, 250 mL, 500 mL, 1000 mL); 3% (500 mL)</p> <p>Solution, Nasal: Generic: 0.65% (44 mL) [contains benzalkonium chloride]</p> <p>Solution, Ophthalmic: Generic: 5% (15 mL)</p>	
Sodium Citrate and Citric Acid		Alkalinizing Agent, Oral;		<p>Solution, oral: Sodium citrate dihydrate 500 mg and citric acid monohydrate 334 mg per 5 mL (473 mL) [alcohol free, dye free, sugar free; grape flavor]</p>	
Sodium Hypochlorite	Dakin's Solution;	Disinfectant, Antibacterial (Topical);		<p>Solution, topical (Dakin's): 0.125%, 0.25%, 0.5%</p> <p>Dakin's 1/2, 1/4, or 1/8 strength: Extemporaneously prepared by Pharmacy</p>	

Sodium Phosphates	Fleet® Enema for Children [OTC]; Fleet® Enema [OTC];	Cathartic; Electrolyte Supplement, Parenteral; Laxative, Bowel Evacuant;		Solution, rectal [enema]: Fleet® Enema for Children: Monobasic sodium phosphate 9.5 g and dibasic sodium phosphate 3.5 g per 59 mL delivered dose (66 mL) Fleet® Enema: Monobasic sodium phosphate 19 g and dibasic sodium phosphate 7 g per 118 mL delivered dose (133 mL)	
Sodium Polystyrene Sulfonate	Kionex; SPS;	Antidote; Potassium Binder;		Powder, Oral: Generic: (15 g, 453.6 g, 454 g) Suspension, Oral: SPS: 15 g/60 mL (60 mL, 120 mL, 473 mL) [contains alcohol, usp, methylparaben, propylene glycol, propylparaben, saccharin sodium, sodium 1500 mg (65 mEq)/60 mL, sorbitol; cherry flavor] Generic: 15 g/60 mL (60 mL, 480 mL, 500 mL)	
Sofosbuvir and Velpatasvir	Epclusa;	Antihepaciviral, NS5A Inhibitor; Antihepaciviral, Polymerase Inhibitor (Anti-HCV); NS5A Inhibitor; NS5B RNA Polymerase Inhibitor;		Tablet, Oral: Generic: Sofosbuvir 400 mg and velpatasvir 100 mg	

Sorbitol		Genitourinary Irrigant;Laxative, Osmotic;		Solution, oral: 70% (480 mL)	
Sotalol	Sorine®;	Antiarrhythmic Agent, Class II;Antiarrhythmic Agent, Class III;Antihypertensive;Beta-Adrenergic Blocker, Nonselective;		Tablet, oral, as hydrochloride: 80 mg, 120 mg	
Spirolactone		Antihypertensive;Diuretic, Potassium-Sparing;Mineralocorticoid (Aldosterone) Receptor Antagonist;		Tablet, oral: 25 mg, 100 mg	
Succinylcholine		Neuromuscular Blocker Agent, Depolarizing;		Injection, solution, as chloride: 20 mg/mL (10 mL)	
Sucrafate	Carafate;	Gastrointestinal Agent, Miscellaneous;		Suspension, Oral: Carafate: 1 g/10 mL (420 mL) [contains fd&c red #40, methylparaben; cherry flavor] Tablet, Oral: Generic: 1 g	
Sugammadex	Bridion;	Antidote;Selective Relaxant Binding Agent;		Solution, Intravenous [preservative free]: Bridion: 500 mg/5 mL (5 mL)	
Sulfacetamide and Prednisolone	Blephamide®;	Antibiotic/Corticosteroid, Ophthalmic;		Suspension, ophthalmic [drops]: Blephamide®: Sulfacetamide sodium 10% and prednisolone acetate 0.2% (5 mL, 10 mL) [contains benzalkonium chloride]	

Sulfacetamide (Ophthalmic)		Antibiotic, Ophthalmic;		Solution, ophthalmic, as sodium: Generic: 10% (15 mL)	
Sulfamethoxazole and Trimethoprim	Sulfatrim®;	Antibiotic, Miscellaneous; Antibiotic, Sulfonamide Derivative;		Suspension, oral [pediatric]: Sulfatrim®: Sulfamethoxazole 200 mg and trimethoprim 40 mg per 5 mL (480 mL) [contains alcohol ≤0.5%; cherry flavor] Tablet, double strength: 800/160: Sulfamethoxazole 800 mg and trimethoprim 160 mg	
SulfaSALazine	Sulfazine;	5-Aminosalicylic Acid Derivative;		Tablet, oral: 500 mg	
Sulfur and Salicylic Acid		Antiseborrheic Agent, Topical;		Shampoo: Micropulverized sulfur 2% and salicylic acid 2%	
Sulindac		Analgesic, Nonopioid; Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;		Tablet, oral: 150 mg	
SUMatriptan		Antimigraine Agent; Serotonin 5-HT _{1B} , 1D Receptor Agonist;		Tablet, Oral, as succinate [strength expressed as base]: Generic: 50 mg	
Tacrolimus (Topical)	Protopic [DSC];	Calcineurin Inhibitor; Immunosuppressant Agent; Topical Skin Product;		Ointment, External: Generic: 0.03% (30 g); 0.1% (30 g)	
Tadalafil	Cialis;	Phosphodiesterase-5 Enzyme Inhibitor;		Tablet, Oral: Generic: 2.5 mg, 5 mg	

Tamoxifen	Nolvadex®;	Antineoplastic Agent, Estrogen Receptor Antagonist; Selective Estrogen Receptor Modulator (SERM);		Tablet, oral: 10 mg	
Tamsulosin	Flomax®;	Alpha1 Blocker; Alpha1a Blocker, Selective;		Capsule, oral, as hydrochloride: 0.4 mg Flomax®: 0.4 mg	
Temazepam		Benzodiazepine;		Capsule, oral: 15 mg	
Tenecteplase	TNKase™;	Thrombolytic Agent;		Injection, powder for reconstitution [recombinant]: TNKase™: 50 mg	
Terbinafine (Systemic)	Lamisil [DSC];	Antifungal Agent, Oral;		Tablet, Oral: Generic: 250 mg	
Terbutaline	Brethine®;	Antidote, Extravasation; Beta2 Agonist;		Injection, solution, as sulfate: Brethine®: 1 mg/mL (1 mL) Tablet, oral, as sulfate: Brethine®: 5 mg	
Testosterone	Depo®-Testosterone;	Androgen;		Injection, oil, as cypionate: Depo®-Testosterone: 200 mg/mL (1 mL) [contains benzyl alcohol and benzyl benzoate and cottonseed oil]	
Theophylline		Phosphodiesterase Enzyme Inhibitor, Nonselective;		Tablet, controlled release, oral: 100 mg Tablet, extended release, oral: 100 mg, 200 mg, 300 mg	

Thiamine		Vitamin, Water Soluble;		Injection, solution, as hydrochloride: 100 mg/mL (2 mL) Tablet, oral, as hydrochloride: 100 mg	
Thioridazine		First Generation (Typical) Antipsychotic;Phenothiazine Derivative;		Tablet, oral, as hydrochloride: 10 mg, 25 mg	
Thiothixene		First Generation (Typical) Antipsychotic;		Capsule, oral: 1 mg, 2 mg, 10 mg	
Timolol (Ophthalmic)	Timoptic-XE®;	Beta-Blocker, Nonselective;Ophthalmic Agent, Antiglaucoma;		Solution, ophthalmic, as maleate: Generic: 0.5% (5 mL) [contains benzalkonium chloride]	
Tinidazole		Amebicide;Antibiotic, Miscellaneous;Antiprotozoal, Nitroimidazole;		Tablet, Oral: Generic: 250 mg	
Tiotropium	Spiriva® HandiHaler®;	Anticholinergic Agent;Anticholinergic Agent, Long-Acting;		Aerosol Solution, Inhalation: Spiriva Respimat: 1.25 mcg/actuation (4 g); 2.5 mcg/actuation (4 g) [contains benzalkonium chloride, disodium edta]	
TiZANidine	Zanaflex;	Alpha2-Adrenergic Agonist;		Tablet, Oral: Generic: 2 mg, 4 mg	

Tobramycin and Dexamethasone (Ophthalmic)	TobraDex®;	Antibiotic/Corticosteroid, Ophthalmic;		Suspension, ophthalmic: Generic: Tobramycin 0.3% and dexamethasone 0.1% (5 mL) [contains benzalkonium chloride] Ointment, Ophthalmic: TobraDex: Tobramycin 0.3% and dexamethasone 0.1% (3.5 g) [contains chlorobutanol]	
Tobramycin (Ophthalmic)		Antibiotic, Aminoglycoside; Antibiotic, Ophthalmic;		Solution, ophthalmic: Generic: 0.3% (5 mL) [contains benzalkonium chloride]	
Tobramycin (Systemic)		Antibiotic, Aminoglycoside;		Injection, solution: 40 mg/mL (2 mL)	
TOLAZamide		Antidiabetic Agent, Sulfonylurea;		Tablet, oral: 250 mg	
Topiramate	Topamax®;	Antiseizure Agent, Miscellaneous;		Tablet, oral: 25 mg, 50mg, 100 mg	
TraMADol		Analgesic, Opioid;		Tablet, oral, as hydrochloride: 50 mg	

Tranexamic Acid	Cyklokapron;Lysteda;	Antifibrinolytic Agent;Antihemophilic Agent;Hemostatic Agent;Lysine Analog;		Solution, Intravenous: Generic: 1000 mg/10 mL (10 mL) Solution, Intravenous [preservative free]: Cyklokapron: 1000 mg/10 mL (10 mL) Generic: 1000 mg/10 mL (10 mL); 1000 mg/100 mL in NaCl 0.7% (100 mL) Tablet, Oral: Lysteda: 650 mg Generic: 650 mg	
TraZODone		Antidepressant, Serotonin Reuptake Inhibitor/Antagonist;Serotonin Modulator;		Tablet, oral, as hydrochloride: 50 mg (outpatients only), 100 mg (inpatients only)	50 mg tablets are for outpatient use only. 100 mg tablets are for inpatient use only.
Tretinoin (Topical)	Retin-A®;	Acne Products;Retinoic Acid Derivative;Topical Skin Product, Acne;		Cream, topical: Retin-A®: 0.05% (20 g) Gel, topical: Retin-A®: 0.01% (15 g) [contains alcohol 90% w/w]	

Triamcinolone (Systemic)	Azmacort® [DSC];Kenalog-10®;Kenalog-40®;	Corticosteroid, Systemic;		Aerosol, for oral inhalation, as acetone: Azmacort®: 200 mcg/actuation (20 g) [contains chlorofluorocarbon] Injection, suspension, as acetone: Kenalog®-10: 10 mg/mL (5 mL) [contains benzyl alcohol and polysorbate 80] Kenalog®-40: 40 mg/mL (1 mL, 10 mL) [contains benzyl alcohol and polysorbate 80]	
Triamcinolone (Topical)		Corticosteroid, Topical;		Cream, topical, as acetone: 0.1% (15 g, 454 g) Ointment, topical, as acetone: 0.1% (15 g, 454 g)	
Trifluridine		Antiviral Agent, Ophthalmic;		Solution, ophthalmic: 1% (7.5 mL) [contains thimerosal]	
Trihexyphenidyl		Anti-Parkinson Agent, Anticholinergic;Anticholinergic Agent;		Tablet, oral, as hydrochloride: 2 mg	
Trimethobenzamide		Antiemetic;		Suppository, rectal, as hydrochloride: 100 mg [contains benzocaine 2%]	

Trimethoprim and Polymyxin B (Ophthalmic)	Polytrim;	Antibiotic, Ophthalmic;		Solution, ophthalmic: Trimethoprim 1 mg and polymyxin B sulfate 10,000 units per 1 mL (10 mL) Generic: Trimethoprim 1 mg and polymyxin B sulfate 10,000 units per 1 mL (10 mL) [contains benzalkonium chloride]	
Tropicamide	Mydracyl®;	Anticholinergic Agent, Ophthalmic; Ophthalmic Agent, Mydriatic;		Solution, ophthalmic [drops]: Mydracyl®: 1% (15 mL) [contains benzalkonium chloride]	
Tuberculin Tests	Aplisol; Tubersol;	Diagnostic Agent;		Solution, Intradermal: Aplisol: 5 units/0.1 mL (1 mL, 5 mL) [latex free; contains phenol, polysorbate 80] Tubersol: 5 units/0.1 mL (1 mL, 5 mL) [contains phenol, polysorbate 80]	

Typhoid Vaccine	Typhim Vi;Vivotif;	Vaccine;Vaccine, Inactivated (Bacterial);Vaccine, Live (Bacterial);		Capsule, enteric coated, Oral [live]: Vivotif: Viable S. typhi Ty21a 2-10 x 10 ⁹ colony-forming units [contains lactose 180-200 mg/capsule and sucrose 3.3-34.2 mg/capsule] Injection, solution [inactivated]: Typhim Vi: Purified Vi capsular polysaccharide 25 mcg/0.5 mL (0.5 mL, 10 mL) [derived from S. typhi Ty2 strain]	
Ulipristal	Ella;	Contraceptive;Progestin Receptor Modulator;		Tablet, Oral, as acetate: Ella: 30 mg	
Umeclidinium and Vilanterol	Anoro Ellipta;	Anticholinergic Agent;Anticholinergic Agent, Long-Acting;Beta2 Agonist;Beta2-Adrenergic Agonist, Long-Acting;		Excipient information presented when available (limited, particularly for generics); consult specific product labeling Aerosol Powder Breath Activated, Inhalation: Anoro Ellipta: Umeclidinium 62.5 mcg and vilanterol 25 mcg per inhalation (7 dose, 30 dose) [contains milk protein]	

Urea (Topical)	<p>Aluvea [DSC];Aquaphilic/Carbamide [OTC];Atrac-Tain [OTC];Beta Care Betamide [OTC];Carb-O-Lac5 [OTC] [DSC];Carb-O-Philic/10 [OTC] [DSC];Carb-O-Philic/20 [OTC] [DSC];Carb-O-Philic/40 [DSC];Carmol 10 [OTC];Carmol 20 [OTC];Carmol [OTC];CEM-Urea;Cerovel;Dermal Therapy Finger Care [OTC];Dermasorb XM;DPM [OTC];Gordons Urea;Gordons Urea [OTC];Gormel 10 [OTC];Gormel [OTC];Hydro 35;Hydro 40;Kerafoam 42 [DSC];Kerafoam [DSC];Keralac;Lanaphilic/Urea [OTC];Latrix;Latrix XM;Mycocide CX Callus Exfoliator [OTC];Nutraplus [OTC];Rea Lo 39;Rea Lo 40;Rea-Lo [OTC];Remeven;Rynoderm ;TL Urea [DSC];U-Kera E [DSC];Ultra Mide 25 [OTC];Umecta;Umecta Mousse;Umecta Nail Film;Umecta PD</p>	Keratolytic Agent;Topical Skin Product;		Cream, vaginal: Amino-Cerv™: 8.34% (82.5 g)	
ValACYclovir	Valtrex;	Antiviral Agent;Antiviral Agent, Oral;		Tablet, Oral: Generic: 500 mg, 1 g	

Valproic Acid and Derivatives	Depakene®;Depakote ER;Depakote®;Depakote® Sprinkle;	Antimanic Agent;Antiseizure Agent, Miscellaneous;Histone Deacetylase (HDAC) Inhibitor;		Capsule, sprinkle, oral, as divalproex sodium: Depakote® Sprinkle: 125 mg Syrup, oral, as valproate sodium: Depakene®: 250 mg/5 mL (480 mL) Tablet, delayed release, oral, as divalproex sodium: Depakote®: 250 mg Generic: 125mg, 250mg Tablet Extended Release 24 Hour, oral, as divalproex sodium: Depakote® ER: 250 mg, 500 mg Generic: 250 mg, 500 mg	
Valsartan	Diovan;	Angiotensin II Receptor Blocker;Antihypertensive;		Tablet, Oral: Generic: 40 mg, 80 mg, 160 mg, 320 mg	Preference for Losartan. Valsartan available for patients who cannot tolerate Losartan or who have been stabilized on Valsartan outside the system.
Vancomycin		Glycopeptide;		Capsule, oral: 125 mg, 250 mg Injection, powder for reconstitution: 500 mg, 1 g	

Varenicline (Systemic)	Chantix;Chantix Continuing Month Pak;Chantix Starting Month Pak;	Partial Nicotine Agonist;Smoking Cessation Aid;		Tablet, Oral: Chantix: 0.5 mg Chantix: 1 mg [contains fd&c blue #2 aluminum lake] Chantix Continuing Month Pak: 1 mg [contains fd&c blue #2 aluminum lake] Chantix Starting Month Pak: 0.5 mg x 11 & 1 mg x 42	
Vasopressin		Antidiuretic Hormone Analog;Hormone, Posterior Pituitary;		Injection, solution: 20 units/mL (0.5 mL)	
Vecuronium	Norcuron®;	Neuromuscular Blocker Agent, Nondepolarizing;		Injection, powder for reconstitution, as bromide: Norcuron®: 10 mg [contains benzyl alcohol]	
Venlafaxine	Effexor®;Effexor® XR;	Antidepressant, Serotonin/Norepinephrine Reuptake Inhibitor;		Capsule, extended release, oral: 37.5 mg, 75 mg, 150 mg Tablet, oral: 37.5 mg, 75 mg	
Verapamil		Antiarrhythmic Agent, Class IV;Antihypertensive;Calcium Channel Blocker;		Injection, solution, as hydrochloride [preservative free]: 2.5 mg/mL (2 mL)	
Vidarabine		Antiviral Agent;		Ointment, ophthalmic, as monohydrate: 3% [30 mg/mL = 28 mg/mL base] (3.5 g) [DSC]	
Vitamin B Complex, Ascorbic Acid, and Folic Acid	Nephrocaps®;	Vitamin, Water Soluble;		Capsule	

Vitamin B Complex Combinations	High Potency B with C; Total B w/ C;	Vitamin;		Tablet	
Vitamins (Multiple/Injectable)	M.V.I. Adult™;	Vitamin;		Injection	
Vitamins (Multiple/Oral)	Hexavitamin; Systane ICaps AREDS2;	Vitamin;	Hexavitamin for ER/INPT use only. AREDS2 prescribing restricted to Eye Clinic only.	Tablet Capsule	
Vitamins (Multiple/Pediatric)	Poly-Vi-Sol With Iron [OTC]; Poly-Vi-Sol [OTC]; Tri-Vi-Sol [OTC];	Vitamin;		Solution, drops: 50 mL	
Warfarin	Coumadin®;	Anticoagulant; Anticoagulant, Vitamin K Antagonist;		Tablet, oral, as sodium: 1 mg, 2 mg, 2.5 mg, 3 mg, 5 mg, 7.5 mg	
Water for Injection (Bacteriostatic)		Pharmaceutical Aid;		Injection: 30 mL	
Water for Injection (Sterile)		Pharmaceutical Aid;		Injection: 20 mL, 1000 mL	
Water for Irrigation (Sterile)		Pharmaceutical Aid;		Solution: 1000 mL	
White Petrolatum	Skin Protectant [OTC];	Pharmaceutical Aid; Topical Skin Product;		Ointment: 5 g **NOTE: FOR HOSPITAL USE ONLY**	
Xylocaine® (Viscous) and Benadryl®		Miscellaneous Product;		Solution	
Zinc Oxide		Antihemorrhoidal Agent; Topical Skin Product;		Ointment, topical: 20% (30 g)	
Zinc Sulfate	Orazinc [OTC]; Zinc 15 [OTC];	Trace Element;		Capsules, Oral: Generic: 220 mg	

Ziprasidone	Geodon;	Antimanic Agent;Second Generation (Atypical) Antipsychotic;		Capsule, Oral, as hydrochloride: Geodon: 20 mg, 40 mg, 60 mg, 80 mg Generic: 20 mg, 40 mg, 60 mg, 80 mg Solution Reconstituted, Intramuscular, as mesylate [strength expressed as base, preservative free]: Geodon: 20 mg (1 ea) Generic: 20 mg (1 ea)	
Zoledronic Acid	Reclast;	Bisphosphonate Derivative;		Solution, Intravenous [preservative free]: Generic: 5 mg/100 mL (100 mL)	
Zolpidem	Ambien®;	Hypnotic, Miscellaneous;Nonbenzodiazepine Benzodiazepine Receptor Agonist;		Tablet, oral, as tartrate: 5 mg, 10 mg	
Zoster Vaccine (Recombinant)	Shingrix;	Vaccine;Vaccine, Recombinant;		Suspension Reconstituted, Intramuscular: Shingrix: 50 mcg [contains polysorbate 80]	