

Generic Names	Brand Names	Therapeutic Category	Dosage Forms	Restrictions	Comments
Abacavir, Dolutegravir, and Lamivudine	Triumeq; Triumeq PD;	Antiretroviral, Integrase Inhibitor (Anti-HIV); Antiretroviral, Reverse Transcriptase Inhibitor, Nucleoside (Anti-HIV);	Tablet, Oral: Triumeq: Abacavir 600 mg, dolutegravir 50 mg, and lamivudine 300 mg Tablet Soluble, Oral: Triumeq PD: Abacavir 60 mg, dolutegravir 5 mg, and lamivudine 30 mg		
Acetaminophen	Acephen™ [OTC]; Mapap Infant 's [OTC]; Mapap [OTC]; Tylenol [OTC];	Analgesic, Nonopioid;	Solution, Intravenous: Generic: 1000 mg/100 mL (100 mL) Suppository, rectal: Generic: 120 mg, 650 mg Suspension, oral: 160 mg/5 mL (118 mL) Tablet, oral: 325 mg		
Acetaminophen and Codeine	Capital® and Codeine; Tylenol® With Codeine;	Analgesic Combination (Opioid); Analgesic, Opioid;	Tablet, oral: Generic: Acetaminophen 300 mg and codeine phosphate 30 mg		
AcetaZOLAMIDE	Diamox® Sequels®;	Antiseizure Agent, Miscellaneous; Carbonic Anhydrase Inhibitor; Diuretic, Carbonic Anhydrase Inhibitor; Ophthalmic Agent, Antiglaucoma;	Capsule, sustained release, oral: Diamox® Sequels®: 500 mg Injection, powder for reconstitution, as sodium: 500 mg Tablet, oral: 250 mg		
Acetic Acid (Otic)		Otic Agent, Anti-infective;	Solution, otic [drops]: Generic: 2% (15 mL) [alcohol free]		
Acetic Acid (Topical)		Genitourinary Irrigant;	Solution, for irrigation [preservative free]: 0.25% (1000 mL)		

Acetic Acid and Hydrocortisone	Acetasol® HC;	Otic Agent, Anti-infective;	Solution, otic [drops]: Acetasol® HC: Acetic acid 2%, propylene glycol diacetate 3%, and hydrocortisone 1% (10 mL)		
Acetylcysteine	Acetadote®;	Antidote;Mucolytic Agent;	Solution, for oral inhalation: 10% [100 mg/mL] (30 mL); 20% [200 mg/mL] (4 mL, 30 mL) [contains disodium edetate]		
Acyclovir (Systemic)		Antiviral Agent;	Capsule, oral: 200 mg Injection, powder for reconstitution, as sodium [preservative free]: 500 mg Tablet, oral: 800 mg		
Acyclovir (Topical)	Zovirax;	Antiviral Agent, Topical;	Cream, External: Generic: 5% (5 g) Ointment, External: Generic: 5% (15 g)		
Adalimumab	Humira;Humira Pen;Humira Pen-Crohns Starter;Humira Pen-Psoriasis Starter;	Antirheumatic, Disease Modifying;Gastrointestinal Agent, Miscellaneous;Monoclonal Antibody;Tumor Necrosis Factor (TNF) Blocking Agent;	Kit, Subcutaneous [preservative-free, citrate-free]: 40 mg/0.4 mL Kit, Subcutaneous [contains polysorbate 80]: 40 mg/0.8 mL		
Adapalene and Benzoyl Peroxide	Epiduo;	Acne Products;Retinoic Acid Derivative;Topical Skin Product;Topical Skin Product, Acne;	Gel, External: Epiduo: Adapalene 0.1% and benzoyl peroxide 2.5% (45 g) [contains edetate disodium, polysorbate 80, propylene glycol] Generic: Adapalene 0.1% and benzoyl peroxide 2.5% (45 g)		

Adenosine	Adenocard® ;	Antiarrhythmic Agent, Miscellaneous;Diagnostic Agent;	Injection, solution [preservative free]: Adenocard® IV: 3 mg/mL (2 mL)		
Albendazole	Albenza;	Anthelmintic;	Tablet, Oral: Albenza: 200 mg [contains saccharin sodium]		
Albumin	Plasbumin®-25;	Blood Product Derivative;Plasma Volume Expander, Colloid;	Injection, solution [human]: Plasbumin®-25: 25% (50 mL)		
Albuterol	ProAir HFA;	Beta2 Agonist;	Aerosol, for oral inhalation: ProAir HFA: 90 mcg/actuation (8.5 g) Solution, for nebulization: 0.083% (3 mL)		
Alendronate	Fosamax®;	Bisphosphonate Derivative;	Tablet, oral: 5 mg, 10 mg, 35 mg, 40 mg, 70 mg		
Alfuzosin	Uroxatral;	Alpha1 Blocker;Alpha1a Blocker, Selective;	Tablet Extended Release 24 Hour, Oral, as hydrochloride: Uroxatral: 10 mg [contains hydrogenated castor oil] Generic: 10 mg		
Allopurinol		Antigout Agent;Xanthine Oxidase Inhibitor;	Tablet, oral: 100 mg, 300 mg		
Alteplase	Activase®;	Thrombolytic Agent;	Injection, powder for reconstitution [recombinant]: Activase®: 50 mg [29 million int. units], 100 mg [58 million int. units] [contains polysorbate 80; derived from or manufactured using Chinese hamster ovary cells; supplied with diluent]		
Aluminum Acetate		Topical Skin Product;	Powder		

Aluminum Hydroxide		Antacid;Antidote;Protectant , Topical;	Suspension, oral: 320 mg/5 mL (473 mL) [sugar free; contains benzyl alcohol; mint flavor]		
Aluminum Hydroxide and Magnesium Trisilicate	Alenic Alka Tablet [OTC];Gaviscon® Tablet [OTC];Genaton Tablet [OTC];	Antacid;	Tablet, chewable: Aluminum hydroxide 80 mg and magnesium trisilicate 20 mg		
Aluminum Hydroxide, Magnesium Hydroxide, and Simethicone	Alamag Plus [OTC] [DSC];Aldroxicon I [OTC];Aldroxicon II [OTC];Almacone Double Strength [OTC];Almacone [OTC] [DSC];Alumina-Magnesia-Simethicone [OTC];Gelusil [OTC];Geri-Mox [OTC];HyVee Advanced Antacid [OTC];Maalox Advanced Maximum Strength [OTC] [DSC];Mi-Acid Maximum Strength [OTC] [DSC];Mi-Acid [OTC];Mintox Plus [OTC];Mintox Regular Strength [OTC] [DSC];Mylanta Classic Maximum Strength Liquid [OTC];Mylanta Classic Regular Strength Liquid [OTC];Rulox [OTC];	Antacid;Antiflatulent;	Liquid, Oral: Generic: Aluminum hydroxide 200 mg, magnesium hydroxide 200 mg, and simethicone 20 mg per 5 mL (360 mL); Aluminum hydroxide 400 mg, magnesium hydroxide 400 mg, and simethicone 40 mg per 5 mL (360 mL) Suspension, Oral: Generic: Aluminum hydroxide 200 mg, magnesium hydroxide 200 mg, and simethicone 20 mg per 5 mL (30 mL); Aluminum hydroxide 225 mg, magnesium hydroxide 200 mg, and simethicone 25 mg per 5 mL (360 mL); Aluminum hydroxide 400 mg, magnesium hydroxide 400 mg, and simethicone 40 mg per 5 mL (30 mL, 355 mL)		

Amantadine	Symmetrel®;	Anti-Parkinson Agent, Dopamine Agonist;Antiviral Agent;Antiviral Agent, Adamantane;	Capsule, oral, as hydrochloride: 100 mg Capsule, softgel, oral, as hydrochloride: 100 mg Syrup, oral, as hydrochloride: 50 mg/5 mL (473 mL) [alcohol free, dye free, sugar free; raspberry flavor]		
AMILoride		Antihypertensive;Diuretic, Potassium-Sparing;	Tablet, Oral, as hydrochloride: Generic: 5 mg		
Amiodarone	Cordarone®;Pacerone®;	Antiarrhythmic Agent, Class III;	Injection, solution, as hydrochloride: 50 mg/mL (3 mL) [contains benzyl alcohol and polysorbate 80] Tablet, oral, as hydrochloride: 200 mg		
Amitriptyline		Antidepressant, Tricyclic (Tertiary Amine);	Tablet, oral, as hydrochloride: 10 mg, 25 mg, 50 mg		
AmLODIPine	Norvasc®;	Antihypertensive;Calcium Channel Blocker;	Tablet, oral: 5 mg, 10 mg		
Ammonia Spirit (Aromatic)		Respiratory Stimulant;	Solution for inhalation [ampul]: 1.7% to 2.1% (0.33 mL)		
Amoxicillin	Amoxil®;	Antibiotic, Penicillin;	Capsule, oral: 250 mg, 500 mg Powder for suspension, oral: Amoxil®: 250 mg/5 mL (100 mL, 150 mL) [contains sodium benzoate; bubblegum flavor]		

Amoxicillin and Clavulanate	Augmentin®;	Antibiotic, Penicillin;	Powder for suspension, oral: 200: Amoxicillin 200 mg and clavulanate potassium 28.5 mg per 5 mL (50 mL, 100 mL) [contains phenylalanine 7 mg/5 mL and potassium 0.14 mEq/5 mL; orange flavor]; 400: Amoxicillin 400 mg and clavulanate potassium 57 mg per 5 mL (50 mL, 100 mL) [contains phenylalanine 7 mg/5 mL and potassium 0.29 mEq/5 mL; orange flavor] Tablet, oral: 250/125: Amoxicillin 250 mg and clavulanate potassium 125 mg [contains potassium] 500/125: Amoxicillin 500 mg and clavulanate potassium 125 mg [contains potassium]		
Ampicillin		Antibiotic, Penicillin;	Injection, powder for reconstitution: 1 g, 2 g [contains sodium 2.9 mEq/g]		
Ampicillin and Sulbactam	Unasyn®;	Antibiotic, Penicillin;	Injection, powder for reconstitution: Unasyn®: 1.5 g, 3 g [contains sodium 115 mg (5 mEq)/1.5 g]		
Anastrozole		Antineoplastic Agent, Aromatase Inhibitor;	Tablet, Oral: Generic: 1 mg		

Antivenin (Crotalidae) Polyvalent	CroFab™ [Ovine];	Antivenin;	Injection, powder for reconstitution: CroFab™ [ovine]: Derived from Crotalus adamanteus, C. atrox, C. scutulatus, and Agkistrodon piscivorus snake venoms [ovine origin; contains thimerosal; manufactured with papain]		
Apixaban	Eliquis;	Anticoagulant;Anticoagulant, Factor Xa Inhibitor;Direct Oral Anticoagulant (DOAC);	Tablet, Oral: Eliquis: 2.5 mg, 5 mg		
ARIPiprazole	Abilify;Abilify Maintena;	Antimanic Agent;Second Generation (Atypical) Antipsychotic;	Prefilled Syringe, Intramuscular: Abilify Maintena: 300 mg (1 ea); 400 mg (1 ea) Tablet, Oral: Generic: 2 mg, 5 mg, 10 mg, 15 mg, 20 mg, 30 mg		
Artificial Tears		Ophthalmic Agent, Miscellaneous;	Solution, ophthalmic: 1.4% (15 mL) [contains benzalkonium chloride]		
Ascorbic Acid	Ascor;	Vitamin, Water Soluble;	Solution, Intravenous [preservative free]: Ascor: 500 mg/mL (50 mL) [contains edetate (edta) disodium]	FOR HOSPITAL (ER/INPT) USE ONLY	
Aspirin		Analgesic, Nonopioid;Antiplatelet Agent;Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;Salicylate;	Tablet, oral: 325 mg Tablet, chewable, oral: 81 mg Tablet, enteric coated, oral: 81 mg, 325 mg		

Aspirin and Dipyridamole	Aggrenox®;	Antiplatelet Agent;	Capsule, variable release: Aggrenox®: Aspirin 25 mg (immediate release) and dipyridamole 200 mg (extended release) [contains lactose, sucrose]		
Atenolol		Antihypertensive;Beta- Blocker, Beta-1 Selective;	Tablet, oral: 25 mg, 50 mg, 100 mg		
Atomoxetine	Strattera;	Norepinephrine Reuptake Inhibitor, Selective;	Capsule, Oral: Generic: 10 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg, 100 mg		
Atorvastatin		Antilipemic Agent, HMG- CoA Reductase Inhibitor;	Tablet, Oral: Generic: 10 mg, 20 mg, 40 mg, 80 mg		
Atropine (Ophthalmic)		Anticholinergic Agent, Ophthalmic;Ophthalmic Agent, Mydriatic;	Solution, ophthalmic, as sulfate: 1% (5 mL) [contains benzalkonium chloride]		
Atropine (Systemic)		Anticholinergic Agent;Antidote;Antispasmo dic Agent, Gastrointestinal;	Injection, solution, as sulfate: 0.1 mg/mL (10 mL); 0.4 mg/mL (20 mL)		
AzaTHIOprine	Azasan;Imuran;	Immunosuppressant Agent;	Tablet, Oral: Generic: 50 mg		
Azelastine (Nasal)	Astelin [DSC];Astepro;	Histamine H1 Antagonist;Histamine H1 Antagonist, Second Generation;	Solution, Nasal, as hydrochloride: Generic: 0.1% (30 mL)		

Azithromycin (Systemic)	Zithromax®; Zithromax® Z-PAK®;	Antibiotic, Macrolide;	Powder for suspension, immediate release, oral, as dihydrate: Zithromax®: 100 mg/5 mL (15 mL) [contains sodium 3.7 mg/5 mL; cherry-crème de vanilla-banana flavor]; 200 mg/5 mL (15 mL) [contains sodium 7.4 mg/5 mL; cherry-crème de vanilla-banana flavor]; 1 g/packet [contains sodium 37 mg/packet; banana-cherry flavor] Tablet, oral, as dihydrate: Zithromax®: 250 mg [contains sodium 0.9 mg/tablet] Zithromax® Z-PAK® [unit-dose pack]: 250 mg (6s) [contains sodium 0.9 mg per tablet] Tablet, oral, as monohydrate: 250 mg [contains sodium 0.21 mg/tablet]		
Aztreonam (Systemic)	Azactam;	Antibiotic, Monobactam;	Solution Reconstituted, Injection [preservative free]: Generic: 2 g (1 ea)		
Bacitracin (Ophthalmic)		Antibiotic, Ophthalmic;	Ointment, Ophthalmic: Generic: 500 units/g (3.5 g)		
Bacitracin and Polymyxin B (Ophthalmic)	Polysporin® [OTC];	Antibiotic, Ophthalmic;	Ointment, ophthalmic: Bacitracin 500 units and polymyxin B 10,000 units per g (3.5 g)		

Bacitracin, Neomycin, and Polymyxin B (Ophthalmic)	Neosporin® Neo To Go® [OTC]; Neosporin® Topical [OTC];	Antibiotic, Ophthalmic;	Ointment, ophthalmic: Bacitracin 400 units, neomycin 3.5 mg, and polymyxin B 10,000 units per g (3.5 g)		
Baclofen		Skeletal Muscle Relaxant;	Tablet, oral: 10 mg		
Beclomethasone (Oral Inhalation)	QVAR®;	Corticosteroid, Inhalant (Oral);	Aerosol, for oral inhalation, as dipropionate: QVAR®: 40 mcg/inhalation (7.3 g [DSC]) [chlorofluorocarbon free; contains ethanol; 100 metered actuations] QVAR®: 40 mcg/inhalation (8.7 g) [chlorofluorocarbon free; contains ethanol; 120 metered actuations] QVAR®: 80 mcg/inhalation (7.3 g [DSC]) [chlorofluorocarbon free; contains ethanol; 100 metered actuations] QVAR®: 80 mcg/inhalation (8.7 g) [chlorofluorocarbon free; contains ethanol; 120 metered actuations]		
Belladonna, Phenobarbital, and Ergotamine	Bellamine S;	Ergot Derivative;	Tablet: Belladonna alkaloids 0.2 mg, phenobarbital 40 mg, and ergotamine tartrate 0.6 mg		
Benadryl® and Maalox®		Miscellaneous Product;	Suspension, oral: Extemporaneously prepared by Pharmacy		

Benadryl®, Lidocaine, and Nystatin		Miscellaneous Product;	Solution: 1:1:1, extemporaneously prepared by Pharmacy		
Benadryl®, Maalox®, and Xylocaine®		Miscellaneous Product;	Suspension: Extemporaneously prepared by Pharmacy		
Benzocaine		Analgesic, Topical;Local Anesthetic;	Solution: 20%		
Benzocaine, Butamben, and Tetracaine	Cetacaine®;	Local Anesthetic;	Aerosol, topical [spray]: Cetacaine®: Benzocaine 14%, butamben 2%, and tetracaine hydrochloride 2% (56 g) [contains benzalkonium chloride]		
Benzonatate		Antitussive;	Capsule, softgel, oral: 100 mg		
Benzoyl Peroxide		Acne Products;Topical Skin Product;Topical Skin Product, Acne;	Gel, topical: 10% (45 g)		
Benztropine	Cogentin®;	Anti-Parkinson Agent, Anticholinergic;Anticholinergic Agent;	Solution, for injection, as mesylate: Cogentin®: 1 mg/mL (2 mL) Tablet, oral, as mesylate: 1 mg		
Betamethasone (Topical)		Corticosteroid, Topical;	Cream, External, as dipropionate [strength expressed as base]: Generic: 0.05% (15 g, 45 g)		
Betamethasone and Clotrimazole		Antifungal Agent, Topical;Corticosteroid, Topical;	Cream, topical: Betamethasone dipropionate 0.05% (base) and clotrimazole 1% (45 g) [contains benzyl alcohol]		

Betaxolol (Ophthalmic)	Betoptic S®;	Beta-Blocker, Beta-1 Selective; Ophthalmic Agent, Antiglaucoma;	Solution, ophthalmic: 0.5% (5 mL, 10 mL) [contains benzalkonium chloride] Suspension, ophthalmic: Betoptic S®: 0.25% (10 mL) [contains benzalkonium chloride]		
Bictegravir, Emtricitabine, and Tenofovir Alafenamide	Biktarvy;	Antiretroviral, Integrase Inhibitor (Anti-HIV); Antiretroviral, Reverse Transcriptase Inhibitor, Nucleoside (Anti-HIV); Antiretroviral, Reverse Transcriptase Inhibitor, Nucleotide (Anti-HIV);	Tablet, Oral: Biktarvy: Bictegravir 30 mg, emtricitabine 120 mg, and tenofovir alafenamide 15 mg, Bictegravir 50 mg, emtricitabine 200 mg, and tenofovir alafenamide 25 mg		
Bisacodyl		Laxative, Stimulant;	Suppository, rectal: 10 mg		
Bismuth Subsalicylate		Antidiarrheal;	Tablet, chewable, oral, as subsalicylate: 262 mg [sugar free; contains sodium 0.1 mg/tablet]		
Brimonidine (Ophthalmic)	Alphagan P;	Alpha2 Agonist, Ophthalmic; Ophthalmic Agent, Antiglaucoma;	Solution, Ophthalmic, as tartrate: Alphagan P: 0.15% (5 mL) [contains carboxymethylcellulose sodium]		
Bromocriptine	Parlodel® SnapTabs®;	Anti-Parkinson Agent, Dopamine Agonist; Antidiabetic Agent, Dopamine Agonist; Ergot Derivative; Hyperprolactinemia Agent, Dopamine (D2) Agonist;	Tablet, oral, as mesylate: Parlodel® SnapTabs®: 2.5 mg		

Budesonide (Oral Inhalation)	Pulmicort Flexhaler;Pulmicort Respules;	Corticosteroid, Inhalant (Oral);	Powder, for oral inhalation: Pulmicort Flexhaler: 180mcg/inhalation (225 mg) Suspension, for nebulization: Pulmicort Respules: 0.25 mg/2 mL (2 mL); 0.5 mg/2 mL (2 mL)		
Budesonide and Formoterol	Symbicort;	Beta2 Agonist;Beta2-Adrenergic Agonist, Long-Acting;Corticosteroid, Inhalant (Oral);	Aerosol, Inhalation: Generic: Budesonide 160 mcg and formoterol fumarate dihydrate 4.5 mcg per actuation (10.2 g); Budesonide 80 mcg and formoterol fumarate dihydrate 4.5 mcg per actuation (10.2 g)		
Bumetanide	Bumex;	Antihypertensive;Diuretic, Loop;	Solution, Injection: Generic: 0.25 mg/mL (10 mL) Tablet, Oral: Generic: 0.5 mg, 1 mg, 2 mg		
BUPIvacaine	Marcaine®;	Local Anesthetic;	Injection, solution, as hydrochloride [preservative free]: Marcaine®: 0.5% (30 mL)		

Buprenorphine	Brixadi;Butrans;Sublocade; Subutex;	Analgesic, Opioid;Analgesic, Opioid Partial Agonist;	Patch Weekly, Transdermal: Generic: 5 mcg/hr (1 ea, 4 ea); 7.5 mcg/hr (1 ea, 4 ea); 10 mcg/hr (1 ea, 4 ea); 15 mcg/hr (1 ea, 4 ea); 20 mcg/hr (1 ea, 4 ea) Solution Prefilled Syringe, Subcutaneous: Brixadi: 64 mg/0.18 mL [extended-release] (0.18 mL); 96 mg/0.27 mL [extended-release] (0.27 mL); 128 mg/0.36 mL [extended-release] (0.36 mL) Brixadi (Weekly): 8 mg/0.16 mL [extended-release] (0.16 mL); 16 mg/0.32 mL [extended-release] (0.32 mL); 24 mg/0.48 mL [extended-release] (0.48 mL); 32 mg/0.64 mL [extended-release] (0.64 mL) [contains alcohol, usp] Solution Prefilled Syringe, Subcutaneous [preservative free]:		
Buprenorphine and Naloxone	Suboxone®;	Analgesic, Opioid;Analgesic, Opioid Partial Agonist;	Tablet, Sublingual: Buprenorphine 2 mg and naloxone 0.5 mg; Buprenorphine 8 mg and naloxone 2 mg Film, Sublingual: Buprenorphine 2 mg and naloxone 0.5 mg; Buprenorphine 8 mg and naloxone 2 mg; Buprenorphine 12 mg and naloxone 3 mg	C-III	

BuPROPion	Wellbutrin;Wellbutrin SR;Wellbutrin XL;	Antidepressant, Dopamine/Norepinephrine-Reuptake Inhibitor;Dopamine and Norepinephrine - Reuptake Inhibitor;Smoking Cessation Aid;	Tablet, oral, as hydrochloride: 75 mg, 100 mg Tablet, extended release, oral, as hydrochloride: 100 mg, 150 mg Tablet, extended release 24 hour, oral, as hydrochloride: 150 mg, 300 mg		
BusPIRone		Antianxiety Agent, Miscellaneous;	Tablet, oral, as hydrochloride: 7.5 mg, 10 mg, 30 mg		
Butalbital, Acetaminophen, and Caffeine		Analgesic, Nonopioid;Barbiturate;	Tablet, oral: Butalbital 50 mg, acetaminophen 325 mg, and caffeine 40 mg		
Butalbital, Aspirin, and Caffeine		Barbiturate;	Capsule, oral: Butalbital 50 mg, aspirin 325 mg, and caffeine 40 mg		
Calcipotriene	Calcitrene;Dovonex;Sorilux ;	Topical Skin Product;Vitamin D Analog;	Ointment, External: Generic: 0.005% (60 g)		
Calcitriol (Systemic)	Rocaltrol;	Vitamin D Analog;	Capsule, Oral: Rocaltrol: 0.25 mcg [contains fd&c yellow #6 (sunset yellow), methylparaben, propylparaben] Generic: 0.5 mcg		
Calcium Acetate	PhosLo®;	Antidote;Calcium Salt;Phosphate Binder;	Gelcap, oral: 667 mg		
Calcium Carbonate	Antacid [OTC];Calcium Antacid [OTC];Oysco 500 [OTC] [DSC];Tums [OTC];	Antacid;Antidote;Calcium Salt;Electrolyte Supplement, Oral;Phosphate Binder;	Tablet, Oral: Generic: 1250 mg (elemental calcium 500 mg) Tablet Chewable, Oral: Generic: 500 mg	CHEWABLE RESTRICTED TO DIALYSIS PATIENTS FOR PHOSPHATE BINDER	

Calcium Chloride		Calcium Salt;Electrolyte Supplement, Parenteral;	Solution, Intravenous: Generic: 10% (10 mL) Solution, Intravenous [preservative free]: Generic: 10% (10 mL)		
Calcium Citrate and Vitamin D		Calcium Salt;	Tablet: Calcium citrate 400 mg and vitamin D 500 int. units		
Calcium Gluconate		Calcium Salt;Electrolyte Supplement, Oral;Electrolyte Supplement, Parenteral;	Injection, solution [preservative free]: 10% (10 mL)		
Capsaicin	Capsaicin [OTC];	Analgesic, Topical;Topical Skin Product;Transient Receptor Potential Vanilloid 1 (TRPV1) Agonist;	Cream, External: Generic: 0.025% (25 g, 50 g, 60 g, 120 g); 0.1% (42.5 g)	FOR HOSPITAL (ER/INPT) USE ONLY May be fast-tracked for cannabis hyperemesis syndrome (CHS)	
Captopril		Angiotensin-Converting Enzyme (ACE) Inhibitor;Antihypertensive;	Tablet, oral: 12.5 mg, 25 mg		
CarBAMazepine	Carbatrol®;TEGretol®;TE Gretol®-XR;	Antimanic Agent;Antiseizure Agent, Miscellaneous;	Capsule, extended release, oral: 200 mg, 300 mg Suspension, oral: 100 mg/5 mL (480 mL) [alcohol free; citrus-vanilla flavor] Tablet, oral: 200 mg Tablet, chewable, oral: 100 mg Tablet, extended release, oral: 100 mg, 400 mg		
Carbamide Peroxide		Otic Agent, Cerumenolytic;	Solution, otic [drops]: Generic: 6.5% (15 mL)		
Carboprost Tromethamine	Hemabate;	Abortifacient;Prostaglandin ;	Solution, Intramuscular [strength expressed as base]: Generic: 250 mcg/mL (1 mL)		

Carboxymethylcellulose	Refresh Celluvisc [OTC]; Refresh Plus [OTC];	Ophthalmic Agent, Miscellaneous;	Solution, Ophthalmic, as sodium: Refresh Plus: 0.5% (30 ea) Solution, Ophthalmic, as sodium [preservative free]: Refresh Celluvisc: 1% (30 ea)		
Carteolol (Ophthalmic)		Beta-Blocker, Nonselective; Ophthalmic Agent, Antiglaucoma;	Solution, Ophthalmic, as hydrochloride: Generic: 1% (5 mL)		
Carvedilol	Coreg®;	Antihypertensive; Beta-Blocker With Alpha-Blocking Activity;	Tablet, oral: 6.25 mg, 12.5 mg, 25 mg		
Cefadroxil		Antibiotic, Cephalosporin (First Generation);	Capsule, Oral: Generic: 500 mg		
CeFAZolin		Antibiotic, Cephalosporin (First Generation);	Infusion [iso-osmotic dextrose solution]: 1 g (50 mL) Injection, powder for reconstitution: 1 g, 10 g		
Cefdinir	Omnicef®;	Antibiotic, Cephalosporin (Third Generation);	Capsule, oral: 300 mg Omnicef®: 300 mg Powder for oral suspension: 125 mg/5 mL (60 mL, 100 mL); 250 mg/5 mL (60 mL, 100 mL) Omnicef®: 125 mg/5 mL (60 mL, 100 mL) [contains sodium benzoate and sucrose 2.86 g/5 mL; strawberry flavor]; 250 mg/5 mL (60 mL, 100 mL) [contains sodium benzoate and sucrose 2.86 g/5 mL; strawberry flavor]		

Cefepime	Maxipime;	Antibiotic, Cephalosporin (Fourth Generation);	Solution Reconstituted, Injection, as hydrochloride: Maxipime: 1 g (1 ea); 2 g (1 ea) Generic: 1 g (1 ea); 2 g (1 ea) Solution Reconstituted, Intravenous, as hydrochloride: Maxipime: 1 g (1 ea); 2 g (1 ea)		
Cefixime	Suprax [DSC];	Antibiotic, Cephalosporin (Third Generation);	Capsule, Oral: Generic: 400 mg Suspension Reconstituted, Oral: Generic: 200 mg/5 mL (50 mL)		
Cefotaxime	Claforan®;	Antibiotic, Cephalosporin (Third Generation);	Injection, powder for reconstitution, as sodium: 1 g, 2 g [contains sodium 50.5 mg (2.2 mEq)/g]		
CefoTEtan	Cefotan®;	Antibiotic, Cephalosporin (Second Generation);	Injection, powder for reconstitution: Cefotan®: 2 g		
Cefprozil		Antibiotic, Cephalosporin (Second Generation);	Suspension Reconstituted, Oral: Generic: 125 mg/5 mL (50 mL, 75 mL, 100 mL); 250 mg/5 mL (50 mL, 75 mL, 100 mL)		
CefTAZidime	Fortaz®;	Antibiotic, Cephalosporin (Third Generation);	Injection, powder for reconstitution: Fortaz®: 1 g, 2 g		
CefTRIAxone	Rocephin®;	Antibiotic, Cephalosporin (Third Generation);	Injection, powder for reconstitution: 250 mg, 1 g, 2 g [contains sodium 83 mg (3.6 mEq)/g]		

Cefuroxime	Ceftin;	Antibiotic, Cephalosporin (Second Generation);	Tablet, Oral, as axetil [strength expressed as base]: Generic: 250 mg, 500 mg		
Celecoxib	CeleBREX;	Analgesic, Nonopioid; Nonsteroidal Anti-inflammatory Drug (NSAID), COX-2 Selective;	Capsule, Oral: Generic: 100 mg, 200 mg		
Cephalexin		Antibiotic, Cephalosporin (First Generation);	Capsule, oral: 250 mg, 500 mg Powder for suspension, oral: 250 mg/5 mL (100 mL, 200 mL) [mixed berry flavor]		
Cetirizine (Systemic)	ZyrTEC; ZyrTEC Allergy [OTC]; ZyrTEC Children's Allergy [OTC]; ZyrTEC Children's Hives Relief [OTC];	Antihistamine, H1 Blocker, Nonsedating;	Syrup, Oral, as hydrochloride: ZyrTEC: 5 mg/5 mL (120 mL, 480 mL) [contains propylene glycol; banana-grape flavor] ZyrTEC Children's Allergy: 5 mg/5 mL (118 mL) [dye free, sugar free; contains propylene glycol, sodium benzoate] ZyrTEC Children's Hives Relief: 5 mg/5 mL (120 mL) [contains propylene glycol; grape flavor] Tablet, Oral, as hydrochloride: ZyrTEC: 5 mg, 10 mg Generic: 5 mg, 10 mg		
Charcoal, Activated		Antidote;	Powder for suspension, oral: USP (30 g)		
Chlordiazepoxide		Benzodiazepine;	Capsule, oral, as hydrochloride: 10 mg, 25 mg		

Chlorhexidine Gluconate (Oral)		Antibiotic, Oral Rinse;	Solution, Mouth/Throat: Generic: 0.12% (473 mL)		
Chlorhexidine Gluconate (Topical)	Betasept Surgical Scrub [OTC];	Antibiotic, Topical;	Liquid, External: Betasept Surgical Scrub: 4% (118 mL)		
Chloroquine		Aminoquinoline (Antimalarial);Antimalarial Agent;	Tablet, oral, as phosphate: 500 mg		
ChlorproMAZINE		Antimanic Agent;First Generation (Typical) Antipsychotic;Phenothiazine Derivative;	Injection, solution, as hydrochloride: 25 mg/mL (2 mL) [contains sodium metabisulfite 1 mg/mL and sodium sulfite 1 mg/mL] Tablet, oral, as hydrochloride: 10 mg, 25 mg		
Chlorthalidone		Antihypertensive;Diuretic, Thiazide-Related;	Tablet, Oral: Generic: 25 mg, 50 mg, 100 mg		
Cholecalciferol		Vitamin D Analog;	Capsule, Oral [preservative free]: Generic: 2000 units, 5000 units Tablet, Oral: Generic: 1000 units, 2000 units,		
Cholestyramine Resin	Prevalite;Questran;	Antilipemic Agent, Bile Acid Sequestrant;	Packet, Oral: Generic: 4 g (1 ea, 60 ea)		
Cilostazol		Antiplatelet Agent;Phosphodiesterase-3 Enzyme Inhibitor;Vasodilator;	Tablet, Oral: Generic: 50 mg, 100 mg		
Cimetidine		Histamine H2 Antagonist;	Solution, oral: 300 mg/5 mL (237 mL) [gluten free, sugar free; contains alcohol 2.8%; peach flavor] Tablet, oral: 400 mg		

Ciprofloxacin (Ophthalmic)		Antibiotic, Fluoroquinolone;Antibiotic, Ophthalmic;	Solution, ophthalmic, as hydrochloride: 0.3% (5 mL) [contains benzalkonium chloride]		
Ciprofloxacin (Systemic)	Cipro®;	Antibiotic, Fluoroquinolone;	Tablet, oral, as hydrochloride [strength expressed as base]: Cipro®: 250 mg, 500 mg		
Citalopram	CeleXA®;	Antidepressant, Selective Serotonin Reuptake Inhibitor;	Tablet, oral: 20 mg, 40 mg		
Clindamycin (Systemic)	Cleocin HCl®;Cleocin Phosphate®;Cleocin®;	Antibiotic, Lincosamide;	Capsule, oral, as hydrochloride: 150 mg Injection, solution, as phosphate (Cleocin Phosphate®): 150 mg/mL (6 mL) [contains benzyl alcohol and disodium edetate 0.5 mg/mL] Suspension, oral: 75 mg/mL		
Clindamycin (Topical)	Cleocin®;	Antibiotic, Lincosamide;Topical Skin Product, Acne;	Cream, Vaginal, as phosphate [strength expressed as base]: Cleocin: 2% (40 g) [contains benzyl alcohol] Generic: 2% (40 g) Solution, External, as phosphate [strength expressed as base]: Cleocin-T: 1% (60 mL) [contains isopropyl alcohol, propylene glycol] Generic: 1% (60 mL) Generic: 1% (60 ea)		
Clindamycin and Benzoyl Peroxide	BenzaClin;	Acne Products;Topical Skin Product;Topical Skin Product, Acne;	Gel, topical: Generic: Clindamycin 1% and benzoyl peroxide 5% (25 g)		

Clobetasol (Topical)		Corticosteroid, Topical;	Ointment, External, as propionate: Generic: 0.05% (15 g) Solution, External, as propionate: Generic: 0.05% (25 mL, 50 mL)		
ClomiPHENE		Ovulation Stimulator; Selective Estrogen Receptor Modulator (SERM);	Tablet, oral, as citrate: 50 mg		
ClomiPRAMINE		Antidepressant, Tricyclic (Tertiary Amine);	Capsule, oral, as hydrochloride: 25 mg		
Clonazepam		Antiseizure Agent, Benzodiazepine; Benzodiazepine;	Tablet, oral: 0.5 mg, 1 mg		
CloNIDine		Alpha2-Adrenergic Agonist; Antihypertensive;	Tablet, oral, as hydrochloride: 0.1 mg, 0.2 mg		
Clopidogrel	Plavix®;	Antiplatelet Agent; Antiplatelet Agent, Thienopyridine; P2Y12 Antagonist;	Tablet, oral: 75 mg		
Clotrimazole (Oral)	Mycelex®;	Antifungal Agent, Imidazole Derivative; Antifungal Agent, Oral Nonabsorbed;	Troche, oral: Mycelex®: 10 mg		
Clotrimazole (Topical)		Antifungal Agent, Imidazole Derivative; Antifungal Agent, Oral Nonabsorbed/Partially Absorbed; Antifungal Agent, Topical; Antifungal Agent, Vaginal;	Cream, topical/vaginal: 1% (45 g) [contains benzyl alcohol] Cream, topical: 1% (30 g)		
Coal Tar	Polytar® [OTC];	Topical Skin Product;	Shampoo, topical: Polytar®: Coal tar 0.5% (177 mL)		
Colchicine		Antigout Agent;	Tablet, oral: 0.6 mg		

Colestipol	Colestid®;	Antilipemic Agent;Antilipemic Agent, Bile Acid Sequestrant;	Granules, oral, as hydrochloride: Colestid®: 5 g/7.5 g packet Tablet, oral, as hydrochloride: Colestid®: 1 g		
Copper IUD	Paragard Intrauterine Copper;	Contraceptive;	Intrauterine Device, Intrauterine: Paragard Intrauterine Copper:		
Cortisone		Corticosteroid, Systemic;	Tablet, oral, as acetate: 25 mg		
Cromolyn (Oral Inhalation)		Mast Cell Stabilizer;	Nebulization Solution, Inhalation, as sodium: Generic: 20 mg/2 mL (2 mL)		
Cyanocobalamin		Vitamin, Water Soluble;	Injection, solution: 1000 mcg/mL (1 mL) [contains benzyl alcohol] Tablet, sublingual: 2500 mcg		
Cyclobenzaprine		Skeletal Muscle Relaxant;	Tablet, oral, as hydrochloride: 10 mg		
Cyclopentolate	Cyclogyl®;	Anticholinergic Agent, Ophthalmic;	Solution, ophthalmic, as hydrochloride: Generic: 1% (2 mL) [contains benzalkonium chloride]		
Cyclopentolate and Phenylephrine	Cyclomydril®;	Ophthalmic Agent, Mydriatic;	Solution, ophthalmic: Cyclomydril®: Cyclopentolate hydrochloride 0.2% and phenylephrine hydrochloride 1% (5 mL) [contains benzalkonium chloride]		

CycloPHOSphamide	Cytoxan®;	Antineoplastic Agent, Alkylating Agent;Antineoplastic Agent, Alkylating Agent (Nitrogen Mustard);Antirheumatic Miscellaneous;Immunosuppressant Agent;	Tablet, oral: Cytoxan®: 50 mg		
CycloSPORINE (Systemic)	Neoral®;SandIMMUNE®;	Calcineurin Inhibitor;Immunosuppressant Agent;	Capsule, softgel, oral [modified]: Neoral®: 25 mg, 100 mg [contains castor oil and dehydrated alcohol 11.9% and propylene glycol] Capsule, softgel, oral [non-modified]: SandIMMUNE®: 25 mg, 100 mg [contains dehydrated alcohol 12.7%]		
Cyproheptadine		Histamine H1 Antagonist;Histamine H1 Antagonist, First Generation;Piperidine Derivative;	Tablet, Oral, as hydrochloride: Generic: 4 mg		
Dapsone (Systemic)		Antibiotic, Miscellaneous;	Tablet, oral: 25 mg, 100 mg		
Deferoxamine	Desferal®;	Antidote;Chelating Agent;	Injection, powder for reconstitution, as mesylate: Desferal®: 500 mg		
Desipramine		Antidepressant, Tricyclic (Secondary Amine);	Tablet, oral, as hydrochloride: 25 mg, 50 mg		
DexAMETHasone (Ophthalmic)		Anti-inflammatory Agent, Ophthalmic;Corticosteroid, Ophthalmic;Corticosteroid, Otic;	Solution, Ophthalmic, as phosphate: Generic: 0.1% (5 mL)		

DexAMETHasone (Systemic)		Anti-inflammatory Agent;Antiemetic;Corticosteroid, Systemic;	Elixir, as base: 0.5 mg/5 mL (240 mL) Injection, solution, as sodium phosphate: 4 mg/mL (1 mL, 5 mL), 10 mg/mL (1 mL) [contains benzyl alcohol and sodium sulfite] Tablet, oral: 0.5 mg, 2 mg, 4 mg		
Dextroamphetamine	Dexedrine;ProCentra;Zenzedi;	Central Nervous System Stimulant;	Tablet, Oral, as sulfate: Generic: 10 mg		
Dextroamphetamine and Amphetamine	Adderall XR®;	Central Nervous System Stimulant;	Capsule, extended release, oral: Generic: 5mg, 10 mg, 15 mg, 20 mg, 25 mg, 30 mg Tablet, Oral: Generic: 5mg, 10 mg, 15 mg, 20 mg, 25 mg, 30 mg		
Dextrose		Antidote, Hypoglycemia;Intravenous Nutritional Therapy;	Infusion: 5% (250 mL, 500 mL, 1000 mL); Injection, solution: 50% (50 mL) Gel, oral: 40%		
Dextrose and Ringer's Injection (Lactated)		Electrolyte Supplement, Parenteral;	Solution, Intravenous: Generic: Dextrose 5% in Lactated Ringer's		
Dextrose and Sodium Chloride		Intravenous Nutritional Therapy;	Injection: D5 1/4NS: Dextrose 5% in sodium chloride 0.225% (500 mL) D5 1/2NS: Dextrose 5% in sodium chloride 0.45% (500 mL) D5NS: Dextrose 5% in sodium chloride 0.9% (500 mL, 1000 mL)		

Diatrizoate Meglumine and Diatrizoate Sodium	Gastrografin;	Iodinated Contrast Media;Radiological/Contrast Media, Ionic (High Osmolality);	Solution, Oral: Gastrografin: Diatrizoate meglumine 660 mg and diatrizoate sodium 100 mg per 1 mL (30 mL, 120 mL) [contains disodium edta, polysorbate 80, saccharin sodium]		
DiazePAM	Diastat®;Diastat® AcuDial™;	Antiseizure Agent, Benzodiazepine;Benzodiazepine;	Gel, rectal: Pediatric rectal tip [4.4 cm]: Diastat®: 5 mg/mL (0.5 mL) [contains benzoic acid and benzyl alcohol and ethyl alcohol 10% and sodium benzoate] Pediatric/Adult rectal tip [4.4 cm]: Diastat® AcuDial™: 10 mg (2 mL) [contains benzoic acid and benzyl alcohol 1.5% and ethyl alcohol 10% and sodium benzoate] Injection, solution: 5 mg/mL (2 mL, 10 mL) [contains benzyl alcohol] Tablet, oral: 5 mg		
Diclofenac (Topical)	Voltaren;	Nonsteroidal Anti-inflammatory Drug (NSAID);Nonsteroidal Anti-inflammatory Drug (NSAID), Topical;	Gel, Transdermal, as sodium: Voltaren: 1% (100 g) [contains isopropyl alcohol, propylene glycol]		
Dicloxacillin		Antibiotic, Penicillin;	Capsule, oral: 250 mg		
Dicyclomine		Anticholinergic Agent;	Tablet, oral, as hydrochloride: 10 mg, 20 mg		

Digoxin	Lanoxin®;	Antiarrhythmic Agent, Miscellaneous;Cardiac Glycoside;	Elixir, oral [pediatric]: Lanoxin®: 0.05 mg/mL (60 mL) [contains alcohol 10%; lime flavor] Injection, solution: Lanoxin®: 0.25 mg/mL (2 mL) [contains alcohol 10% and propylene glycol] Tablet, oral: Lanoxin®: 125 mcg, 250 mcg		
Dihydroergotamine		Antimigraine Agent;Ergot Derivative;	Injection: 1 mg/mL		
DilTIAZem	Cardizem® CD;	Antihypertensive;Calcium Channel Blocker;	Capsule, extended release, oral, as hydrochloride [once-daily dosing]: Generic: 120 mg, 180 mg, 240 mg, 300 mg, 360 mg Injection, solution, as hydrochloride: 5 mg/mL (5 mL)		
Dimercaprol	BAL in Oil®;	Antidote;	Injection, oil: BAL in Oil®: 100 mg/mL (3 mL) [contains benzyl benzoate and peanut oil]		
Dimethicone (Topical)	Secura Dimethicone Protectant [OTC];	Protectant, Topical;Topical Skin Product;	Solution, External: Nix Ultra: 4%, 3.4 oz		

DiphenhydrAMINE (Systemic)	Banophen™ [OTC]; Genahist™ [OTC];	Ethanolamine Derivative; Histamine H1 Antagonist; Histamine H1 Antagonist, First Generation;	Capsule, oral, as hydrochloride: 25 mg Elixir, oral, as hydrochloride: Banophen™: 12.5 mg/5 mL (120 mL) Injection, solution, as hydrochloride: 50 mg/mL (1 mL) Tablet, oral, as hydrochloride: 25 mg Genahist™: 25 mg		
Diphenoxylate and Atropine		Antidiarrheal;	Tablet: 2.5/0.025: Diphenoxylate hydrochloride 2.5 mg and atropine sulfate 0.025 mg		
Diphtheria and Tetanus Toxoid		Vaccine; Vaccine, Inactivated (Bacterial);	Injection, suspension: Diphtheria 6.6 Lf units and tetanus 5 Lf units per 0.5 mL (5 mL) [contains thimerosal]		
Diphtheria, Tetanus Toxoids, Acellular Pertussis, Hepatitis B (Recombinant), and Poliovirus (Inactivated) Vaccine	Pediarix™;	Vaccine; Vaccine, Inactivated (Bacterial); Vaccine, Inactivated (Viral);	Injection, suspension: Pediarix™: Diphtheria toxoid 25 Lf, tetanus toxoid 10 Lf, inactivated PT 25 mcg, FHA 25 mcg, pertactin 8 mcg, HBsAg 10 mcg, poliovirus type 1 40 DU, poliovirus type 2 8 DU, and poliovirus type 3 32 DU per 0.5 mL (0.5 mL) [contains packaging contains natural rubber/natural latex]		

Diphtheria, Tetanus Toxoids, and Acellular Pertussis Vaccine	Boostrix®;Infanrix®;Tripedia®;	Vaccine;Vaccine, Inactivated (Bacterial);	Injection, powder for reconstitution: Tripedia®: Diphtheria 6.7 Lf units, tetanus 5 Lf units, and acellular pertussis vaccine 46.8 mcg (0.5 mL) [contains packaging contains natural rubber/natural latex and thimerosal] Injection, suspension: Boostrix®: Diphtheria 2.5 Lf units, tetanus 5 Lf units, and acellular pertussis 8 mcg per 0.5 mL (0.5 mL) [contains aluminum and polysorbate 80 ≤100 mcg/0.5 mL] Infanrix®: Diphtheria 25 Lf units, tetanus 10 Lf units, and acellular pertussis vaccine 25 mcg per 0.5 mL (0.5 mL)		
Dipyridamole		Antiplatelet Agent;Vasodilator;	Tablet, oral: 25 mg, 50 mg		
Disopyramide	Norpace® CR;	Antiarrhythmic Agent, Class Ia;	Capsule, controlled release, oral: Norpace® CR: 100 mg Capsule, extended release, oral: 150 mg		
Disulfiram	Antabuse®;	Aldehyde Dehydrogenase Inhibitor;	Tablet, oral: 250 mg		

Divalproex	Depakote®;Depakote® ER;Depakote® Sprinkle;	Antimanic Agent;Antiseizure Agent, Miscellaneous;Histone Deacetylase (HDAC) Inhibitor;	Capsule, sprinkle, oral: 125 mg [strength expressed as valproic acid] Depakote® Sprinkle: 125 mg [strength expressed as valproic acid] Tablet, delayed release, oral: 125 mg [strength expressed as valproic acid], 250 mg [strength expressed as valproic acid], 500 mg [strength expressed as valproic acid] Depakote®: 125 mg, 250 mg, 500 mg [strength expressed as valproic acid] Tablet, extended release, oral: 250 mg [strength expressed as valproic acid], 500 mg [strength expressed as valproic acid] Depakote® ER: 250 mg, 500 mg [strength expressed as valproic acid]		
DOBUTamine		Adrenergic Agonist Agent;Inotrope;	Injection, solution, as hydrochloride: 12.5 mg/mL (20 mL)		
Docusate	Doc-Q-Lace [OTC];	Stool Softener;	Capsule, softgel, oral, as sodium: 100 mg Syrup, oral, as sodium: Doc-Q-Lace: 60 mg/15 mL (480 mL)		

Docusate and Senna	Doc-Q-Lax [OTC];Dok Plus [OTC];Geri-Stool [OTC];Peri-Colace [OTC] [DSC];Senexon-S [OTC];Senna Plus [OTC];SennaLax-S [OTC];Senokot-S [OTC];SenoSol-SS [OTC];	Laxative, Stimulant;Stool Softener;	Tablet, oral: Doc-Q-Lax: Docusate sodium 50 mg and sennosides 8.6 mg Dok Plus: Docusate sodium 50 mg and sennosides 8.6 mg [contains sodium benzoate] Geri-Stool: Docusate sodium 50 mg and sennosides 8.6 mg Peri-Colace: Docusate sodium 50 mg and sennosides 8.6 mg [DSC] Senexon-S: Docusate sodium 50 mg and sennosides 8.6 mg [contains calcium 20 mg/tablet, sodium 6 mg/tablet] SennaLax-S: Docusate sodium 50 mg and sennosides 8.6 mg [contains sodium benzoate] Senna Plus: Docusate sodium 50 mg and sennosides 8.6 mg Senokot-S: Docusate sodium 50 mg and		
Dolutegravir	Tivicay;Tivicay PD;	Antiretroviral, Integrase Inhibitor (Anti-HIV);	Tablet, Oral: Tivicay: 10 mg, 25 mg, 50 mg Tablet Soluble, Oral: Tivicay PD: 5 mg		
Donepezil	Aricept®;	Acetylcholinesterase Inhibitor (Central);	Tablet, Oral, as hydrochloride: Generic: 5 mg, 10 mg		

DOPamine		Adrenergic Agonist Agent; Inotrope;	Infusion [premixed in D5W], as hydrochloride: 1.6 mg/mL (250 mL) Injection, solution, as hydrochloride: 40 mg/mL (5 mL) [contains sodium metabisulfite]		
Dorzolamide	Trusopt®;	Carbonic Anhydrase Inhibitor (Ophthalmic); Ophthalmic Agent, Antiglaucoma;	Solution, ophthalmic: Generic: 2% (10 mL) [contains benzalkonium chloride]		
Dorzolamide and Timolol	Cosopt; Cosopt PF;	Beta-Adrenergic Blocker, Nonselective; Carbonic Anhydrase Inhibitor (Ophthalmic); Ophthalmic Agent, Antiglaucoma;	Solution, Ophthalmic: Generic: Dorzolamide 2% and timolol 0.5% (10 mL)		
Doxazosin		Alpha1 Blocker; Alpha1 Blocker, Nonselective; Antihypertensive;	Tablet, Oral: Generic: 1 mg, 4mg	EBCI Supplemental Formulary - for EBCI enrolled patients	
Doxepin (Systemic)		Antidepressant, Tricyclic (Tertiary Amine);	Capsule, Oral: Generic: 10 mg, 25 mg, 50 mg Tablet, Oral: Generic: 3 mg, 6 mg		Note: lower strengths (3mg, 6mg) are indicated for insomnia; higher strengths (10mg, 25mg, 50mg) are indicated for depression/anxiety/bipolar disorder.
Doxycycline	Vibramycin®;	Antibiotic, Tetracycline Derivative;	Capsule, oral, as hyclate: 100 mg Injection, powder for reconstitution, as hyclate: 100 mg Suspension, oral, as calcium: Vibramycin®: 50 mg/5 mL (473 mL) [contains sodium metabisulfite; raspberry-apple flavor]		

Doxylamine	Sleep Aid [OTC];	Ethanolamine Derivative;Histamine H1 Antagonist;Histamine H1 Antagonist, First Generation;	Tablet, Oral, as succinate: Sleep Aid: 25 mg [scored; contains fd&c blue #1 aluminum lake]		
Doxylamine and Pyridoxine	Diclegis;	Ethanolamine Derivative;Histamine H1 Antagonist;Histamine H1 Antagonist, First Generation;Vitamin, Water Soluble;	Tablet Delayed Release, Oral: Generic: doxylamine succinate 10 mg and pyridoxine hydrochloride 10 mg		
DULoxetine	Cymbalta®;	Antidepressant, Serotonin/Norepinephrine Reuptake Inhibitor;	Capsule, delayed release, enteric coated pellets, oral: Cymbalta®: 20 mg, 30 mg, 60 mg		
Edetate Disodium	Endrate®;	Chelating Agent;	Injection, solution: Endrate®: 150 mg/mL (20 mL)		
Edrophonium	Enlon®;	Acetylcholinesterase Inhibitor;Antidote;Diagnostic Agent;	Injection, solution, as chloride: Enlon®: 10 mg/mL (15 mL) [contains sodium sulfite]		
Eletriptan	Relpax;	Antimigraine Agent;Serotonin 5-HT _{1B} , 1D Receptor Agonist;	Tablet, Oral: Generic: 40 mg		
Empagliflozin	Jardiance;	Antidiabetic Agent, Sodium-Glucose Cotransporter 2 (SGLT2) Inhibitor;Sodium-Glucose Cotransporter 2 (SGLT2) Inhibitor;	Tablet, Oral: Jardiance: 10 mg, 25 mg		

Emtricitabine and Tenofovir Alafenamide	Descovy;	Antiretroviral, Reverse Transcriptase Inhibitor, Nucleoside (Anti-HIV);Antiretroviral, Reverse Transcriptase Inhibitor, Nucleotide (Anti-HIV);	Tablet, Oral: Descovy: Emtricitabine 120 mg and tenofovir alafenamide 15 mg Descovy: Emtricitabine 200 mg and tenofovir alafenamide 25 mg [contains fd&c blue #2 aluminum lake]		
Emtricitabine and Tenofovir Disoproxil Fumarate	Truvada;	Antiretroviral, Reverse Transcriptase Inhibitor, Nucleoside (Anti-HIV);Antiretroviral, Reverse Transcriptase Inhibitor, Nucleotide (Anti-HIV);	Tablet, Oral: Generic: Emtricitabine 200 mg and tenofovir disoproxil fumarate 300 mg		
Enalaprilat		Angiotensin-Converting Enzyme (ACE) Inhibitor;Antihypertensive;	Injectable, Intravenous: Generic: 1.25 mg/mL (1 mL, 2 mL)		
Enoxaparin	Lovenox®;	Anticoagulant;Anticoagulant, Low Molecular Weight Heparin;	Injection, solution, as sodium [preservative free]: Lovenox®: 30 mg/0.3 mL (0.3 mL); 40 mg/0.4 mL (0.4 mL); 60 mg/0.6 mL (0.6 mL); 80 mg/0.8 mL (0.8 mL); 100 mg/mL (1 mL); 150 mg/mL (1 mL)		

EPINEPHrine (Systemic)	EpiPen 2-Pak;EpiPen Jr 2-Pak;	Alpha/Beta Agonist;	Injection, solution [prefilled auto injector]: EpiPen®: 0.3 mg/0.3 mL [1:1000] (2 mL) [contains sodium metabisulfite] EpiPen® Jr.: 0.15 mg/0.3 mL [1:2000] (2 mL) [contains sodium metabisulfite] Injection, solution: 0.1 mg/mL [1:10,000] (10 mL); 1 mg/mL [1:1000] (1 mL, 30 mL)		
Epoetin Alfa	Epogen®;	Colony Stimulating Factor;Erythropoiesis-Stimulating Agent (ESA);Hematopoietic Agent;	Injection, solution: Epogen®: 10,000 units/mL (2 mL), 20,000 units/mL (1 mL) [contains benzyl alcohol] Injection, solution [preservative free]: Epogen®: 2000 units/mL (1 mL)		
Ergocalciferol	Calciferol™;Drisdol®;	Vitamin D Analog;	Capsule, softgel, oral: 50,000 int. units		
Ergotamine and Caffeine	Cafergot®;	Antimigraine Agent;Central Nervous System Stimulant;Ergot Derivative;	Tablet: Cafergot®: 1/100: Ergotamine tartrate 1 mg and caffeine 100 mg		
Erythromycin (Ophthalmic)		Antibiotic, Macrolide;Antibiotic, Ophthalmic;	Ointment, ophthalmic: 0.5% (3.5 g)		
Erythromycin (Systemic)	EryPed®;Erythrocin®;	Antibiotic, Macrolide;	Powder for suspension, oral, as ethylsuccinate: EryPed®: 400 mg/5 mL (100 mL) [banana flavor] Tablet, oral, as stearate: Erythrocin®: 250 mg		

Erythromycin (Topical)		Acne Products;Antibiotic, Macrolide;Antibiotic, Topical;Topical Skin Product;Topical Skin Product, Acne;	Solution, topical: 2% (60 mL) [sugar free; contains alcohol 66%]		
Erythromycin and Sulfisoxazole		Antibiotic, Macrolide;Antibiotic, Macrolide Combination;Antibiotic, Sulfonamide Derivative;	Powder for suspension, oral: Erythromycin ethylsuccinate 200 mg and sulfisoxazole acetyl 600 mg per 5 mL (200 mL) [strawberry-banana flavor]		
Escitalopram	Lexapro;	Antidepressant, Selective Serotonin Reuptake Inhibitor;	Tablet, Oral: Generic: 5 mg, 10 mg, 20 mg		
Esmolol	Brevibloc;	Antiarrhythmic Agent, Class II;Antihypertensive;Beta-Blocker, Beta-1 Selective;	Solution, Intravenous, as hydrochloride [preservative free]: Generic: 2500 mg/250 mL (250 mL)		
Estradiol (Systemic)	Estrace;Vivelle-Dot;	Estrogen Derivative;	Tablet, oral: Generic: 1 mg, 2 mg Patch Weekly, Transdermal: 0.0375 mg/24 hr (4 ea) Patch Twice Weekly, Transdermal: Generic: 0.025 mg/24 hr (1 ea, 8 ea); 0.0375 mg/24 hr (1 ea, 8 ea); 0.05 mg/24 hr (1 ea, 8 ea); 0.075 mg/24 hr (1 ea, 8 ea); 0.1 mg/24 hr (1 ea, 8 ea)		
Estradiol (Topical)	Estrace;	Estrogen Derivative;	Cream, Vaginal: Generic: 0.1 mg/g (42.5 g)		
Estrogens (Conjugated/Equine, Systemic)		Estrogen Derivative;	Injection, powder for reconstitution: 25 mg Tablet, oral: 0.3 mg, 0.625 mg, 0.9 mg, 1.25 mg		

Estrogens (Conjugated/Equine, Topical)	Premarin®;	Estrogen Derivative;	Cream, vaginal: 0.625 mg/g (42.5 g)		
Estropipate	Ogen®;	Estrogen Derivative;	Tablet, oral: 1.25 mg		
Ethambutol	Myambutol®;	Antitubercular Agent;	Tablet, oral, as hydrochloride: 100 mg, 400 mg		
Ethinyl Estradiol and Drospirenone	Jasmiel;Lo- Zumandimine;Loryna;Nikki; Ocella;Syeda;Vestura;Yas min 28;YAZ;Zumandimine;	Contraceptive;Estrogen and Progestin Combination;	Generic: Ethinyl estradiol 0.03 mg and drospirenone 3 mg [21 active tablets and 7 inactive tablets]		
Ethinyl Estradiol and Ethinodiol Diacetate	Zovia™ 1/35;Zovia™ 1/50;	Contraceptive;Estrogen and Progestin Combination;	Tablet, oral: Zovia™ 1/35: Ethinyl estradiol 0.035 mg and ethynodiol diacetate 1 mg [21 light pink tablets and 7 white inactive tablets] Zovia™ 1/50: Ethinyl estradiol 0.05 mg and ethynodiol diacetate 1 mg [21 pink tablets and 7 white inactive tablets]		
Ethinyl Estradiol and Etonogestrel	NuvaRing;	Contraceptive;Estrogen and Progestin Combination;	Ring, vaginal: NuvaRing: Ethinyl estradiol 0.015 mg/day and etonogestrel 0.12 mg/day (3s) [3-week duration]		

Ethinyl Estradiol and Levonorgestrel	Camrese® 91; Levlen® 28; Seasonique® 91; Tri- Levlen® 28; Trivora® 28;	Contraceptive; Estrogen and Progestin Combination;	Tablet, monophasic formulation: Levlen® 28: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg [21 light orange tablets and 7 pink inactive tablets] Levora® 28: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg [21 light orange tablets and 7 pink inactive tablets] Tablet, triphasic formulation: Myzilra® 28: Day 1-6: Ethinyl estradiol 0.03 mg and levonorgestrel 0.05 mg [6 brown tablets]; Day 12- 2: Ethinyl estradiol 0.03 mg and levonorgestrel 0.125 mg [10 light yellow tablets]; Day 22-28: 7 light green inactive tablets; Day 7-11: Ethinyl estradiol 0.04 mg and levonorgestrel 0.075 mg [5 white tablets] Tri-Levlen® 28: Day 1-6: Ethinyl estradiol 0.03 mg and levonorgestrel 0.05 mg		
Ethinyl Estradiol and Norelgestromin	Xulane; Zafemy;	Contraceptive; Estrogen and Progestin Combination;	Patch Weekly, Transdermal: Xulane: Ethinyl estradiol 35 mcg and norelgestromin 150 mcg per day (1 ea, 3 ea) Zafemy: Ethinyl estradiol 35 mcg and norelgestromin 150 mcg per day (1 ea, 3 ea)		

Ethinyl Estradiol and Norethindrone	Brevicon®;Loestrin® 21 1/20;Loestrin® Fe 1.5/30;Loestrin® Fe 1/20;Norinyl® 1/35-28;Ortho-Novum® 1/35-28;Ortho-Novum® 7/7/7-21;	Contraceptive;Estrogen and Progestin Combination;	Tablet, monophasic formulation: Loestrin® 21 1/20: Ethinyl estradiol 0.02 mg and norethindrone acetate 1 mg Loestrin® Fe 1.5/30: Ethinyl estradiol 0.03 mg and norethindrone acetate 1.5 mg [21 green tablets] and ferrous fumarate 75 mg [7 brown tablets] Loestrin® Fe 1/20: Ethinyl estradiol 0.02 mg and norethindrone acetate 1 mg [21 white tablets] and ferrous fumarate 75 mg [7 brown tablets] Brevicon®: Ethinyl estradiol 0.035 mg and norethindrone 0.5 mg [21 blue tablets and 7 orange inactive tablets] Norinyl® 1/35-28: Ethinyl estradiol 0.035 mg and norethindrone 1 mg [21 yellow green tablets and 7 orange inactive tablets] Ortho-Novum® 1/35-28:		
-------------------------------------	--	---	---	--	--

Ethinyl Estradiol and Norgestimate	Estarylla; Femynor; Mono-Linyah; MonoNessa; Ortho Tri-Cyclen; Ortho Tri-Cyclen Lo; Ortho-Cyclen; Previfem; Sprintec; Tri-Estarylla; Tri-Linyah; Tri-Lo-Estarylla; Tri-Lo-Marzia; Tri-Lo-Sprintec; Tri-Previfem; Tri-Sprintec; TriNessa; TriNessa Lo;	Contraceptive; Estrogen and Progestin Combination;	Tablet, oral [monophasic formulation]: Estarylla: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 green inactive tablets] (28s) Femynor: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 red tablets and 7 white inactive tablets] (28s) MonoNessa, Ortho-Cyclen: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 dark green inactive tablets] (28s) Previfem: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 light green inactive tablets] (28s) Mono-Linya, Sprintec: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 white inactive tablets] (28s)		
Ethinyl Estradiol and Norgestrel	Ogestrel® 28;	Contraceptive; Estrogen and Progestin Combination;	Tablet, oral: Ogestrel® 28: Ethinyl estradiol 0.05 mg and norgestrel 0.5 mg		
Ethosuximide	Zarontin;	Antiseizure Agent, Succinimide;	Capsule, Oral: Generic: 250 mg		
Etomidate		Cortisol Synthesis Inhibitor; General Anesthetic;	Injection, solution [preservative free]: 2 mg/mL (10 mL) [contains propylene glycol]		
Etonogestrel	Nexplanon;	Contraceptive; Progestin;	Implant, Subcutaneous: Nexplanon: 68 mg (1 ea)		

Exenatide	Bydureon;Byetta 10 MCG Pen;Byetta 5 MCG Pen;	Antidiabetic Agent, Glucagon-Like Peptide-1 (GLP-1) Receptor Agonist;	Pen-injector, Subcutaneous: Bydureon: 2 mg (1 ea) Solution Pen-injector, Subcutaneous: Byetta 10 MCG Pen: 10 mcg/0.04 mL (2.4 mL) [contains metacresol] Byetta 5 MCG Pen: 5 mcg/0.02 mL (1.2 mL) [contains metacresol]		
Ezetimibe	Zetia;	Antilipemic Agent, 2-Azetidinone;	Tablet, Oral: Generic: 10 mg		
Famotidine	Acid Controller Max St [OTC];Acid Controller Original Str [OTC];Acid Reducer Maximum Strength [OTC];Acid Reducer [OTC];Heartburn Relief Max St [OTC];Heartburn Relief [OTC];Pepcid;Pepcid AC Maximum Strength [OTC];	Histamine H2 Antagonist;	Solution, Intravenous: Generic: 20 mg (50 mL); 20 mg/2 mL (2 mL); 40 mg/4 mL (4 mL); 200 mg/20 mL (20 mL) Solution, Intravenous [preservative free]: Generic: 20 mg/2 mL (2 mL) Suspension Reconstituted, Oral: Generic: 40 mg/5 mL (50 mL) Tablet, Oral: Generic: 10 mg, 20 mg, 40 mg		
Fenofibrate and Derivatives	Antara;Fenoglide;Fibricor;Lipofen;Lofibra [DSC];Tricor;Triglide [DSC];Trilipix;	Antilipemic Agent, Fibric Acid;	Tablet, Oral, as fenofibrate: Tricor: 48 mg [contains fd&c blue #2 aluminum lake, fd&c yellow #10 aluminum lake, fd&c yellow #6 aluminum lake, soybean lecithin] Generic: 40 mg, 48 mg, 54 mg, 120 mg, 145 mg, 160 mg		

FentaNYL	Duragesic®;	Analgesic, Opioid;Anilidopiperidine Opioid;General Anesthetic;	Injection, solution, as citrate [preservative free]: 0.05 mg/mL (50 mL) Injection, solution, as citrate: 0.05mg/ml (2ml) Transdermal system, topical, as base: Duragesic®: 12 (5s) [delivers 12.5 mcg/hour, contains alcohol 0.1 mL/10 cm2]; 25 (5s) [delivers 25 mcg/hour, contains alcohol 0.1 mL/10 cm2]; 50 (5s) [delivers 50 mcg/hour, contains alcohol 0.1 mL/10 cm2]; 75 (5s) [delivers 75 mcg/hour, contains alcohol 0.1 mL/10 cm2]; 100 (5s) [delivers 100 mcg/hour, contains alcohol 0.1 mL/cm2		
Ferric Subsulfate	Monsels Ferric Subsulfate;	Hemostatic Agent;	Solution, External: Monsels Ferric Subsulfate: (8 mL, 60 mL)		
Ferrous Sulfate	Fer-Gen Sol [OTC];	Iron Preparations;	Elixir, oral: 220 mg/5 mL (480 mL) Liquid, oral [drops]: Fer-Gen Sol: 75 mg/0.6 mL (50 mL) Tablet, oral: 325 mg [elemental iron 65 mg]		
Ferumoxytol	Feraheme;	Iron Preparations;	Solution, Intravenous [preservative free]: Generic: 510 mg/17 mL (17 mL)		
Finasteride	Proscar®;	5 Alpha-Reductase Inhibitor;	Tablet, oral: Generic: 1 mg, 5 mg		

FlavoxATE	Urispas®;	Antispasmodic Agent, Urinary;	Tablet, oral: Urispas®: 100 mg		
Fluconazole	Diflucan®;	Antifungal Agent, Oral;Antifungal Agent, Parenteral;	Tablet, oral: Generic: 100 mg, 150 mg, 200 mg Suspension Reconstituted, Oral: Generic: 40 mg/mL (35 mL)		
Fludrocortisone		Corticosteroid, Systemic;	Tablet, oral, as acetate: 0.1 mg		
Flumazenil	Romazicon®;	Antidote;	Injection, solution: Romazicon®: 0.1 mg/mL (5 mL) [contains disodium edetate 0.01%]		
Fluocinolone (Topical)	Derma-Smoothe;	Corticosteroid, Topical;	Oil, External, as acetate: Generic: 0.01% (118.28 mL)		
Fluorescein		Diagnostic Agent;	Strip, ophthalmic, as sodium: 1 mg		
Fluorescein and Benoxinate		Anesthetic, Topical;Diagnostic Agent;Ophthalmic Agent;	Solution, ophthalmic: Fluorescein sodium 0.25% and benoxinate hydrochloride 0.4% (5 mL)		
Fluoride	PreviDent® 5000 Plus™;	Nutritional Supplement;	Cream, oral, as sodium [toothpaste]: PreviDent® 5000 Plus™: 1.1% (51 g) [spearmint flavor]		
Fluorometholone	FML Forte®;	Corticosteroid, Ophthalmic;	Suspension, ophthalmic, as base: 0.1% (5 mL) FML Forte®: 0.25% (5 mL) [contains benzalkonium chloride]		

Fluorouracil (Topical)	Efudex®;	Antineoplastic Agent, Antimetabolite;Antineoplastic Agent, Antimetabolite (Pyrimidine Analog);Topical Skin Product;	Cream, topical: Efudex®: 5% (40 g)		
FLUoxetine		Antidepressant, Selective Serotonin Reuptake Inhibitor;	Capsule, oral, as hydrochloride: 10 mg, 20 mg		
FluPHENAZine		First Generation (Typical) Antipsychotic;Phenothiazine Derivative;	Injection, oil, as decanoate: 25 mg/mL (5 mL) [contains benzyl alcohol and sesame oil]		
Fluticasone (Nasal)		Corticosteroid, Nasal;	Suspension, Nasal, as propionate: Generic: 50 mcg/actuation (16 g)		
Fluticasone and Salmeterol	Advair Diskus;Wixela;	Beta2 Agonist;Beta2-Adrenergic Agonist, Long-Acting;Corticosteroid, Inhalant (Oral);	Powder, for oral inhalation: 100/50: Fluticasone propionate 100 mcg and salmeterol 50 mcg (60s) 250/50: Fluticasone propionate 250 mcg and salmeterol 50 mcg (60s) 500/50: Fluticasone propionate 500 mcg and salmeterol 50 mcg (60s)		
Fluticasone HFA Aerosol Inhaler	Flovent HFA;				
Folic Acid		Vitamin, Water Soluble;	Injection, solution, as sodium folate: 5 mg/mL Tablet, oral: 1 mg		
Fosfomycin	Monurol;	Antibiotic, Miscellaneous;	Packet, Oral: Generic: 3 g (1 ea)		
Fosinopril		Angiotensin-Converting Enzyme (ACE) Inhibitor;Antihypertensive;	Tablet, oral, as sodium: 5 mg, 10 mg, 20 mg, 40 mg		

Fosphenytoin	Cerebyx®;	Antiseizure Agent, Hydantoin;	Injection, solution, as sodium: 75 mg/mL (2 mL, 10 mL) [equivalent to phenytoin sodium 50 mg/mL] Cerebyx®: 75 mg/mL (2 mL) [equivalent to phenytoin sodium 50 mg/mL] Injection, solution, as sodium [preservative free]: 75 mg/mL (2 mL)		
Furosemide		Antihypertensive;Diuretic, Loop;	Injection, solution: 10 mg/mL (4 mL) Injection, solution [preservative free]: 10 mg/mL (2 mL, 10 mL) Solution, oral: 10 mg/mL (60 mL) [sugar free; contains alcohol 11.6%; orange flavor] Tablet, oral: 20 mg, 40 mg, 80 mg		
Gabapentin	Neurontin®;	Antiseizure Agent, Miscellaneous;GABA Analog;	Capsule, oral: 100 mg, 300 mg, 400 mg Neurontin®: 100 mg, 300 mg, 400 mg		
Gentamicin (Ophthalmic)	Gentak™;	Antibiotic, Aminoglycoside;Antibiotic, Ophthalmic;	Solution, Ophthalmic: Generic: 0.3% (5 mL)		
Gentamicin (Systemic)		Antibiotic, Aminoglycoside;	Injection, solution, as sulfate: 40 mg/mL (2 mL)		
Gentamicin (Topical)		Antibiotic, Aminoglycoside;Antibiotic, Topical;	Ointment, External: Generic: 0.1% (15 g)	Gentamicin cream is available via fast-track non-formulary approval for dialysis patients with dialysis site infections	
Gentian Violet		Antibiotic, Topical;Antifungal Agent, Topical;	Solution, topical: 2% (30 mL) [contains ethyl alcohol 10%]		

Glecaprevir and Pibrentasvir	Mavyret;	Antihepaciviral, NS3/4A Protease Inhibitor (Anti-HCV);Antihepaciviral, NS5A Inhibitor;NS3/4A Inhibitor;NS5A Inhibitor;	Tablet, Oral: Mavyret: Glecaprevir 100 mg and pibrentasvir 40 mg		
GlipiZIDE	Glucotrol®;	Antidiabetic Agent, Sulfonylurea;	Tablet, oral: 5 mg, 10 mg		
Glucagon	Gvoke Kit;	Antidote;Antidote, Hypoglycemia;Diagnostic Agent;	Kit, for injection: Glucagon Emergency Kit: 1 mg [contains lactose 49 mg]		
GlyBURIDE		Antidiabetic Agent, Sulfonylurea;	Tablet, oral: 2.5 mg, 5 mg	Only for use in pregnancy	
Glyburide and Metformin	Glucovance®;	Antidiabetic Agent, Biguanide;Antidiabetic Agent, Sulfonylurea;	Tablet: 2.5/500: Glyburide 2.5 and metformin hydrochloride 500 mg 5/500: Glyburide 5 mg and metformin hydrochloride 500 mg		
Glycerin	Sani-Supp® [OTC];	Laxative, Osmotic;	Suppository, rectal: 82.5% (25) Sani-Supp®: 82.5% (25)		
Glycopyrrolate (Systemic)	Robinul;	Anticholinergic Agent;	Tablet, Oral: Generic: 1 mg		
Griseofulvin	Grifulvin V®;Gris-PEG®;	Antifungal Agent, Oral;	Suspension, oral, microsize: Grifulvin V®: 125 mg/5 mL (120 mL) [contains alcohol 0.2%] Tablet, oral, microsize: Grifulvin V®: 500 mg Tablet, oral, ultramicrosize: Gris-PEG®: 125 mg		
Guaifenesin and Codeine	Cheratussin AC [OTC];	Antitussive;Expectorant;	Syrup, oral: Guaifenesin 100 mg and codeine phosphate 10 mg per 5 mL (10 mL, 120 mL)		

Guaifenesin and Dextromethorphan	Q-Tussin DM [OTC];	Antitussive;Expectorant;	Liquid, oral: Q-Tussin DM: 100/10: guaifenesin 100 mg and dextromethorphan hydrobromide 10 mg per 5 mL (120 mL) [cherry flavor]		
GuanFACINE	Intuniv;	Alpha2-Adrenergic Agonist;Antihypertensive;	Tablet, Oral: Generic: 1 mg, 2 mg Tablet Extended Release 24 Hour, Oral: Generic: 1 mg, 2 mg, 3 mg, 4 mg		
Haemophilus b Conjugate Vaccine	ActHIB®;PedvaxHIB®;	Vaccine;Vaccine, Inactivated (Bacterial);	Injection, powder for reconstitution [preservative free]: ActHIB®: Haemophilus b capsular polysaccharide 10 mcg and tetanus toxoid 24 mcg per dose [contains sucrose 8.5%] Injection, suspension: PedvaxHIB®: Haemophilus b capsular polysaccharide 7.5 mcg and Neisseria meningitidis OMPC 125 mcg per 0.5 mL (0.5 mL) [contains aluminum 225 mcg/0.5 mL]		

Haloperidol	Haldol®;Haldol® Decanoate;	First Generation (Typical) Antipsychotic;	Injection, oil, as decanoate: Haldol® Decanoate: 50 mg/mL (1 mL); 100 mg/mL (5 mL) [contains benzyl alcohol and sesame oil] Injection, solution, as lactate: Haldol®: 5 mg/mL (10 mL) [contains methylparaben] Tablet, oral: 0.5 mg, 1 mg, 2 mg, 10 mg		
Heparin	Hep-Lock U/P;Hep-Lock®;HepFlush®-10;	Anticoagulant;	Injection, solution, as sodium [lock flush preparation; porcine intestinal mucosa source]: 10 units/mL (5 mL); 100 units/mL (1 mL, 30 mL) [contains benzyl alcohol] Injection: 5000 units/mL (1 mL, 30 mL)		
Hepatitis A Inactivated and Hepatitis B (Recombinant) Vaccine	Twinrix®;	Vaccine;Vaccine, Inactivated (Viral);	Injection, suspension: Twinrix®: Inactivated hepatitis A virus 720 ELISA units and hepatitis B surface antigen 20 mcg per mL (1 mL)		
Hepatitis A Vaccine	Havrix®;	Vaccine;Vaccine, Inactivated (Viral);	Injection, suspension [adult]: Havrix®: Viral antigen 1440 ELISA units/mL (1 mL)		

Hepatitis B Vaccine	Engerix-B®;	Vaccine;Vaccine, Inactivated (Viral);Vaccine, Recombinant;	Injection, suspension: Recombinant DNA, adult: Engerix-B®: Hepatitis B surface antigen 20 mcg/mL (1 mL) Recombinant DNA, pediatric/adolescent: Engerix-B®: Hepatitis B surface antigen 10 mcg/0.5 mL (0.5 mL)		
Hepatitis B Vaccine (Recombinant [Adjuvanted])	Heplisav-B;	Vaccine;Vaccine, Inactivated (Viral);Vaccine, Recombinant;	Solution, Intramuscular [preservative free]: Heplisav-B: Hepatitis B surface antigen 20 mcg/0.5 mL (0.5 mL [DSC]) [contains polysorbate 80] Solution Prefilled Syringe, Intramuscular [preservative free]: Heplisav-B: 20 mcg/0.5 mL (0.5 mL) [contains polysorbate 80]		
Histoplasmin		Diagnostic Agent;	Injection: 1:100		
Homatropine	Isopto® Homatropine;	Anticholinergic Agent, Ophthalmic;Ophthalmic Agent, Mydriatic;	Solution, ophthalmic, as hydrobromide: Isopto® Homatropine: 2% (5 mL); 5% (5 mL)		
Human Papillomavirus Vaccine (Quadrivalent)	Gardasil®;	Vaccine;Vaccine, Inactivated (Viral);	Injection, suspension [preservative free]: Gardasil®: HPV 6 L1 protein 20 mcg, HPV 11 L1 protein 40 mcg, HPV 16 L1 protein 40 mcg, and HPV 18 L1 protein 20 mcg per 0.5 mL (0.5 mL) [contains aluminum, polysorbate 80; manufactured using S. cerevisiae (baker's yeast)]		

Hyaluronate and Derivatives	Euflexxa;Gel-One;	Antirheumatic Miscellaneous;Cosmetic Agent, Implant;Ophthalmic Agent, Viscoelastic;Skin and Mucous Membrane Agent, Miscellaneous;	Injection, gel, intra-articular [cross-linked hyaluronate]: Gel-One: 10 mg/mL (3 mL) [derived from or manufactured using an avian source] Injection, solution, intra-articular [sodium hyaluronate]: Euflexxa: 10 mg/mL (2 mL)		
HydrALAZINE		Antihypertensive;Vasodilator;	Injection, solution, as hydrochloride: 20 mg/mL (1 mL) [contains methylparaben and propylene glycol and propylparaben] Tablet, oral, as hydrochloride: 25 mg		
HydroCHLORothiazide	Microzide®;	Antihypertensive;Diuretic, Thiazide;	Capsule, oral: Microzide®: 12.5 mg Tablet, oral: 25 mg		
Hydrochlorothiazide and Triamterene		Antihypertensive;Antihypertensive Agent, Combination;Diuretic, Potassium-Sparing;Diuretic, Thiazide;	Tablet, oral: 50/75: Hydrochlorothiazide 50 mg and triamterene 75 mg		
Hydrocodone and Acetaminophen		Analgesic Combination (Opioid);Analgesic, Opioid;	Elixir, oral: 7.5mg hydrocodone/500mg acetaminophen/15ml Tablet, oral: 5/325: Hydrocodone bitartrate 5 mg and acetaminophen 325 mg 10/325: Hydrocodone bitartrate 10 mg and acetaminophen 325 mg		

Hydrocortisone (Systemic)	Cortef®;Solu-CORTEF®;	Corticosteroid, Systemic;	Injection, powder for reconstitution, as sodium succinate: Solu-CORTEF®: 100 mg Tablet, oral, as base: 10 mg, 20 mg		
Hydrocortisone (Topical)		Antihemorrhoidal Agent;Corticosteroid, Rectal;Corticosteroid, Topical;	Suppository, rectal, as acetate: 25 mg Generic: 25 mg (12 ea) Cream, Rectal, as base: Generic: 2.5% (28.35 g)		
Hydroxocobalamin	Cyanokit;	Antidote;Vitamin, Water Soluble;	Solution Reconstituted, Intravenous: Cyanokit: 5 g (1 ea)		
Hydroxyamphetamine and Tropicamide	Paremyd;	Adrenergic Agonist Agent, Ophthalmic;	Solution, ophthalmic: Paremyd: Hydroxyamphetamine hydrobromide 1% and tropicamide 0.25% (15 mL) [contains benzalkonium chloride]		
Hydroxychloroquine		Aminoquinoline (Antimalarial);Antimalarial Agent;Antirheumatic, Disease Modifying;	Tablet, oral, as sulfate: 200 mg		
Hydroxyurea	Hydrea®;	Antineoplastic Agent, Miscellaneous;	Capsule, oral: Hydrea®: 500 mg		
HydrOXYzine		Antiemetic;Histamine H1 Antagonist;Histamine H1 Antagonist, First Generation;Piperazine Derivative;	Capsule, oral, as pamoate: 25 mg Injection, solution, as hydrochloride: 25 mg/mL (1 mL); 50 mg/mL Syrup, oral, as hydrochloride: 10 mg/5 mL (480 mL) [contains alcohol 0.5%; peppermint flavor]		

Hyoscyamine		Anticholinergic Agent;	Capsule, extended release, oral, as sulfate: 0.375 mg Tablet, sublingual, as sulfate: 0.125 mg		
Hyoscyamine, Atropine, Scopolamine, and Phenobarbital		Anticholinergic Agent;Antispasmodic Agent, Gastrointestinal;	Elixir, oral: Hyoscyamine sulfate 0.1037 mg, atropine sulfate 0.0194 mg, scopolamine hydrobromide 0.0065 mg, and phenobarbital 16.2 mg per 5 mL (480 mL) [contains alcohol 23%] Tablet: Hyoscyamine sulfate 0.1037 mg, atropine sulfate 0.0194 mg, scopolamine hydrobromide 0.0065 mg, and phenobarbital 16.2 mg		
Ibuprofen	Motrin®;	Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;	Suspension, oral: 100 mg/5 mL (120 mL) [alcohol free; contains sodium benzoate; grape flavor] Suspension, oral: 100 mg/5 mL (480 mL) [berry flavor] Tablet, oral: 400 mg, 800 mg		
Imipramine		Antidepressant, Tricyclic (Tertiary Amine);	Tablet, oral, as hydrochloride: 10 mg, 25 mg		

Imiquimod	Aldara;	Skin and Mucous Membrane Agent;Topical Skin Product;	Cream, External: Aldara: 5% (12 ea) [contains benzyl alcohol, cetyl alcohol, methylparaben, propylparaben, sorbitan monostearate(sorbitan stearate)] Generic: 5% (1 ea, 12 ea, 24 ea)		
Immune Globulin	Carimune® NF;Flebogamma® DIF;Flebogamma® [DSC];GamaSTAN™ S/D;Gammagard S/D®;Gammagard® Liquid;Gammaplex®;Gamunex®;Gamunex®- C;Hizentra®;Octagam®;Privigen®;Vivaglobin®;	Blood Product Derivative;Immune Globulin;	Injection, powder for reconstitution [preservative free]: Carimune® NF: 3 g, 6 g, 12 g [contains sucrose] Gammagard S/D®: 2.5 g, 5 g, 10 g [contains albumin (human), glucose, glycine, natural rubber/natural latex in packaging, polyethylene glycol, polysorbate 80] Injection, solution [preservative free]: Flebogamma®: 5% [50 mg/mL] (10 mL [DSC], 50 mL [DSC], 100 mL [DSC], 200 mL [DSC]) [contains polyethylene glycol, sorbitol] Flebogamma® DIF: 5% [50 mg/mL] (10 mL, 50 mL, 100 mL, 200 mL, 400 mL); 10% [100 mg/mL] (100 mL, 200 mL) [contains polyethylene glycol, sorbitol] GamaSTAN™ S/D: 15% to 18% (2 mL, 10 mL) Gammagard® Liquid: 10%		
Indapamide		Antihypertensive;Diuretic, Thiazide-Related;	Tablet, Oral: Generic: 1.25 mg, 2.5 mg		

Indomethacin		Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;	Capsule, oral: 50 mg		
Inhalation Devices	AeroChamber™;	Inhalation, Miscellaneous;	AeroChamber™, AeroChamber™ with mask (small, medium, large)		
Insulin Aspart	NovoLOG FlexPen;NovoLOG®;	Insulin, Rapid-Acting;	Solution, Subcutaneous: NovoLOG: 100 units/mL (10 mL) [contains metacresol, phenol] Solution Pen-injector, Subcutaneous: NovoLOG FlexPen: 100 units/mL (3 mL) [contains metacresol, phenol]		
Insulin Aspart Protamine and Insulin Aspart	NovoLOG® Mix 70/30 FlexPen®;	Insulin, Combination;	Injection, suspension: NovoLOG® Mix 70/30 FlexPen®: Insulin aspart protamine suspension 70% [intermediate acting] and insulin aspart solution 30% [rapid acting]: 100 units/mL (3 mL)		
Insulin Detemir	Levemir;Levemir FlexPen;	Insulin, Long-Acting;	Solution, Subcutaneous: Levemir: 100 units/mL (10 mL) [contains metacresol, phenol] Solution Pen-injector, Subcutaneous: Levemir FlexPen: 100 units/mL (3 mL) [contains metacresol, phenol]		

Insulin Glargine	Lantus;Lantus SoloStar;	Insulin, Long-Acting;	Solution, Subcutaneous: Lantus: 100 units/mL (10 mL) [contains metacresol] Solution Pen-injector, Subcutaneous: Lantus SoloStar: 100 units/mL (3 mL) [contains metacresol]		
Insulin NPH	NovoLIN® N;	Insulin, Intermediate-Acting;	Injection, suspension: NovoLIN® N: 100 units/mL (10 mL)		
Insulin NPH and Insulin Regular	NovoLIN® 70/30;	Insulin, Combination;	Injection, suspension: NovoLIN® 70/30: 100 units/mL: Insulin NPH suspension 70% [intermediate acting] and insulin regular solution 30% [short-acting] (10 mL)		
Insulin Regular	NovoLIN® R;	Insulin, Short-Acting;	Injection, suspension: NovoLIN® R: 100 units/mL (10 mL)		
Ipecac Syrup		Antidote;	Syrup, oral: USP (30 mL) [contains ethyl alcohol]		
Ipratropium (Oral Inhalation)		Anticholinergic Agent;	Solution, for nebulization, as bromide [preservative free]: 0.02% (2.5 mL)		
Ipratropium and Albuterol	Combivent®;DuoNeb;	Anticholinergic Agent;Beta2-Adrenergic Agonist;	Aerosol, for oral inhalation: Combivent®: Ipratropium bromide 18 mcg and albuterol sulfate 103 mcg per inhalation (14.7 g) [contains chlorofluorocarbon and soya lecithin] Solution, for nebulization: Generic: Ipratropium bromide 0.5 mg and albuterol (base) 2.5 mg per 3 mL (30s)		

Iron Sucrose	Venofer;	Iron Preparations;	Solution, Intravenous [preservative free]: Venofer: 20 mg/mL (10 mL)		
Isoniazid		Antitubercular Agent;	Tablet, oral: 300 mg		
Isoproterenol	Isuprel®;	Beta1/Beta2 Agonist;	Injection, solution, as hydrochloride: Isuprel®: 0.2 mg/mL (1 mL) [contains sodium metabisulfite]		
Isosorbide Dinitrate	Isordil;	Antianginal Agent;Vasodilator;	Tablet, Oral: Generic: 5 mg, 10 mg		
Isosorbide Mononitrate	Imdur®;	Antianginal Agent;Vasodilator;	Tablet, extended release, oral: 30 mg, 60 mg, 120 mg Imdur®: 30 mg, 60 mg		
ISOTretinoin (Systemic)	Absorica;Amnesteem;Claravis;Myorisan;Zenatane;	Acne Products;Antineoplastic Agent, Retinoic Acid Derivative;Retinoic Acid Derivative;	Capsule, Oral: Amnesteem: 10 mg, 20 mg, 40 mg [contains soybean oil] Myorisan: 10 mg, 20 mg [contains soybean oil] Myorisan: 30 mg Myorisan: 40 mg [contains fd&c yellow #6 (sunset yellow), soybean oil]		
Ketamine		Antidepressant;General Anesthetic;	Injection, solution: 100 mg/mL (5 mL)		
Ketoconazole (Topical)	Ketodan;	Antifungal Agent, Imidazole Derivative;Antifungal Agent, Topical;	Shampoo, External: Generic: 2% (120 mL)		
Ketorolac (Ophthalmic)	Acular®;	Nonsteroidal Anti-inflammatory Drug (NSAID), Ophthalmic;	Solution, ophthalmic, as tromethamine: Generic: 0.5% (5 mL) [contains benzalkonium chloride]		

Ketorolac (Systemic)		Analgesic, Nonopioid;Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;Nonsteroidal Anti-inflammatory Drug (NSAID), Parenteral;	Injection, solution, as tromethamine: 30 mg/mL (1 mL, 2 mL) [contains alcohol 10%] Tablet, Oral, as tromethamine: Generic: 10 mg	Tablets: restricted for up to 5 days for post-op pain only	
Ketotifen (Ophthalmic)	Zaditor [OTC];	Histamine H1 Antagonist;Histamine H1 Antagonist, Second Generation;Mast Cell Stabilizer;Piperidine Derivative;	Solution, Ophthalmic: Zaditor: 0.025% (5 mL) [contains benzalkonium chloride] Generic: 0.025% (5 mL)		
Labetalol		Antihypertensive;Beta- Blocker With Alpha- Blocking Activity;	Injection, solution, as hydrochloride: 5 mg/mL Generic: 5 mg/mL (20 mL) Tablet, Oral, as hydrochloride: Generic: 100 mg, 200 mg		
Lactic Acid and Ammonium Hydroxide	AmLactin® [OTC];	Topical Skin Product;	Lotion, topical: AmLactin®: Lactic acid 12% with ammonium hydroxide (225 g)		

Lactobacillus	Culturelle Baby Digestive Calm + Comfort [OTC]; Culturelle Kids Purely Probiotics [OTC];	Dietary Supplement; Probiotic;	Granules: Culturelle Kids Purely Probiotics: L. rhamnosus 5 billion colony-forming units per packet (30s) [contains sucrose] Liquid, Oral: Culturelle Baby Calm + Comfort: L. rhamnosus and Bifidobacterium animalis 2 billion colony-forming units per 5 drops (8.5 mL) Tablet, chewable, Oral: Culturelle Kids Purely Probiotics: L. rhamnosus 5 billion colony-forming units per tablet (30s)	Restricted to pediatrics only	
Lactulose		Ammonium Detoxicant; Laxative, Osmotic;	Syrup, oral: 10 g/15 mL (1892 mL) [banana flavor]		
Lamotrigine		Antiseizure Agent, Miscellaneous;	Tablet, oral: 25 mg, 100 mg, 150 mg, 200 mg Tablet, chewable/dispersible, oral: 5 mg, 25 mg		
Lanolin		Topical Skin Product;	Ointment: 30 g		
Latanoprost		Ophthalmic Agent, Antiglaucoma; Prostaglandin, Ophthalmic;	Solution, Ophthalmic: Generic: 0.005% (2.5 mL)		
Leflunomide	Arava;	Antirheumatic, Disease Modifying;	Tablet, Oral: Arava: 10 mg, 20 mg Generic: 10 mg, 20 mg		
Letrozole	Femara;	Antineoplastic Agent, Aromatase Inhibitor;	Tablet, Oral: Femara: 2.5 mg Generic: 2.5 mg		

Leucovorin		Antidote;Chemotherapy Modulating Agent;Rescue Agent (Chemotherapy);Vitamin, Water Soluble;	Injection, powder for reconstitution, as calcium: 350 mg Tablet, oral, as calcium: 5 mg		
Leuprolide	Lupron Depot (1-Month);Lupron Depot (3-Month);Lupron Depot (4-Month);Lupron Depot (6-Month);	Antineoplastic Agent, Gonadotropin-Releasing Hormone Agonist;Gonadotropin Releasing Hormone Agonist;	Kit, Intramuscular, as acetate: Lupron Depot (1-Month): 7.5 mg [latex free; contains polysorbate 80] Lupron Depot (6-Month): 45 mg [latex free; contains polysorbate 80] Kit, Intramuscular, as acetate [preservative free]: Lupron Depot (1-Month): 3.75 mg [latex free; contains polysorbate 80] Lupron Depot (3-Month): 11.25 mg, 22.5 mg [latex free; contains polysorbate 80] Lupron Depot (4-Month): 30 mg [latex free; contains polysorbate 80]		

Levetiracetam		Antiseizure Agent, Miscellaneous;	Solution, Intravenous: Generic: 500 mg/5 mL (5 mL) Solution, Oral: Keppra: 100 mg/mL (473 mL) [gluten free, lactose free; contains acesulfame potassium, methylparaben, propylparaben; grape flavor] Generic: 100 mg/mL (5 mL, 473 mL, 500 mL) Tablet, Oral: Generic: 250 mg, 500 mg, 750 mg, 1000 mg		
Levodopa and Carbidopa	Sinemet® CR;	Anti-Parkinson Agent, Decarboxylase Inhibitor; Anti-Parkinson Agent, Dopamine Precursor;	Tablet: 100/10: Levodopa 100 mg and carbidopa 10 mg 100/25: Levodopa 100 mg and carbidopa 25 mg 250/25: Levodopa 250 mg and carbidopa 25 mg Tablet, extended release: 100/25: Levodopa 100 mg and carbidopa 25 mg Tablet, sustained release: 100/25: Levodopa 100 mg and carbidopa 25 mg 200/50: Levodopa 200 mg and carbidopa 50 mg		
Levofloxacin (Systemic)	Levaquin®;	Antibiotic, Fluoroquinolone; Antibiotic, Respiratory Fluoroquinolone;	Injection, solution [preservative free]: Levaquin®: 25 mg/mL (20 mL) Tablet, oral: 250 mg, 500 mg		
Levonorgestrel (IUD)	Mirena;	Contraceptive; Progestin;	Intrauterine Device, Intrauterine: Mirena: 20 mcg/24 hr		

Levonorgestrel (Systemic)	Plan B One-Step [OTC];	Contraceptive;Progestin;	Tablet, Oral: Generic: 1.5 mg		
Levothyroxine	Synthroid®;	Thyroid Product;	Tablet, oral, as sodium: Synthroid®: 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 125 mcg, 150 mcg, 175 mcg		
Lidocaine (Systemic)	Xylocaine®;	Antiarrhythmic Agent, Class Ib;Local Anesthetic;	Infusion [premixed in D5W], as hydrochloride: 0.4% (250 mL, 500 mL) Injection, solution, as hydrochloride (Xylocaine®): 1% (50 mL) Injection, solution, as hydrochloride: 1% (20 mL), 2% (20 mL) [contains sodium chloride] Injection, solution, as hydrochloride [preservative free]: 2% (5 mL) [contains sodium chloride 6 mg/mL] Solution, viscous, as hydrochloride: 2% (20 mL, 100 mL)		
Lidocaine (Topical)	Xylocaine®;	Analgesic, Topical;Local Anesthetic;	Ointment, topical: 5% (37.5 g) Patch, topical: 5%		
Lidocaine and Epinephrine		Local Anesthetic;	Injection, solution: 1% / 1:100,000: Lidocaine hydrochloride 1% and epinephrine 1:100,000 (20 mL) [contains sodium metabisulfite] 2% / 1:100,000: Lidocaine hydrochloride 2% and epinephrine 1:100,000 (20 mL) [contains sodium metabisulfite]		

Lidocaine and Maalox®		Miscellaneous Product;	Suspension: 1:1, 1:3; extemporaneously prepared by Pharmacy		
Lidocaine and Prilocaine		Local Anesthetic;	Cream, topical: 2.5% / 2.5%: Lidocaine 2.5% and prilocaine 2.5% (5 g, 30 g)		
Lipid Emulsion (Plant Based)	Intralipid;	Caloric Agent;	Emulsion, Intravenous: Intralipid: 20% (250 mL)		
Lisinopril	Prinivil®;	Angiotensin-Converting Enzyme (ACE) Inhibitor;Antihypertensive;	Tablet, Oral: Generic: 2.5 mg, 5 mg, 10 mg, 20 mg, 30 mg, 40 mg		
Lisinopril and Hydrochlorothiazide	Zestoretic;	Angiotensin-Converting Enzyme (ACE) Inhibitor;Antihypertensive;Diuretic, Thiazide;	Tablet, Oral: Generic: 10/12.5: Lisinopril 10 mg and hydrochlorothiazide 12.5 mg 20/12.5: Lisinopril 20 mg and hydrochlorothiazide 12.5 mg 20/25: Lisinopril 20 mg and hydrochlorothiazide 25 mg		
Lithium		Antimanic Agent;	Capsule, oral, as carbonate: Generic: 150 mg, 300 mg Tablet Extended Release, oral, as carbonate: Generic: 300 mg, 450 mg		Can consider addition of amiloride if concern for polyuria or other signs of renal toxicity
Lodoxamide	Alomide®;	Mast Cell Stabilizer;	Solution, ophthalmic: Alomide®: 0.1% (10 mL) [contains benzalkonium chloride]		
Loperamide		Antidiarrheal;	Capsule, oral, as hydrochloride: 2 mg		
LORazepam		Antiseizure Agent, Benzodiazepine;Benzodiazepine;	Injection, solution: 2 mg/mL (1 mL) Tablet, oral: 0.5 mg, 1 mg		

Losartan	Cozaar®;	Angiotensin II Receptor Blocker;Antihypertensive;	Tablet, oral, as potassium: Cozaar®: 25 mg, 50 mg, 100 mg		
Losartan and Hydrochlorothiazide	Hyzaar;	Angiotensin II Receptor Blocker;Antihypertensive;Diuretic, Thiazide;	Tablet, Oral: Generic: 50/12.5: Losartan potassium 50 mg and hydrochlorothiazide 12.5 mg; 100/12.5: Losartan potassium 100 mg and hydrochlorothiazide 12.5 mg; 100/25: Losartan potassium 100 mg and hydrochlorothiazide 25 mg		
Lubiprostone	Amitiza;	Chloride Channel Activator;Gastrointestinal Agent, Miscellaneous;	Capsule, Oral: Amitiza: 8 mcg Amitiza: 24 mcg [contains fd&c red #40, fd&c yellow #10 (quinoline yellow)]		
Lurasidone	Latuda;	Second Generation (Atypical) Antipsychotic;	Tablet, Oral, as hydrochloride: Generic: 20 mg, 40 mg, 60 mg, 80 mg, 120 mg		
Magnesium Citrate	Citroma® [OTC];	Laxative, Saline;Magnesium Salt;	Solution, oral: Citroma®: 290 mg/5 mL (296 mL) [contains magnesium 48 mg/5 mL and potassium 13 mg/5 mL; lemon flavor]		
Magnesium Hydroxide	Milk of Magnesia [OTC];	Antacid;Laxative;Magnesium Salt;	Suspension, Oral: Milk of Magnesia: 400 mg/5 mL (30 mL) [contains methylparaben, propylene glycol, propylparaben]		
Magnesium Oxide		Antacid;Electrolyte Supplement, Oral;Magnesium Salt;	Tablet, oral: 400 mg		

Magnesium Sulfate		Antiseizure Agent, Miscellaneous;Electrolyte Supplement, Parenteral;Magnesium Salt;	Injection, solution [preservative free]: 500 mg/mL (2 mL)		
Mannitol (Systemic)		Diuretic, Osmotic;Genitourinary Irrigant;	Injection, solution: 25% (50 mL)		
Measles, Mumps, and Rubella Vaccines (Combined)	M-M-R® II;	Vaccine;Vaccine, Live (Viral);	Injection, powder for reconstitution [preservative free]: M-M-R® II: Measles virus 1000 TCID50, rubella virus 1000 TCID50, and mumps virus 20,000 TCID50		
Meclizine		Antiemetic;Histamine H1 Antagonist;Histamine H1 Antagonist, First Generation;Piperazine Derivative;	Tablet, oral, as hydrochloride: 25 mg		
Meclofenamate		Analgesic, Nonopioid;Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;	Capsule, oral, as sodium: 100 mg		
MedroxyPROGESTERone	Depo-Provera® Contraceptive;	Contraceptive;Progestin;	Suspension, Intramuscular, as acetate: Generic: 150 mg/mL (1 mL) Tablet, oral, as acetate: Generic: 5 mg, 10 mg		
Megestrol		Antineoplastic Agent, Hormone;Appetite Stimulant;Progestin;	Suspension, oral, as acetate: 40 mg/mL (240 mL) [contains alcohol 0.6% and sodium benzoate; lemon-lime flavor] Tablet, oral, as acetate: 40 mg		

Meloxicam	Mobic®;	Analgesic, Nonopioid;Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;Nonsteroidal Anti-inflammatory Drug (NSAID), Parenteral;	Tablet, oral: 7.5 mg, 15 mg Mobic®: 7.5 mg, 15 mg		
Memantine	Namenda;	N-Methyl-D-Aspartate (NMDA) Receptor Antagonist;	Solution, Oral, as hydrochloride: Generic: 2 mg/mL (240 mL, 360 mL) Tablet, Oral, as hydrochloride: Namenda: 5 mg [contains fd&c blue #2 (indigotine), fd&c yellow #6 (sunset yellow)] Namenda: 10 mg Generic: 5 mg, 10 mg, 5 mg (28s) and 10 mg (21s)		
Meningococcal (Groups A / C / Y and W-135) Conjugate Vaccine	Menactra®;	Vaccine;Vaccine, Inactivated (Bacterial);	Injection, solution: Menactra®: 4 mcg each of polysaccharide antigen groups A, C, Y, and W-135 per 0.5 mL [conjugated to diphtheria toxoid protein 48 mcg; adjuvant and preservative free; vial stopper contains dry, natural latex rubber]		

Meningococcal Polysaccharide Vaccine (Groups A / C / Y and W-135)	Menomune®-A/C/Y/W-135;	Vaccine; Vaccine, Inactivated (Bacterial);	Injection, powder for reconstitution [preservative free]: Menomune®-A/C/Y/W-135: 50 mcg each of polysaccharide antigen groups A, C, Y, and W-135 (1) [contains packaging contains natural rubber/natural latex]		
Mercaptopurine		Antineoplastic Agent, Antimetabolite; Antineoplastic Agent, Antimetabolite (Purine Analog); Immunosuppressant Agent;	Tablet, oral: 50 mg		
Meropenem	Merrem [DSC];	Antibiotic, Carbapenem;	Solution Reconstituted, Intravenous [preservative free]: Generic: 1 g (1 ea)		
Mesalamine	Asacol®; Canasa®; Pentasa®; Rowasa®;	5-Aminosalicylic Acid Derivative;	Capsule, controlled release, oral: Pentasa®: 250 mg Suppository, rectal: Canasa®: 500 mg, 1000 mg Rowasa®: 4 g/60 mL (60 mL) [contains potassium metabisulfite and sodium benzoate] Tablet, delayed release, enteric coated, oral: Asacol®: 400 mg		
MetFORMIN		Antidiabetic Agent, Biguanide;	Tablet, oral, as hydrochloride: 500 mg Tablet, extended release, oral, as hydrochloride: 500 mg		

MethazolAMIDE		Carbonic Anhydrase Inhibitor;Diuretic, Carbonic Anhydrase Inhibitor;Ophthalmic Agent, Antiglaucoma;	Tablet, oral: 50 mg		
Methenamine	Hiprex;	Antibiotic, Miscellaneous;	Tablet, Oral: Generic: 1 g		
MethIMAzole		Antithyroid Agent;Thioamide;	Tablet, oral: 10 mg		
Methocarbamol		Skeletal Muscle Relaxant;	Tablet, oral: 750 mg		
Methotrexate		Antineoplastic Agent, Antimetabolite (Antifolate);Antirheumatic, Disease Modifying;Immunosuppressant Agent;	Injection, solution [preservative free]: 25 mg/mL (2 mL, 4 mL) Tablet, oral: 2.5 mg		
Methyldopa		Alpha2-Adrenergic Agonist;Antihypertensive;	Injection, solution, as methyldopate hydrochloride: 50 mg/mL (5 mL) Tablet, oral: 250 mg		
Methylene Blue		Antidote;Diagnostic Agent;Phenothiazine Derivative;	Injection, solution [preservative free]: 10 mg/mL (1 mL)		
Methylergonovine	Methergine®;	Ergot Derivative;	Injection, solution, as maleate: Generic: 0.2 mg/mL (1 mL) Tablet, oral, as maleate: Generic: 0.2 mg		
Methylphenidate	Concerta;QuilliChew ER;Quillivant XR;	Central Nervous System Stimulant;	Tablet Extended Release, Oral, as hydrochloride: Generic: 18 mg, 27 mg, 36 mg, 54 mg Tablet, Oral, as hydrochloride: Generic: 5 mg, 10 mg, 20 mg		

MethylPREDNISolone	Depo-Medrol®;Medrol;Solu-MEDROL ®;	Corticosteroid, Systemic;	Injection, powder for reconstitution, as sodium succinate: Solu-MEDROL ®: 125 mg, 500 mg, 1 g Injection, suspension, as acetate: Depo-Medrol®: 40 mg/mL (1 mL), 80 mg/mL (1 mL) Tablet Therapy Pack, Oral: Generic: 4 mg (21 ea)		
Metoclopramide		Antiemetic;Dopamine Antagonist;Gastrointestinal Agent, Prokinetic;Serotonin 5-HT4 Receptor Agonist;	Injection, solution: 5 mg/mL Solution, oral, as hydrochloride: 5 mg/5 mL (473 mL) [alcohol free, sugar free; berry-citrus flavor] Tablet, oral: 10 mg		
MetOLazone		Diuretic, Thiazide-Related;	Tablet, oral: 2.5 mg, 5 mg		
Metoprolol		Antihypertensive;Beta-Blocker, Beta-1 Selective;	Injection, solution, as tartrate: 1 mg/mL (5 mL) Tablet, oral, as tartrate: 50 mg Tablet, extended release, oral, as succinate: 25 mg, 50 mg, 100mg		
MetroNIDAZOLE (Systemic)		Amebicide;Antibiotic, Miscellaneous;Antiprotozoal, Nitroimidazole;	Infusion [premixed iso-osmotic sodium chloride solution]: 500 mg (100 mL) [contains sodium 14 mEq] Tablet, oral: 250 mg, 500 mg		
MetroNIDAZOLE (Topical)	Metrogel;	Antibiotic, Topical;	Gel, External: Generic: 0.75% (45 g) Gel, Vaginal: Generic: 0.75% (70 g)		

Midazolam		Antiseizure Agent, Benzodiazepine;Benzodiazepine;	Solution, Injection: Generic: 5 mg/mL (1 mL); 10 mg/2 mL (2 mL); 50 mg/10 mL (10 mL) Solution, Nasal: Nayzilam: 5 mg/0.1 mL (1 ea) [contains propylene glycol]		
Midodrine		Alpha1 Agonist;	Tablet, Oral, as hydrochloride: Generic: 2.5 mg, 5 mg, 10 mg		
Mineral Oil		Laxative, Lubricant;	Oil, rectal [enema]: 100% (130 mL)		
Minocycline (Systemic)	CoreMino;Minocin;Minolira; Solodyn;Ximino;	Antibiotic, Tetracycline Derivative;	Capsule, Oral: Generic: 50 mg, 100 mg		
Mirtazapine		Antidepressant, Alpha-2 Antagonist;	Tablet, oral: 15 mg, 30 mg		
MiSOPROStol	Cytotec;	Prostaglandin;	Tablet, Oral: Generic: 200 mcg		
Moisturizing Cream		Topical Skin Product;	Cream		
Mometasone (Oral Inhalation)	Asmanex HFA;Asmanex® Twisthaler®;	Corticosteroid, Inhalant (Oral);	Powder, for oral inhalation, as furoate: Asmanex® Twisthaler®: 110 mcg (30 units) [contains lactose; delivers 100 mcg/actuation] Asmanex® Twisthaler®: 220 mcg (14 units, 30 units, 60 units, 120 units) [contains lactose; delivers 200 mcg/actuation] Aerosol, Inhalation, as furoate: Asmanex HFA: 50 mcg/actuation (13 g); 100 mcg/actuation (13 g); 200 mcg/actuation (13 g)		

Montelukast	Singulair;	Leukotriene-Receptor Antagonist;	Tablet, Oral: Generic: 10 mg Tablet Chewable, Oral: Generic: 4 mg, 5 mg		
Morphine Sulfate (Systemic)		Analgesic, Opioid;	Injection, solution: 5 mg/mL (1 mL); 10 mg/mL (1 mL); 15 mg/mL (1 mL); 50 mg/mL (50 mL) Solution, oral: 10 mg/5 mL (5 mL); 20 mg/5 mL (100 mL) Solution, oral [concentrate]: 20 mg/mL (1 mL) [contains sodium benzoate] Tablet, extended release, oral: 15 mg, 30 mg, 60 mg, 100 mg		
Moxifloxacin (Ophthalmic)	Vigamox;	Antibiotic, Fluoroquinolone; Antibiotic, Ophthalmic;	Solution, Ophthalmic: Generic: 0.5% (3 mL)		
Moxifloxacin (Systemic)		Antibiotic, Fluoroquinolone; Antibiotic, Respiratory Fluoroquinolone;	Tablet, Oral: Generic: 400 mg	For TB treatment only in consultation with TB specialist	
Mupirocin	Bactroban®;	Antibiotic, Topical;	Note: Strength expressed as base Cream, topical, as calcium: Bactroban Cream®: 2% (15 g, 30 g) [contains benzyl alcohol] Ointment, topical: 2% (0.9 g, 22 g) Bactroban®: 2% (22 g) [contains polyethylene glycol]		
Mycophenolate	CellCept®;	Immunosuppressant Agent;	Capsule, oral, as mofetil: CellCept®: 250 mg		

Nadolol	Corgard®;	Antianginal Agent;Antihypertensive;Beta-Blocker, Nonselective;	Tablet, oral: 20 mg, 40 mg, 80 mg Corgard®: 20 mg, 40 mg, 80 mg [scored]		
Nafcillin		Antibiotic, Penicillin;	Injection, powder for reconstitution: 2 g, 10 g		
Naloxone	Narcan®;	Antidote;Opioid Antagonist;	Liquid, Nasal, as hydrochloride: Generic: 4 mg/0.1 mL (2 ea) Injection, solution, as hydrochloride [preservative free]: Generic: 0.4 mg/mL (1 mL); 1 mg/mL (2 mL)		
Naltrexone		Antidote;Opioid Antagonist;	Suspension Reconstituted, Intramuscular: Vivitrol: 380 mg (1 ea) Tablet, Oral, as hydrochloride: Generic: 50 mg		
Naltrexone and Bupropion	Contrave;	Anorexiant;Antidepressant, Dopamine/Norepinephrine-Reuptake Inhibitor;Opioid Antagonist;	Tablet Extended Release 12 Hour, Oral: Contrave: Naltrexone hydrochloride 8 mg and bupropion hydrochloride 90 mg [contains edetate (edta) disodium, fd&c blue #2 (indigo carm) aluminum lake]		Due to extreme cost, preference is for using individual tablets rather than the combination. Please use the following conversion: Naltrexone 25mg (1/2 of 50mg tablet) daily AND Bupropion XL 150mg daily x 1 week then 300mg daily
Naproxen		Analgesic, Nonopioid;Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;	Tablet, oral: 250 mg		
Neomycin (Systemic)		Ammonium Detoxicant;Antibiotic, Aminoglycoside;	Tablet, oral, as sulfate: 500 mg		

Neomycin, Polymyxin B, and Dexamethasone (Ophthalmic)		Antibiotic/Corticosteroid, Ophthalmic;	Ointment, ophthalmic: Generic: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per g (3.5 g) Suspension, ophthalmic: Generic: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per 1 mL (5 mL) [contains benzalkonium chloride]		
Neomycin, Polymyxin B, and Gramicidin		Antibiotic, Ophthalmic;	Solution, ophthalmic: Neomycin 1.75 mg, polymyxin B 10,000 units, and gramicidin 0.025 mg per 1 mL (10 mL) [contains alcohol 0.5% and thimerosal]		
Neomycin, Polymyxin B, and Hydrocortisone (Otic)		Antibiotic, Otic;Antibiotic/Corticosteroid, Otic;	Suspension, otic: Generic: Neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per 1 mL (10 mL) [contains thimerosal]		
Neostigmine (Systemic)		Acetylcholinesterase Inhibitor;	Injection, solution, as methylsulfate: 1 mg/mL (10 mL)		
NiCARDipine	Cardene IV;	Antianginal Agent;Antihypertensive;Calcium Channel Blocker;Calcium Channel Blocker, Dihydropyridine;	Solution, Intravenous, as hydrochloride: Cardene IV: 20 mg (200 mL); 40 mg (200 mL) Generic: 2.5 mg/mL (10 mL)		

Nicotine	Nicorette Mini [OTC]; Nicorette [OTC]; Nicotine Mini [OTC]; Nicotine Step 1 [OTC]; Nicotine Step 2 [OTC]; Nicotine Step 3 [OTC];	Smoking Cessation Aid;	Gum, Mouth/Throat, as polacrilex: Generic: 2 mg (110 ea); 4 mg (110 ea) Lozenge, Mouth/Throat, as polacrilex: Nicorette Mini: 2 mg (81 ea); 4 mg (81 ea) Generic: 2 mg (72 ea, 81 ea); 4 mg (72 ea, 81 ea) Patch 24 Hour, Transdermal: Generic: 7 mg/24 hr (14 ea); 14 mg/24 hr (14 ea); 21 mg/24 hr (14 ea)		
NIFEdipine	Procardia XL; Procardia [DSC];	Antianginal Agent; Antihypertensive; Calcium Channel Blocker; Calcium Channel Blocker, Dihydropyridine;	Tablet Extended Release 24 Hour, Oral: Generic: 30 mg, 60 mg, 90 mg		
Nirmatrelvir and Ritonavir	Paxlovid (150/100); Paxlovid (300/100);	Antiviral Agent; Cytochrome P-450 Inhibitor;	Tablet Therapy Pack, Oral: Paxlovid (300/100): Nirmatrelvir 20 x 150 mg and ritonavir 10 x 100 mg (6 ea, 30 ea) Paxlovid (150/100): Nirmatrelvir 10 x 150 mg and ritonavir 10 x 100 mg (2 ea, 4 ea [DSC], 20 ea)		Note: check patient's kidney function as well as drug interactions. CRCL >60 = use 300mg strength CRCL 30-60 = use 150mg strength CRCL < 30 = not recommended For drug interaction checking, please utilize both Lexicomp Interactions menu as well as the Liverpool COVID interactions website: https://www.covid19-druginteractions.org/checker

Nirsevimab	Beyfortus;	Immune Globulin; Monoclonal Antibody;	Solution Prefilled Syringe, Intramuscular [preservative free]: Beyfortus: Nirsevimab-alip 100 mg/mL (1 mL); Nirsevimab-alip 50 mg/0.5 mL (0.5 mL) [contains polysorbate 80]		Obtained through VFC program
Nitrofurantoin	Furadantin®; Macrochantin®;	Antibiotic, Miscellaneous;	Capsule, oral [macrocrystal]: Macrochantin®: 50 mg Capsule, oral [macrocrystal/monohydrate]: 100 mg Suspension, oral: Furadantin®: 25 mg/5 mL (470 mL)		
Nitroglycerin	Nitro-Bid®; Nitro-Dur®; NitroQuick®;	Antianginal Agent; Antidote, Extravasation; Vasodilator;	Injection, solution: 5 mg/mL Ointment, topical: Nitro-Bid®: 2% (30 g) Tablet, sublingual: NitroQuick®: 0.4 mg (1/150 grain) Transdermal system, topical [once-daily patch]: Nitro-Dur®: 0.1 mg/hour; 0.2 mg/hour; 0.4 mg/hour; 0.6 mg/hour		
Nitroprusside	Nitropress®;	Antihypertensive; Vasodilator;	Injection, solution, as sodium: Nitropress®: 25 mg/mL (2 mL)		
Norepinephrine		Alpha/Beta Agonist;	Injection, solution, as bitartrate: 1 mg/mL (4 mL) [contains sodium metabisulfite]		

Norethindrone	Nor-QD®;	Contraceptive;Progestin;	Tablet, oral: Nor-QD®: 0.35 mg Tablet, Oral, as acetate: Generic: 5 mg		
Norethindrone and Mestranol	Ortho-Novum® 1/50;	Contraceptive;Estrogen and Progestin Combination;	Tablet, monophasic formulation: Ortho-Novum® 1/50: Norethindrone 1 mg and mestranol 0.05 mg [21 yellow tablets and 7 green inactive tablets]		
Norgestrel	Opill;	Contraceptive;Progestin;	Tablet, Oral: Opill: 0.075 mg (28s)		
Nortriptyline		Antidepressant, Tricyclic (Secondary Amine);	Capsule, oral: 10 mg, 25 mg, 50 mg		
Nystatin (Oral)		Antifungal Agent, Oral Nonabsorbed/Partially Absorbed;	Suspension, oral: 100,000 units/mL (60 mL, 480 mL) [contains alcohol <1%; fruit flavor] Tablet, oral: 500,000 units		
Nystatin (Topical)		Antifungal Agent, Topical;	Cream, topical: 100,000 units/g (15 g, 30 g) Powder, topical: 100,000 units/g (15 g) [contains talc]		
Nystatin and Triamcinolone		Antifungal Agent, Topical;Corticosteroid, Topical;	Cream, topical: Nystatin 100,000 units and triamcinolone acetonide 0.1% (60 g)		
Nystatin, Benadryl®, Lidocaine, and Maalox®		Miscellaneous Product;	Suspension: Extemporaneously prepared by Pharmacy		
Octreotide	SandoSTATIN LAR®;SandoSTATIN®;	Antidiarrheal;Antidote;Somatostatin Analog;	Injection, solution, as acetate [preservative free]: 0.05 mg/mL (1 mL)		
Ocular Lubricant	Refresh Lacri-Lube [OTC];	Lubricant, Ocular;Ophthalmic Agent, Miscellaneous;	Ointment, ophthalmic [preservative free]: Generic: Mineral oil 42.5% and white petrolatum 57.3% (3.5 g)		

Ofloxacin (Ophthalmic)	Ocuflox;	Antibiotic, Fluoroquinolone;Antibiotic, Ophthalmic;	Solution, Ophthalmic: Generic: 0.3% (10 mL)		
OLANzapine	ZyPREXA;	Antimanic Agent;Second Generation (Atypical) Antipsychotic;	Solution Reconstituted, Intramuscular: Generic: 10 mg (1 ea) Tablet, Oral: Generic: 2.5 mg, 5 mg, 7.5 mg, 10 mg, 15 mg, 20 mg		
Omega-3 Fatty Acids	Lovaza;Omega-3 Fish Oil [OTC];	Antilipemic Agent, Omega- 3 Fatty Acids;	Capsule, Oral: Lovaza: 1 g [contains soybean oil, tocopherol, dl- alpha (vit e)] Capsule, Oral: Nature Made Fish Oil: 1000 mg, 1200 mg Generic: 1000 mg, 1200 mg		
Omeprazole	PriLOSEC OTC™ [OTC];PriLOSEC®;	Proton Pump Inhibitor;	Capsule, delayed release, oral: 20 mg PriLOSEC®: 20 mg Suspension, oral: 2 mg/mL		
Ondansetron	Zofran®;Zofran® ODT;	Antiemetic;Selective 5-HT3 Receptor Antagonist;	Injection, solution: Generic: 2 mg/mL (2 mL) Solution, oral: Generic: 4 mg/5 mL (50 mL) [contains sodium benzoate; strawberry flavor] Tablet, oral: Generic: 4 mg; 8 mg Tablet Disintegrating, Oral: Generic: 4 mg, 8 mg		
Ophthalmic Irrigant Mixture		Ophthalmic Agent, Miscellaneous;	Solution, ophthalmic: 120 mL		

Orphenadrine		Skeletal Muscle Relaxant;	Solution, Injection, as citrate: Generic: 30 mg/mL (2 mL) Solution, Injection, as citrate [preservative free]: Generic: 30 mg/mL (2 mL)		
Oseltamivir	Tamiflu®;	Antiviral Agent; Neuraminidase Inhibitor;	Capsule, as phosphate: Tamiflu®: 30 mg, 45 mg, 75 mg Powder for oral suspension: Tamiflu®: 12 mg/mL (25 mL) [contains sodium benzoate; tutti-frutti flavor]		
OXcarbazepine	Trileptal;	Antiseizure Agent, Miscellaneous;	Suspension, Oral: Generic: 300 mg/5 mL (250 mL) Tablet, Oral: Generic: 150 mg, 300 mg, 600 mg		
OxyBUTYnin		Antispasmodic Agent, Urinary;	Tablet, Oral, as chloride: Generic: 5 mg Tablet Extended Release 24 Hour, Oral, as chloride: Generic: 5 mg, 10 mg, 15 mg Solution, Oral, as chloride: Generic: 5 mg/5 mL (473 mL)		
Oxytocin	Pitocin®;	Oxytocic Agent;	Injection, solution: Pitocin®: 10 units/mL (1 mL)		
Palivizumab	Synagis®;	Monoclonal Antibody;	Injection, solution [preservative free]: Synagis®: 100 mg/mL (1 mL)		Obtained through VFC program

Pancrelipase	Pancrease®; Pangestyme™ EC;	Enzyme;	Capsule, delayed release, enteric-coated beads, oral [porcine derived]: Zenpep: Lipase 5,000 USP units, protease 17,000 USP units, and amylase 24,000 USP units Zenpep: Lipase 20,000 USP units, protease 63,000 USP units, and amylase 84,000 USP units Capsule, delayed release, enteric coated microspheres, oral [porcine derived]: Creon: Lipase 12,000 USP units, protease 38,000 USP units, and amylase 60,000 USP units Creon: Lipase 36,000 USP units, protease 114,000 USP units, and amylase 180,000 USP units		
Pantoprazole	Protonix;	Proton Pump Inhibitor; Substituted Benzimidazole;	Solution Reconstituted, Intravenous [preservative free]: Generic: 40 mg (1 ea) Tablet Delayed Release, Oral: Generic: 20 mg, 40 mg		
PARoxetine	Paxil;	Antidepressant, Selective Serotonin Reuptake Inhibitor;	Tablet, Oral, as hydrochloride [strength expressed as base]: Generic: 20 mg		
PenicillAMINE	Depen®;	Chelating Agent;	Tablet, oral: Depen®: 250 mg		

Penicillin G (Parenteral/Aqueous)		Antibiotic, Penicillin;	Injection, powder for reconstitution, as sodium: 5 million units [contains sodium 1.68 mEq per 1 million units]		
Penicillin G Benzathine	Bicillin® L-A;	Antibiotic, Penicillin;	Injection, suspension: Bicillin® L-A: 600,000 units/mL (1 mL, 2 mL)		
Penicillin G Benzathine and Penicillin G Procaine	Bicillin® C-R 900/300;	Antibiotic, Penicillin;	Injection, suspension: Bicillin® C-R 900/300: 1,200,000 units: Penicillin G benzathine 900,000 units and penicillin G procaine 300,000 units per 2 mL (2 mL)		
Penicillin V Potassium		Antibiotic, Penicillin;	Powder for solution, oral: 250 mg/5 mL (200 mL) [contains phenylalanine 4.5 mg/5 mL; fruit flavor] Tablet, oral: 250 mg, 500 mg		
Pentoxifylline		Blood Viscosity Reducer Agent;	Tablet, extended release, oral: 400 mg		
Permethrin		Antiparasitic Agent, Topical;Pediculocide;Scabidical Agent;	Cream, External: Generic: 5% (60 g) Lotion, External: Generic: 1% (2 x 59 mL)		
Perphenazine		Antiemetic;First Generation (Typical) Antipsychotic;Phenothiazine Derivative;	Tablet, oral: 2 mg		
Personal Lubricant		Topical Skin Product;	Jelly		
Phenazopyridine		Analgesic, Urinary;	Tablet, oral, as hydrochloride: 100 mg		

PHENobarbital	Luminal®;	Antiseizure Agent, Barbiturate;Barbiturate;	Elixir, oral: 20 mg/5 mL (480 mL) [orange flavor] Injection, solution, as sodium: Luminal®: 60 mg/mL; 130 mg/mL (1 mL) [contains alcohol 10% and propylene glycol] Tablet, oral: 15 mg, 16.2 mg, 30 mg, 100 mg		
Phenol	Phenol EZ Swabs [OTC];	Anesthetic, Topical;	Swab, External: Phenol EZ Swabs: 89% (30 ea)		

Phentermine	Adipex-P®; Ionamin®;	Anorexiant; Central Nervous System Stimulant; Sympathomimetic;	Capsule, oral, as hydrochloride: 15 mg, 30 mg, 37.5 mg Adipex-P®: 37.5 mg Capsule, resin complex: Ionamin®: 15 mg Tablet, oral, as hydrochloride: 37.5 mg Adipex-P®: 37.5 mg	Pharmacotherapy for weight loss is recommended only for obese patients with a body mass index ≥ 30 kg/m ² , or ≥ 27 kg/m ² in the presence of other risk factors such as hypertension, diabetes, and/or dyslipidemia or a high waist circumference; therapy should be used in conjunction with a comprehensive weight management program. Rule out organic causes of obesity (eg, untreated hypothyroidism) prior to use. Note: Phentermine is not approved for long-term use. The limited usefulness of medications in this class should be weighed against possible risks associated with their use. Consult weight loss guidelines for current pharmacotherapy recommendations.	
-------------	----------------------	--	--	---	--

Phentermine and Topiramate	Qsymia;	Anorexiant;Antiseizure Agent, Miscellaneous;Sympathomimetic;	Capsule, extended release, oral: Qsymia: 3.75/23: Phentermine 3.75 mg [immediate release] and topiramate 23 mg [extended release] [contains tartrazine] Qsymia: 7.5/46: Phentermine 7.5 mg [immediate release] and topiramate 46 mg [extended release] [contains tartrazine] Qsymia: 11.25/69: Phentermine 11.25 mg [immediate release] and topiramate 69 mg [extended release] [contains tartrazine] Qsymia: 15/92: Phentermine 15 mg [immediate release] and topiramate 92 mg [extended release] [contains tartrazine]		
Phentolamine (Systemic)		Alpha1 and Alpha2 Blocker, Nonselective;Antidote, Extravasation;Antihypertensive;	Injection, powder for reconstitution, as mesylate: 5 mg		
Phenylephrine (Ophthalmic)	AK-Dilate™;	Alpha-Adrenergic Agonist ;Ophthalmic Agent, Mydriatic;	Solution, ophthalmic, as hydrochloride: AK-Dilate™: 2.5% (15 mL) [contains benzalkonium chloride and benzyl alcohol]		
Phenylephrine (Topical)	Anu-Med [OTC];	Alpha-Adrenergic Agonist ;Antihemorrhoidal Agent;	Suppository, rectal, as hydrochloride: Anu-Med: 0.25%		

Phenytoin	Dilantin-125®;Dilantin® Infatabs®;Dilantin® Kapseals®;	Antiseizure Agent, Hydantoin;	Capsule, extended release, oral, as sodium: Dilantin® Kapseals®: 100 mg Injection, solution, as sodium: 50 mg/mL (2 mL, 5 mL) [contains alcohol 10% and propylene glycol 40%] Suspension, oral: Dilantin-125®: 125 mg/5 mL (240 mL) [contains alcohol ≤0.6% and sodium benzoate; orange-vanilla flavor] Tablet, chewable, oral: Dilantin® Infatabs®: 50 mg		
PHYSostigmine		Acetylcholinesterase Inhibitor;Antidote;	Injection, solution, as salicylate: 1 mg/mL (2 mL) [contains benzyl alcohol and sodium metabisulfite]		
Phytonadione	Mephyton®;	Vitamin, Fat Soluble;	Injection, aqueous colloidal: 2 mg/mL (0.5 mL); 10 mg/mL (1 mL) Tablet, oral: Mephyton®: 5 mg		
Pilocarpine (Ophthalmic)		Ophthalmic Agent, Antiglaucoma;Ophthalmic Agent, Miotic;	Solution, ophthalmic, as hydrochloride [drops]: 1% (15 mL); 2% (15 mL); 4% (15 mL)		
Pioglitazone	Actos;	Antidiabetic Agent, Thiazolidinedione;	Tablet, Oral: Generic: 15 mg, 30 mg, 45 mg		
Piperacillin		Antibiotic, Penicillin;	Injection, powder for reconstitution: 3 g [contains sodium 42.5 mg (1.85 mEq)/g]		

Piperacillin and Tazobactam	Zosyn®;	Antibiotic, Penicillin;	Note: 8:1 ratio of piperacillin sodium/tazobactam sodium Infusion [premixed iso-osmotic solution, frozen]: 2.25 g: Piperacillin 2 g and tazobactam 0.25 g (50 mL) [contains sodium 5.58 mEq (128 mg) and EDTA] 3.375 g: Piperacillin 3 g and tazobactam 0.375 g (50 mL) [contains sodium 8.38 mEq (192 mg) and EDTA] 4.5 g: Piperacillin 4 g and tazobactam 0.5 g (50 mL) [contains sodium 11.17 mEq (256 mg) and EDTA] Injection, powder for reconstitution: 2.25 g: Piperacillin 2 g and tazobactam 0.25 g [contains sodium 5.58 mEq (128 mg) and EDTA] 3.375 g: Piperacillin 3 g and tazobactam 0.375 g [contains sodium 8.38 mEq (192 mg) and EDTA]		
Piroxicam (Systemic)		Analgesic, Nonopioid;Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;	Capsule, oral: 20 mg		

Pneumococcal Conjugate Vaccine (13-Valent)	Prevnar 13;	Vaccine;Vaccine, Inactivated (Bacterial);	Injection, suspension: Prevnar 13: 2 mcg of each capsular saccharide for serotypes 1, 3, 4, 5, 6A, 7F, 9V, 14, 18C, 19A, 19F, and 23F, and 4 mcg of serotype 6B [bound to diphtheria CRM197 protein ~34 mcg] per 0.5 mL (0.5 mL) [contains aluminum, polysorbate 80, and yeast]		
Pneumococcal Conjugate Vaccine (20-Valent)	Prevnar 20;	Vaccine;Vaccine, Inactivated (Bacterial);	Suspension Prefilled Syringe, Intramuscular: Prevnar 20: 0.5 mL (0.5 mL) [contains polysorbate 80]		
Pneumococcal Conjugate Vaccine (21-Valent)	Capvaxive;	Vaccine;Vaccine, Inactivated (Bacterial);	Solution Prefilled Syringe, Intramuscular [preservative free]: Capvaxive: 0.5 mL (0.5 mL)		
Pneumococcal Conjugate Vaccine (7-Valent)	Prenar®;	Vaccine, Inactivated (Bacterial);	Injection, suspension: Prenar®: 2 mcg of each saccharide for serotypes 4, 9V, 14, 18C, 19F, and 23F and 4 mcg of serotype 6B per 0.5 mL (0.5 mL) [contains packaging contains natural rubber/natural latex]		
Pneumococcal Polysaccharide Vaccine (23-Valent)	Pneumovax® 23;	Vaccine;Vaccine, Inactivated (Bacterial);	Injection, solution: 25 mcg each of 23 polysaccharide isolates/0.5 mL		

Poliovirus Vaccine (Inactivated)	IPOL®;	Vaccine; Vaccine, Inactivated (Viral);	Injection, suspension: IPOL®: Type 1 poliovirus 40 D antigen units/0.5 mL, Type 2 poliovirus 8 D antigen units/0.5 mL, and Type 3 poliovirus 32 D antigen units/0.5 mL (0.5 mL)		
Polyethylene Glycol 3350	MiraLax [OTC];	Laxative, Osmotic;	Packet, Oral: Generic: 17 g/dose (30 ea) **for hospital use only** Powder, Oral: Generic: 17 g/dose (238 g, 510 g)		
Polyethylene Glycol- Electrolyte Solution	GoLYTELY;	Laxative, Osmotic;	Powder for solution, oral: GoLYTELY: PEG 3350 236 g, sodium sulfate 22.74 g, sodium bicarbonate 6.74 g, sodium chloride 5.86 g, and potassium chloride 2.97 g (4000 mL) [regular flavor]		

Potassium Chloride	Klor-Con;	Electrolyte Supplement, Oral; Electrolyte Supplement, Parenteral;	Tablet, extended release, oral: Generic: 10 mEq, 20 mEq Solution, Oral: Generic: 20 mEq/15 mL (10%) (473 mL) Packet, Oral: Generic: 20 mEq **for hospital use only** Solution, Intravenous: 2 mEq/mL (20 mL) Potassium 20 mEq/100 mL (100 mL) Potassium 20 mEq/L and sodium chloride 0.9% (1000 mL) Potassium 40 mEq/L and sodium chloride 0.9% (1000 mL) Potassium 20 mEq/L, dextrose 5%, and sodium chloride 0.45% (1000 mL) Potassium 20 mEq/L, dextrose 5%, and sodium chloride 0.9% (1000 mL)	Potassium packets for solution are for hospital use only Concentrated potassium for injection to be used for admixture by inpatient pharmacy staff only	
Potassium Citrate	Urocit-K 10; Urocit-K 15; Urocit-K 5;	Alkalinizing Agent, Oral;	Tablet Extended Release, Oral: Generic: 10 mEq		
Potassium Iodide	SSKI®;	Antidote; Antithyroid Agent; Expectorant;	Solution, oral: SSKI®: 1 g/mL (30 mL)		
Potassium Phosphate		Electrolyte Supplement, Parenteral; Urinary Acidifying Agent;	Injection, solution: Potassium 4.4 mEq and phosphorus 3 mmol per mL (5 mL, 15 mL, 50 mL) [equivalent to potassium 170 mg and phosphate 285 mg per mL]		

Potassium Phosphate and Sodium Phosphate	Phospha 250™ Neutral;	Electrolyte Supplement, Oral;	Tablet: Phospha 250™ Neutral: Monobasic potassium phosphate 155 mg, dibasic sodium phosphate 852 mg, and monobasic sodium phosphate 130 mg		
Povidone-Iodine (Ophthalmic)	Betadine Ophthalmic Prep;	Antiseptic, Ophthalmic;	Solution, Ophthalmic: Betadine Ophthalmic Prep: 5% (30 mL)		
Pralidoxime	Protopam®;	Antidote;	Injection, powder for reconstitution, as chloride: Protopam®: 1 g		
Pramipexole	Mirapex [DSC];	Anti-Parkinson Agent, Dopamine Agonist;	Tablet, Oral, as dihydrochloride monohydrate: Generic: 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg		
Pravastatin		Antilipemic Agent, HMG-CoA Reductase Inhibitor;	Tablet, Oral, as sodium: Generic: 10 mg, 20 mg, 40 mg, 80 mg		
Prazosin		Alpha1 Blocker;Antihypertensive;	Capsule, oral, as hydrochloride: 1 mg, 2 mg, 5 mg		
PrednisoLONE (Ophthalmic)	Pred Forte®;Pred Mild®;	Corticosteroid, Ophthalmic;	Suspension, ophthalmic, as acetate: Generic: 0.12% (5 mL); 1% (5 mL)		
PrednisoLONE (Systemic)	Pred Mild®;	Corticosteroid, Systemic;	Syrup, oral, as base: 15 mg/5 mL (473 mL) [contains alcohol 5% and propylene glycol and sodium benzoate; berry flavor]		

PredniSONE	Deltasone®;	Corticosteroid, Systemic;	Solution, oral: 1 mg/mL (500 mL) [dye free; contains alcohol 5% and propylene glycol and sodium benzoate; peppermint-vanilla flavor] Tablet, oral: 1 mg, 5 mg, 10 mg, 20 mg		
Pregabalin	Lyrica;	Antiseizure Agent, Miscellaneous;GABA Analog;	Capsule, Oral: Lyrica: 25 mg, 50 mg, 75 mg, 100 mg, 150 mg, 200 mg, 225 mg, 300 mg		
Primidone		Antiseizure Agent, Miscellaneous;Barbiturate;	Tablet, oral: 50 mg, 250 mg		
Probenecid		Uricosuric Agent;	Tablet, oral: 500 mg		
Procainamide	Pronestyl-SR®;	Antiarrhythmic Agent, Class Ia;	Injection, solution, as hydrochloride: 100 mg/mL (10 mL) [contains sodium metabisulfite] Tablet, as hydrochloride: Pronestyl-SR®: 500 mg		
Prochlorperazine	Compro™;	Antiemetic;First Generation (Typical) Antipsychotic;Phenothiazine Derivative;	Injection, solution, as edisylate: 5 mg/mL (2 mL) [contains benzyl alcohol] Suppository, rectal: Compro™: 25 mg [contains coconut oil and palm oil] Tablet, oral, as maleate: 5 mg		

Promethazine	Phenergan®;	Antiemetic;Histamine H1 Antagonist;Histamine H1 Antagonist, First Generation;Phenothiazine Derivative;	Suppository, rectal, as hydrochloride: 12.5 mg, 25 mg Syrup, oral, as hydrochloride: 6.25 mg/5 mL (473 mL) [gluten free; contains alcohol 7% and sugar 37%; tropical fruit flavor] Tablet, oral, as hydrochloride: 25 mg		
Proparacaine		Local Anesthetic, Ophthalmic;	Solution, ophthalmic, as hydrochloride: 0.5% (15 mL) [contains benzalkonium chloride]		
Propranolol	Inderal® LA;	Antiarrhythmic Agent, Class II;Antihypertensive;Beta-Adrenergic Blocker, Nonselective;	Capsule, extended release, oral, as hydrochloride: 60 mg Capsule, sustained release, oral, as hydrochloride: Inderal® LA: 60 mg, 80 mg Injection, solution, as hydrochloride: 1 mg/mL (1 mL) Tablet, oral, as hydrochloride: 10 mg, 40 mg		
Propylthiouracil		Antithyroid Agent;Thioamide;	Tablet, oral: 50 mg		
Protamine		Antidote;	Injection, solution, as sulfate [preservative free]: 10 mg/mL (5 mL) Generic: 10 mg/mL (25 mL)		

Prothrombin Complex Concentrate (Human) [(Factors II, VII, IX, X), Protein C, and Protein S]	Kcentra;	Blood Product Derivative; Hemostatic Agent; Prothrombin Complex Concentrate (PCC);	Kit, Intravenous [preservative free]: Kcentra: ~500 units, ~1000 units [pyrogen free; contains albumin human, antithrombin iii (human), heparin]		
Psyllium	Konsyl-D™ [OTC];	Antidiarrheal; Fiber Supplement; Laxative, Bulk-Producing;	Powder, oral: Konsyl-D™: 3.4 g/dose (397 g) [contains calcium 6 mg/teaspoon, dextrose 3.1 g/teaspoon, potassium 31 mg/teaspoon, and sodium 3 mg/teaspoon]		
Pyrantel Pamoate	Pamix [OTC] [DSC]; Pin-X [OTC] [DSC]; Reeses Pinworm Medicine [OTC];	Anthelmintic;	Suspension, Oral [strength expressed as base]: Reeses Pinworm Medicine: 50 mg/mL (30 mL) [contains saccharin sodium, sodium benzoate]		
Pyrazinamide		Antitubercular Agent;	Tablet, oral: 500 mg		
Pyridostigmine		Acetylcholinesterase Inhibitor;	Injection, solution, as bromide: 5 mg/mL		
Pyridoxine		Vitamin, Water Soluble;	Injection, solution, as hydrochloride: 100 mg/mL (1 mL) [contains aluminum] Tablet, oral, as hydrochloride: 50 mg		
Quetiapine	SEROquel®;	Antimanic Agent; Second Generation (Atypical) Antipsychotic;	Tablet, oral: Generic: 25 mg, 50 mg, 100 mg, 200 mg, 300 mg, 400 mg		
Quinidine		Antiarrhythmic Agent, Class Ia; Antimalarial Agent;	Injection, solution, as gluconate: 80 mg/mL (10 mL) [contains disodium edetate]		

Rabies Immune Globulin (Human)	BayRab®;	Blood Product Derivative; Immune Globulin;	Injection, solution [preservative free]: BayRab®: 150 int. units/mL (2 mL)		
Rabies Virus Vaccine	Imovax® Rabies;	Vaccine; Vaccine, Inactivated (Viral);	Injection, powder for reconstitution: Imovax® Rabies: 2.5 int. units		
Racipinephrine Inhalation Solution	Asthmanefrin; S2;	Alpha/Beta Agonist;	Asthmanefrin Refill: 2.25% (1 ea) [contains edetate disodium]		
Raltegravir	Isentress;	Antiretroviral, Integrase Inhibitor (Anti-HIV);	Tablet, Oral: Isentress: 400 mg		
Respiratory Syncytial Virus Vaccine (Recombinant [Adjuvanted])	Arexvy;	Vaccine; Vaccine, Inactivated (Viral); Vaccine, Recombinant;	Suspension Reconstituted, Intramuscular: Arexvy: 120 mcg/0.5 mL (1 ea) [contains polysorbate 80]		
Respiratory Syncytial Virus Vaccine (Recombinant)	Abrysvo;	Vaccine; Vaccine, Inactivated (Viral); Vaccine, Recombinant;	Solution Reconstituted, Intramuscular [preservative free]: Abrysvo: 120 mcg/0.5 mL (1 ea) [contains polysorbate 80]		
Rho(D) Immune Globulin	RhoGAM®;	Blood Product Derivative; Immune Globulin;	Injection, solution [preservative free]: RhoGAM®: ~300 mcg [contains polysorbate 80]		
RifAMPin	Rifadin®;	Antitubercular Agent; Rifamycin;	Capsule, oral: 300 mg		
Rifapentine	Priftin;	Antitubercular Agent; Rifamycin;	Tablet, Oral: Priftin: 150 mg [contains disodium edta, fd&c blue #2 aluminum lake]		
RifAXIMin	Xifaxan;	Rifamycin;	Tablet, Oral: Xifaxan: 200 mg [contains edetate (edta) disodium] Xifaxan: 550 mg		

Ringer's Injection (Lactated)		Electrolyte Supplement, Parenteral;	Injection: 1000 mL		
RisperiDONE	RisperDAL®;	Antimanic Agent;Second Generation (Atypical) Antipsychotic;	Tablet, oral: 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3mg Injection: 25 mg, 37.5 mg, 50 mg		
Rivaroxaban	Xarelto;	Anticoagulant;Anticoagulant, Factor Xa Inhibitor;Direct Oral Anticoagulant (DOAC);	Tablet, Oral: Xarelto: 2.5 mg, 10 mg, 15 mg, 20 mg		
Rizatriptan	Maxalt;Maxalt-MLT;	Antimigraine Agent;Serotonin 5-HT1B, 1D Receptor Agonist;	Tablet Disintegrating, Oral: Maxalt-MLT: 5 mg [DSC] [contains aspartame] Maxalt-MLT: 5 mg [contains aspartame; peppermint flavor] Maxalt-MLT: 10 mg [DSC] [contains aspartame] Maxalt-MLT: 10 mg [contains aspartame; peppermint flavor] Generic: 5 mg, 10 mg		
Rocuronium		Neuromuscular Blocker Agent, Nondepolarizing;	Solution, Intravenous, as bromide: Generic: 50 mg/5 mL (5 mL); 100 mg/10 mL (10 mL) Solution, Intravenous, as bromide [preservative free]: Generic: 50 mg/5 mL (5 mL); 100 mg/10 mL (10 mL)		
ROPivacaine	Naropin;	Local Anesthetic;	Solution, Injection, as hydrochloride [preservative free]: Generic: 2 mg/mL (20 mL)		

Rosuvastatin	Crestor;	Antilipemic Agent, HMG-CoA Reductase Inhibitor;	Tablet, Oral: Crestor: 5 mg, 10 mg, 20 mg, 40 mg Generic: 5 mg, 10 mg, 20 mg, 40 mg		
Rotavirus Vaccine	Rotarix;	Vaccine;Vaccine, Live (Viral);	Powder, for suspension, oral [preservative free; human derived]: Rotarix: G1P[8] ≥106 CCID50 per 1 mL [contains sorbitol, sucrose; supplied with diluent which may contain natural rubber/natural latex in packaging]		
Saccharomyces boulardii	Florastor [OTC];	Dietary Supplement;Probiotic;	Capsule, oral: Generic: 250 mg	FOR HOSPITAL (ER/INPT) USE ONLY	
Sacubitril and Valsartan	Entresto;	Angiotensin II Receptor Blocker;Neprilysin Inhibitor;	Tablet, Oral: Entresto: Sacubitril 24 mg and valsartan 26 mg, Sacubitril 49 mg and valsartan 51 mg, Sacubitril 97 mg and valsartan 103 mg		
Salicylic Acid		Acne Products;Keratolytic Agent;Topical Skin Product, Acne;	Plaster: 40%		
Saliva Substitute	Biotene Oral Balance [OTC];	Gastrointestinal Agent, Miscellaneous;	Gel, oral: Biotene Oral Balance: Glycerin, water, sorbitol, xylitol, carbomer, hydroxyethylcellulose, sodium hydroxide (42 g) [alcohol-free, sugar-free]	RESTRICTED TO DENTAL PROVIDERS ONLY	
Salsalate		Salicylate;	Tablet, oral: 750 mg		
Selegiline		Anti-Parkinson Agent, MAO Type B Inhibitor;Antidepressant, Monoamine Oxidase Inhibitor;	Tablet, oral, as hydrochloride: 5 mg		

Selenium Sulfide		Antiseborrheic Agent, Topical; Topical Skin Product;	Lotion, topical: 2.5% (120 mL)		
Semaglutide	Ozempic;	Antidiabetic Agent, Glucagon-Like Peptide-1 (GLP-1) Receptor Agonist;	Solution Pen-injector, Subcutaneous: Ozempic (0.25 or 0.5 MG/DOSE): 0.25 mg or 0.5 mg per dose [2 mg/1.5 mL] (1.5 mL) [contains phenol, propylene glycol] Ozempic (1 MG/DOSE): 1 mg per dose [2 mg/1.5 mL] (1.5 mL) [contains phenol, propylene glycol] Ozempic (2 MG/DOSE): 8 mg/3 mL (3 mL) [contains phenol, propylene glycol]		
Sertraline	Zoloft®;	Antidepressant, Selective Serotonin Reuptake Inhibitor;	Tablet, oral: 25 mg, 50 mg, 100 mg Zoloft®: 25 mg, 50 mg, 100 mg		
Sevelamer	Renvela®;	Phosphate Binder;	Tablet, oral, as carbonate: Renvela®: 800 mg		
Sildenafil	Revatio; Viagra;	Phosphodiesterase-5 Enzyme Inhibitor;	Tablet, Oral: Generic: 20 mg, 100 mg		
Silver Nitrate		Antibiotic, Topical;Cauterizing Agent, Topical; Topical Skin Product, Antibacterial;	Applicator sticks, topical: Silver nitrate 75% and potassium nitrate 25%		
Silver Sulfadiazine	SSD®;	Antibiotic, Topical;	Cream, topical: 1% (25 g, 50 g, 400 g)		
Simethicone	Mytab Gas [OTC];	Antiflatulent;	Tablet, chewable, oral: 80 mg		
Simvastatin	Zocor®;	Antilipemic Agent; Antilipemic Agent, HMG-CoA Reductase Inhibitor;	Tablet, oral: 5 mg, 40 mg, 80 mg Zocor®: 5 mg, 10 mg, 20 mg, 40 mg, 80 mg		
SITagliptin	Januvia;	Antidiabetic Agent, Dipeptidyl Peptidase 4 (DPP-4) Inhibitor;	Tablet, Oral: Generic: 25 mg, 50 mg, 100 mg		

Sodium Bicarbonate (Systemic)		Alkalinizing Agent;Antacid;Electrolyte Supplement, Oral;Electrolyte Supplement, Parenteral;	Injection, solution [preservative free]: 4.2% (10 mL); 8.4% (50 mL) Tablet, oral: 325 mg		
Sodium Chloride	Deep Sea [OTC];Muro 128® [OTC];	Electrolyte Supplement, Parenteral;Genitourinary Irrigant;Irrigant;Lubricant, Ocular;Sodium Salt;	Nebulization Solution, Inhalation: Generic: 0.9% (3 mL) Ointment, Ophthalmic: Generic: 5% (3.5 g) Solution, Injection: Generic: 0.9% (10 mL) Solution, Intravenous: Generic: 0.45% (1000 mL); 0.9% (50 mL, 100 mL, 250 mL, 500 mL, 1000 mL); 3% (500 mL) Solution, Nasal: Generic: 0.65% (44 mL) [contains benzalkonium chloride] Solution, Ophthalmic: Generic: 5% (15 mL)		
Sodium Citrate and Citric Acid		Alkalinizing Agent, Oral;	Solution, oral: Sodium citrate dihydrate 500 mg and citric acid monohydrate 334 mg per 5 mL (473 mL) [alcohol free, dye free, sugar free; grape flavor]		
Sodium Hypochlorite	Dakin's Solution;	Disinfectant, Antibacterial (Topical);	Solution, topical (Dakin's): 0.125%, 0.25%, 0.5% Dakin's 1/2, 1/4, or 1/8 strength: Extemporaneously prepared by Pharmacy		

Sodium Phosphates	Fleet® Enema for Children [OTC]; Fleet® Enema [OTC];	Cathartic; Electrolyte Supplement, Parenteral; Laxative, Bowel Evacuant;	Solution, rectal [enema]: Fleet® Enema for Children: Monobasic sodium phosphate 9.5 g and dibasic sodium phosphate 3.5 g per 59 mL delivered dose (66 mL) Fleet® Enema: Monobasic sodium phosphate 19 g and dibasic sodium phosphate 7 g per 118 mL delivered dose (133 mL)		
Sodium Zirconium Cyclosilicate	Lokelma;	Antidote; Potassium Binder;	Packet, Oral: Lokelma: 5 g (30 ea), 10 g (30 ea)		
Sofosbuvir and Velpatasvir	Epclusa;	Antihepaciviral, NS5A Inhibitor; Antihepaciviral, Polymerase Inhibitor (Anti-HCV); NS5A Inhibitor; NS5B RNA Polymerase Inhibitor;	Tablet, Oral: Generic: Sofosbuvir 400 mg and velpatasvir 100 mg		
Sorbitol		Genitourinary Irrigant; Laxative, Osmotic;	Solution, oral: 70% (480 mL)		
Sotalol	Sorine®;	Antiarrhythmic Agent, Class II; Antiarrhythmic Agent, Class III; Antihypertensive; Beta-Adrenergic Blocker, Nonselective;	Tablet, oral, as hydrochloride: 80 mg, 120 mg		
Spirolactone		Antihypertensive; Diuretic, Potassium-Sparing; Mineralocorticoid (Aldosterone) Receptor Antagonist;	Tablet, oral: 25 mg, 100 mg		
Succinylcholine		Neuromuscular Blocker Agent, Depolarizing;	Injection, solution, as chloride: 20 mg/mL (10 mL)		

Sucralfate	Carafate;	Gastrointestinal Agent, Miscellaneous;	Suspension, Oral: Carafate: 1 g/10 mL (420 mL) [contains fd&c red #40, methylparaben; cherry flavor] Tablet, Oral: Generic: 1 g		
Sugammadex	Bridion;	Antidote; Selective Relaxant Binding Agent;	Solution, Intravenous [preservative free]: Bridion: 500 mg/5 mL (5 mL)		
Sulfacetamide (Ophthalmic)		Antibiotic, Ophthalmic;	Solution, ophthalmic, as sodium: Generic: 10% (15 mL)		
Sulfacetamide and Prednisolone	Blephamide®;	Antibiotic/Corticosteroid, Ophthalmic;	Suspension, ophthalmic [drops]: Blephamide®: Sulfacetamide sodium 10% and prednisolone acetate 0.2% (5 mL, 10 mL) [contains benzalkonium chloride]		
Sulfamethoxazole and Trimethoprim	Sulfatrim®;	Antibiotic, Miscellaneous; Antibiotic, Sulfonamide Derivative;	Suspension, oral [pediatric]: Sulfatrim®: Sulfamethoxazole 200 mg and trimethoprim 40 mg per 5 mL (480 mL) [contains alcohol ≤0.5%; cherry flavor] Tablet, double strength: 800/160: Sulfamethoxazole 800 mg and trimethoprim 160 mg		
SulfaSALazine	Sulfazine;	5-Aminosalicylic Acid Derivative;	Tablet, oral: 500 mg		
Sulfur and Salicylic Acid		Antiseborrheic Agent, Topical;	Shampoo: Micropulverized sulfur 2% and salicylic acid 2%		

Sulindac		Analgesic, Nonopioid;Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;	Tablet, oral: 150 mg		
SUMatriptan		Antimigraine Agent;Serotonin 5-HT1B, 1D Receptor Agonist;	Tablet, Oral, as succinate [strength expressed as base]: Generic: 50 mg		
Tacrolimus (Topical)	Protopic [DSC];	Calcineurin Inhibitor;Immunosuppressant Agent;Topical Skin Product;	Ointment, External: Generic: 0.03% (30 g); 0.1% (30 g)		
Tadalafil	Cialis;	Phosphodiesterase-5 Enzyme Inhibitor;	Tablet, Oral: Generic: 2.5 mg, 5 mg		
Tamoxifen	Nolvadex®;	Antineoplastic Agent, Estrogen Receptor Antagonist;Selective Estrogen Receptor Modulator (SERM);	Tablet, oral: 10 mg		
Tamsulosin	Flomax®;	Alpha1 Blocker;Alpha1a Blocker, Selective;	Capsule, oral, as hydrochloride: 0.4 mg Flomax®: 0.4 mg		
Temazepam		Benzodiazepine;	Capsule, oral: 15 mg		
Tenecteplase	TNKase™;	Thrombolytic Agent;	Injection, powder for reconstitution [recombinant]: TNKase™: 50 mg		
Terbinafine (Systemic)	LamISIL [DSC];	Antifungal Agent, Oral;	Tablet, Oral: Generic: 250 mg		
Terbutaline	Brethine®;	Antidote, Extravasation;Beta2 Agonist;	Injection, solution, as sulfate: Brethine®: 1 mg/mL (1 mL) Tablet, oral, as sulfate: Brethine®: 5 mg		

Testosterone	AndroGel Pump;Depo®-Testosterone;	Androgen;	Injection, oil, as cypionate: Depo®-Testosterone: 200 mg/mL (1 mL) [contains benzyl alcohol and benzyl benzoate and cottonseed oil] Gel, Transdermal: Generic: 20.25 mg/actuation (1.62%) (75 g)		
Theophylline		Phosphodiesterase Enzyme Inhibitor, Nonselective;	Tablet, controlled release, oral: 100 mg Tablet, extended release, oral: 100 mg, 200 mg, 300 mg		
Thiamine		Vitamin, Water Soluble;	Injection, solution, as hydrochloride: 100 mg/mL (2 mL) Tablet, oral, as hydrochloride: 100 mg		
Thioridazine		First Generation (Typical) Antipsychotic;Phenothiazine Derivative;	Tablet, oral, as hydrochloride: 10 mg, 25 mg		
Thiothixene		First Generation (Typical) Antipsychotic;	Capsule, oral: 1 mg, 2 mg, 10 mg		
Timolol (Ophthalmic)	Timoptic-XE®;	Beta-Blocker, Nonselective;Ophthalmic Agent, Antiglaucoma;	Solution, ophthalmic, as maleate: Generic: 0.5% (5 mL) [contains benzalkonium chloride]		
Tinidazole		Amebicide;Antibiotic, Miscellaneous;Antiprotozoal, Nitroimidazole;	Tablet, Oral: Generic: 250 mg		
Tiotropium	Spiriva® HandiHaler®;	Anticholinergic Agent;Anticholinergic Agent, Long-Acting;	Aerosol Solution, Inhalation: Spiriva Respimat: 1.25 mcg/actuation (4 g); 2.5 mcg/actuation (4 g) [contains benzalkonium chloride, disodium edta]		

TiZANidine	Zanaflex;	Alpha2-Adrenergic Agonist;	Tablet, Oral: Generic: 2 mg, 4 mg		
Tobramycin (Ophthalmic)		Antibiotic, Aminoglycoside;Antibiotic, Ophthalmic;	Solution, ophthalmic: Generic: 0.3% (5 mL) [contains benzalkonium chloride]		
Tobramycin (Systemic)		Antibiotic, Aminoglycoside;	Injection, solution: 40 mg/mL (2 mL)		
Tobramycin and Dexamethasone (Ophthalmic)	TobraDex®;	Antibiotic/Corticosteroid, Ophthalmic;	Suspension, ophthalmic: Generic: Tobramycin 0.3% and dexamethasone 0.1% (5 mL) [contains benzalkonium chloride] Ointment, Ophthalmic: TobraDex: Tobramycin 0.3% and dexamethasone 0.1% (3.5 g) [contains chlorobutanol]		
TOLAZamide		Antidiabetic Agent, Sulfonylurea;	Tablet, oral: 250 mg		
Topiramate	Topamax®;	Antiseizure Agent, Miscellaneous;	Tablet, oral: 25 mg, 50mg, 100 mg		
Torsemide	Soaanz;	Antihypertensive;Diuretic, Loop;	Tablet, Oral: Generic: 5 mg, 10 mg, 20 mg, 100 mg		
TraMADol		Analgesic, Opioid;	Tablet, oral, as hydrochloride: 50 mg		
Tranexamic Acid	Cyklokapron;Lysteda;	Antifibrinolytic Agent;Antihemophilic Agent;Hemostatic Agent;Lysine Analog;	Solution, Intravenous: Generic: 1000 mg/10 mL (10 mL) Solution, Intravenous [preservative free]: Cyklokapron: 1000 mg/10 mL (10 mL) Generic: 1000 mg/10 mL (10 mL); 1000 mg/100 mL in NaCl 0.7% (100 mL) Tablet, Oral: Lysteda: 650 mg Generic: 650 mg		

TraZODone		Antidepressant, Serotonin Reuptake Inhibitor/Antagonist; Serotonin Modulator;	Tablet, oral, as hydrochloride: 50 mg (outpatients only), 100 mg (inpatients only)		50 mg tablets are for outpatient use only. 100 mg tablets are for inpatient use only.
Tretinoin (Topical)	Retin-A®;	Acne Products; Retinoic Acid Derivative; Topical Skin Product, Acne;	Cream, topical: Retin-A®: 0.05% (20 g) Gel, topical: Retin-A®: 0.01% (15 g) [contains alcohol 90% w/w]		
Triamcinolone (Systemic)	Azmacort® [DSC]; Kenalog-10®; Kenalog-40®;	Corticosteroid, Systemic;	Aerosol, for oral inhalation, as acetone: Azmacort®: 200 mcg/actuation (20 g) [contains chlorofluorocarbon] Injection, suspension, as acetone: Kenalog®-10: 10 mg/mL (5 mL) [contains benzyl alcohol and polysorbate 80] Kenalog®-40: 40 mg/mL (1 mL, 10 mL) [contains benzyl alcohol and polysorbate 80]		
Triamcinolone (Topical)		Corticosteroid, Topical;	Cream, topical, as acetone: 0.1% (15 g, 454 g) Ointment, topical, as acetone: 0.1% (15 g, 454 g)		
Trifluridine		Antiviral Agent, Ophthalmic;	Solution, ophthalmic: 1% (7.5 mL) [contains thimerosal]		
Trihexyphenidyl		Anti-Parkinson Agent, Anticholinergic; Anticholinergic Agent;	Tablet, oral, as hydrochloride: 2 mg		

Trimethobenzamide		Antiemetic;	Suppository, rectal, as hydrochloride: 100 mg [contains benzocaine 2%]		
Trimethoprim and Polymyxin B (Ophthalmic)	Polytrim;	Antibiotic, Ophthalmic;	Solution, ophthalmic: Trimethoprim 1 mg and polymyxin B sulfate 10,000 units per 1 mL (10 mL) Generic: Trimethoprim 1 mg and polymyxin B sulfate 10,000 units per 1 mL (10 mL) [contains benzalkonium chloride]		
Tropicamide	Mydracyl®;	Anticholinergic Agent, Ophthalmic; Ophthalmic Agent, Mydratic;	Solution, ophthalmic [drops]: Mydracyl®: 1% (15 mL) [contains benzalkonium chloride]		
Tuberculin Tests	Aplisol; Tubersol;	Diagnostic Agent;	Solution, Intradermal: Aplisol: 5 units/0.1 mL (1 mL, 5 mL) [latex free; contains phenol, polysorbate 80] Tubersol: 5 units/0.1 mL (1 mL, 5 mL) [contains phenol, polysorbate 80]		

Typhoid Vaccine	Typhim Vi;Vivotif;	Vaccine;Vaccine, Inactivated (Bacterial);Vaccine, Live (Bacterial);	Capsule, enteric coated, Oral [live]: Vivotif: Viable <i>S. typhi</i> Ty21a 2-10 x 10 ⁹ colony-forming units [contains lactose 180-200 mg/capsule and sucrose 3.3-34.2 mg/capsule] Injection, solution [inactivated]: Typhim Vi: Purified Vi capsular polysaccharide 25 mcg/0.5 mL (0.5 mL, 10 mL) [derived from <i>S. typhi</i> Ty2 strain]		
Ulipristal	Ella;	Contraceptive;Progestin Receptor Modulator;	Tablet, Oral, as acetate: Ella: 30 mg		
Umeclidinium and Vilanterol	Anoro Ellipta;	Anticholinergic Agent;Anticholinergic Agent, Long-Acting;Beta2 Agonist;Beta2-Adrenergic Agonist, Long-Acting;	Aerosol Powder Breath Activated, Inhalation: Anoro Ellipta: Umeclidinium 62.5 mcg and vilanterol 25 mcg per inhalation (7 dose, 30 dose) [contains milk protein]		

Urea (Topical)	Aluvea [DSC];Aquaphilic/Carbamide [OTC];Atrac-Tain [OTC];Beta Care Betamide [OTC];Carb-O-Lac5 [OTC] [DSC];Carb-O-Philic/10 [OTC] [DSC];Carb-O-Philic/20 [OTC] [DSC];Carb-O-Philic/40 [DSC];Carmol 10 [OTC];Carmol 20 [OTC];Carmol [OTC];CEM-Urea;Cerovel;Dermal Therapy Finger Care [OTC];Dermasorb XM;DPM [OTC];Gordons Urea;Gordons Urea [OTC];Gormel 10 [OTC];Gormel [OTC];Hydro 35;Hydro 40;Kerafoam 42 [DSC];Kerafoam [DSC];Keralac;Lanaphilic/Urea [OTC];Latrrix;Latrrix XM;Mycocide CX Callus Exfoliator [OTC];Nutraplus [OTC];Rea Lo 39;Rea Lo 40;Rea-Lo [OTC];Remeven;Rynoderm;TL Urea [DSC];U-Kera E [DSC];Ultra Mide 25	Keratolytic Agent;Topical Skin Product;	Cream, vaginal: Amino-Cerv™: 8.34% (82.5 g)		
Ursodiol	Actigall [DSC];Reltone;Urso 250 [DSC];Urso Forte;	Gallstone Dissolution Agent;	Capsule, Oral: Generic: 200 mg, 300 mg, 400 mg Tablet, Oral: Generic: 250 mg, 500 mg		
ValACYclovir	Valtrex;	Antiviral Agent;Antiviral Agent, Oral;	Tablet, Oral: Generic: 500 mg, 1 g		

Valproic Acid and Derivatives	Depakene®;Depakote ER;Depakote®;Depakote® Sprinkle;	Antimanic Agent;Antiseizure Agent, Miscellaneous;Histone Deacetylase (HDAC) Inhibitor;	Capsule, sprinkle, oral, as divalproex sodium: Depakote® Sprinkle: 125 mg Syrup, oral, as valproate sodium: Depakene®: 250 mg/5 mL (480 mL) Tablet, delayed release, oral, as divalproex sodium: Depakote®: 250 mg Generic: 125mg, 250mg Tablet Extended Release 24 Hour, oral, as divalproex sodium: Depakote® ER: 250 mg, 500 mg Generic: 250 mg, 500 mg		
Valsartan	Diovan;	Angiotensin II Receptor Blocker;Antihypertensive;	Tablet, Oral: Generic: 40 mg, 80 mg, 160 mg, 320 mg		Preference for Losartan. Valsartan available for patients who cannot tolerate Losartan or who have been stabilized on Valsartan outside the system.
Vancomycin		Glycopeptide;	Capsule, oral: 125 mg, 250 mg Injection, powder for reconstitution: 500 mg, 1 g		

Varenicline (Systemic)	Chantix;Chantix Continuing Month Pak;Chantix Starting Month Pak;	Partial Nicotine Agonist;Smoking Cessation Aid;	Tablet, Oral: Chantix: 0.5 mg Chantix: 1 mg [contains fd&c blue #2 aluminum lake] Chantix Continuing Month Pak: 1 mg [contains fd&c blue #2 aluminum lake] Chantix Starting Month Pak: 0.5 mg x 11 & 1 mg x 42		
Vasopressin		Antidiuretic Hormone Analog;Hormone, Posterior Pituitary;	Injection, solution: 20 units/mL (0.5 mL)		
Vecuronium	Norcuron®;	Neuromuscular Blocker Agent, Nondepolarizing;	Injection, powder for reconstitution, as bromide: Norcuron®: 10 mg [contains benzyl alcohol]		
Venlafaxine	Effexor®;Effexor® XR;	Antidepressant, Serotonin/Norepinephrine Reuptake Inhibitor;	Capsule, extended release, oral: 37.5 mg, 75 mg, 150 mg Tablet, oral: 37.5 mg, 75 mg		
Verapamil		Antiarrhythmic Agent, Class IV;Antihypertensive;Calcium Channel Blocker;	Injection, solution, as hydrochloride [preservative free]: 2.5 mg/mL (2 mL)		
Vidarabine		Antiviral Agent;	Ointment, ophthalmic, as monohydrate: 3% [30 mg/mL = 28 mg/mL base] (3.5 g) [DSC]		
Vitamin B Complex Combinations	High Potency B with C;Total B w/ C;	Vitamin;	Tablet		
Vitamin B Complex, Ascorbic Acid, and Folic Acid	Nephrocaps®;	Vitamin, Water Soluble;	Capsule		
Vitamins (Multiple/Injectable)	M.V.I. Adult™;	Vitamin;	Injection		

Vitamins (Multiple/Oral)	Hexavitamin;Systane ICaps AREDS2;	Vitamin;	Tablet Capsule	Hexavitamin for ER/INPT use only. AREDS2 prescribing restricted to Eye Clinic only.	
Vitamins (Multiple/Pediatric)	Poly-Vi-Sol With Iron [OTC];Poly-Vi-Sol [OTC];Tri-Vi-Sol [OTC];	Vitamin;	Solution, drops: 50 mL		
Vitamins (Multiple/Prenatal)	A-Free Prenatal [OTC];Azesco;CitraNatal 90 DHA;CitraNatal Assure;CitraNatal B-Calm;CitraNatal Bloom;CitraNatal Bloom DHA [DSC];CitraNatal DHA;CitraNatal Harmony;CitraNatal Rx;Concept DHA;Concept OB;Duet;Duet DHA Balanced;Femecal OB;Folcaps Care One;Folivane-OB;Gesticare DHA;Infanate Balance [DSC];KPN Prenatal [OTC];M-Natal Plus;Mini-Prenatal [OTC];Multi-Nate 30;NeoNatal Plus;Neonatal Prenatal;NeoNatal Vitamin;Niva-Plus;Néevo DHA;OB Complete Gold;OB Complete One [DSC];OB Complete Petite;OB Complete Premier;One A Day Women's Prenatal [OTC];One Vite	Vitamin;	Content varies depending on product used. For more detailed information on ingredients in these and other multivitamins, please refer to specific product labeling.		
Warfarin	Coumadin®;	Anticoagulant;Anticoagulant, Vitamin K Antagonist;	Tablet, oral, as sodium: 1 mg, 2 mg, 2.5 mg, 3 mg, 5 mg, 7.5 mg		

Water for Injection (Bacteriostatic)		Pharmaceutical Aid;	Injection: 30 mL		
Water for Injection (Sterile)		Pharmaceutical Aid;	Injection: 20 mL, 1000 mL		
Water for Irrigation (Sterile)		Pharmaceutical Aid;	Solution: 1000 mL		
White Petrolatum	Skin Protectant [OTC];	Pharmaceutical Aid;Topical Skin Product;	Ointment: 5 g **NOTE: FOR HOSPITAL USE ONLY**		
Xylocaine® (Viscous) and Benadryl®		Miscellaneous Product;	Solution		
Zinc Oxide		Antihemorrhoidal Agent;Topical Skin Product;	Ointment, topical: 20% (30 g)		
Zinc Sulfate	Orazinc [OTC];Zinc 15 [OTC];	Trace Element;	Capsules, Oral: Generic: 220 mg		
Ziprasidone	Geodon;	Antimanic Agent;Second Generation (Atypical) Antipsychotic;	Capsule, Oral, as hydrochloride: Geodon: 20 mg, 40 mg, 60 mg, 80 mg Generic: 20 mg, 40 mg, 60 mg, 80 mg Solution Reconstituted, Intramuscular, as mesylate [strength expressed as base, preservative free]: Geodon: 20 mg (1 ea) Generic: 20 mg (1 ea)		
Zoledronic Acid	Reclast;	Bisphosphonate Derivative;	Solution, Intravenous [preservative free]: Generic: 5 mg/100 mL (100 mL)		
Zolpidem	Ambien®;	Hypnotic, Miscellaneous;Nonbenzodiazepine Benzodiazepine Receptor Agonist;	Tablet, oral, as tartrate: 5 mg, 10 mg		

Zoster Vaccine (Recombinant)	Shingrix;	Vaccine;Vaccine, Recombinant;	Suspension Reconstituted, Intramuscular: Shingrix: 50 mcg [contains polysorbate 80]		
---------------------------------	-----------	----------------------------------	--	--	--