

Generic Name	Brand Names	Therapeutic Category	Dosage Forms	Restrictions	Comments
Finasteride	Proscar®;	5 Alpha-Reductase Inhibitor;	Tablet, oral: Generic: 1 mg, 5 mg		
Mesalamine	Asacol®;Canasa®,Pentasa®;Rowasa®;	5-Aminosalicylic Acid Derivative;	Capsule, controlled release, oral: Pentasa®: 250 mg Suppository, rectal: Canasa®: 500 mg, 1000 mg Rowasa®: 4 g/60 mL (60 mL) [contains potassium metabisulfite and sodium benzoate] Tablet, delayed release, enteric coated, oral: Asacol®: 400 mg		
SulfaSALazine	Sulfazine;	5-Aminosalicylic Acid Derivative;	Tablet, oral: 500 mg		
Carboprost Tromethamine	Hemabate;	Abortifacient;Prostaglandin ;	Solution, Intramuscular [strength expressed as base]: Generic: 250 mcg/mL (1 mL)		
Donepezil	Aricept®;	Acetylcholinesterase Inhibitor (Central);	Tablet, Oral, as hydrochloride: Generic: 5 mg, 10 mg		
Neostigmine (Systemic)		Acetylcholinesterase Inhibitor;	Injection, solution, as methylsulfate: 1 mg/mL (10 mL)		
PyRIDostigmine		Acetylcholinesterase Inhibitor;	Injection, solution, as bromide: 5 mg/mL		
PHYSostigmine		Acetylcholinesterase Inhibitor;Antidote;	Injection, solution, as salicylate: 1 mg/mL (2 mL) [contains benzyl alcohol and sodium metabisulfite]		

Edrophonium	Enlon®;	Acetylcholinesterase Inhibitor;Antidote;Diagnostic Agent;	Injection, solution, as chloride: Enlon®: 10 mg/mL (15 mL) [contains sodium sulfite]		
Erythromycin (Topical)		Acne Products;Antibiotic, Macrolide;Antibiotic, Topical;Topical Skin Product;Topical Skin Product, Acne;	Solution, topical: 2% (60 mL) [sugar free; contains alcohol 66%]		
ISotretinoin (Systemic)	Absorica;Amnesteem;Claravis;Myorisan;Zenatane;	Acne Products;Antineoplastic Agent, Retinoic Acid Derivative;Retinoic Acid Derivative;	Capsule, Oral: Amnesteem: 10 mg, 20 mg, 40 mg [contains soybean oil] Myorisan: 10 mg, 20 mg [contains soybean oil] Myorisan: 30 mg Myorisan: 40 mg [contains fd&c yellow #6 (sunset yellow), soybean oil]		
Salicylic Acid		Acne Products;Keratolytic Agent;Topical Skin Product, Acne;	Plaster: 40%		
Tretinoin (Topical)	Retin-A®;	Acne Products;Retinoic Acid Derivative;Topical Skin Product, Acne;	Cream, topical: Retin-A®: 0.05% (20 g) Gel, topical: Retin-A®: 0.01% (15 g) [contains alcohol 90% w/w]		
Adapalene and Benzoyl Peroxide	Epiduo;	Acne Products;Retinoic Acid Derivative;Topical Skin Product;Topical Skin Product, Acne;	Gel, External: Epiduo: Adapalene 0.1% and benzoyl peroxide 2.5% (45 g) [contains edetate disodium, polysorbate 80, propylene glycol] Generic: Adapalene 0.1% and benzoyl peroxide 2.5% (45 g)		

Benzoyl Peroxide		Acne Products;Topical Skin Product;Topical Skin Product, Acne;	Gel, topical: 10% (45 g)		
Clindamycin and Benzoyl Peroxide	BenzaClin;	Acne Products;Topical Skin Product;Topical Skin Product, Acne;	Gel, topical: Generic: Clindamycin 1% and benzoyl peroxide 5% (25 g)		
Hydroxyamphetamine and Tropicamide	Paremyd;	Adrenergic Agonist Agent, Ophthalmic;	Solution, ophthalmic: Paremyd: Hydroxyamphetamine hydrobromide 1% and tropicamide 0.25% (15 mL) [contains benzalkonium chloride]		
DOBUTamine		Adrenergic Agonist Agent;Inotrope;	Injection, solution, as hydrochloride: 12.5 mg/mL (20 mL)		
DOPamine		Adrenergic Agonist Agent;Inotrope;	Infusion [premixed in D5W], as hydrochloride: 1.6 mg/mL (250 mL) Injection, solution, as hydrochloride: 40 mg/mL (5 mL) [contains sodium metabisulfite]		
Disulfiram	Antabuse®;	Aldehyde Dehydrogenase Inhibitor;	Tablet, oral: 250 mg		
Potassium Citrate	Urocit-K 10;Urocit-K 15;Urocit-K 5;	Alkalinizing Agent, Oral;	Tablet Extended Release, Oral: Generic: 10 mEq		
Sodium Citrate and Citric Acid		Alkalinizing Agent, Oral;	Solution, oral: Sodium citrate dihydrate 500 mg and citric acid monohydrate 334 mg per 5 mL (473 mL) [alcohol free, dye free, sugar free; grape flavor]		

Sodium Bicarbonate (Systemic)		Alkalinizing Agent;Antacid;Electrolyte Supplement, Oral;Electrolyte Supplement, Parenteral;	Injection, solution [preservative free]: 4.2% (10 mL); 8.4% (50 mL) Tablet, oral: 325 mg		
EPINEPHrine (Systemic)	EpiPen 2-Pak;EpiPen Jr 2-Pak;	Alpha/Beta Agonist;	Injection, solution [prefilled auto injector]: EpiPen®: 0.3 mg/0.3 mL [1:1000] (2 mL) [contains sodium metabisulfite] EpiPen® Jr.: 0.15 mg/0.3 mL [1:2000] (2 mL) [contains sodium metabisulfite] Injection, solution: 0.1 mg/mL [1:10,000] (10 mL); 1 mg/mL [1:1000] (1 mL, 30 mL)		
Norepinephrine		Alpha/Beta Agonist;	Injection, solution, as bitartrate: 1 mg/mL (4 mL) [contains sodium metabisulfite]		
Racepinephrine Inhalation Solution	Asthmanefrin;S2;	Alpha/Beta Agonist;	Asthmanefrin Refill: 2.25% (1 ea) [contains edetate disodium]		
Midodrine		Alpha1 Agonist;	Tablet, Oral, as hydrochloride: Generic: 2.5 mg, 5 mg, 10 mg		
Phentolamine (Systemic)		Alpha1 and Alpha2 Blocker, Nonselective;Antidote, Extravasation;Antihypertensive;	Injection, powder for reconstitution, as mesylate: 5 mg		
Doxazosin		Alpha1 Blocker;Alpha1 Blocker, Nonselective;Antihypertensive;	Tablet, Oral: Generic: 1 mg, 4mg	EBCI Supplemental Formulary - for EBCI enrolled patients	

Alfuzosin	Uroxatral;	Alpha1 Blocker;Alpha1a Blocker, Selective;	Tablet Extended Release 24 Hour, Oral, as hydrochloride: Uroxatral: 10 mg [contains hydrogenated castor oil] Generic: 10 mg		
Tamsulosin	Flomax®;	Alpha1 Blocker;Alpha1a Blocker, Selective;	Capsule, oral, as hydrochloride: 0.4 mg Flomax®: 0.4 mg		
Prazosin		Alpha1 Blocker;Antihypertensive;	Capsule, oral, as hydrochloride: 1 mg, 2 mg, 5 mg		
Brimonidine (Ophthalmic)	Alphagan P;	Alpha2 Agonist, Ophthalmic;Ophthalmic Agent, Antiglaucoma;	Solution, Ophthalmic, as tartrate: Alphagan P: 0.15% (5 mL) [contains carboxymethylcellulose sodium]		
TiZANidine	Zanaflex;	Alpha2-Adrenergic Agonist;	Tablet, Oral: Generic: 2 mg, 4 mg		
CloNIDine		Alpha2-Adrenergic Agonist;Antihypertensive;	Tablet, oral, as hydrochloride: 0.1 mg, 0.2 mg		
GuanFACINE	Intuniv;	Alpha2-Adrenergic Agonist;Antihypertensive;	Tablet, Oral: Generic: 1 mg, 2 mg Tablet Extended Release 24 Hour, Oral: Generic: 1 mg, 2 mg, 3 mg, 4 mg		
Methyldopa		Alpha2-Adrenergic Agonist;Antihypertensive;	Injection, solution, as methyldopate hydrochloride: 50 mg/mL (5 mL) Tablet, oral: 250 mg		
Phenylephrine (Topical)	Anu-Med [OTC];	Alpha-Adrenergic Agonist ;Antihemorrhoidal Agent;	Suppository, rectal, as hydrochloride: Anu-Med: 0.25%		

Phenylephrine (Ophthalmic)	AK-Dilate™;	Alpha-Adrenergic Agonist ;Ophthalmic Agent, Mydriatic;	Solution, ophthalmic, as hydrochloride: AK-Dilate™: 2.5% (15 mL) [contains benzalkonium chloride and benzyl alcohol]		
MetroNIDAZOLE (Systemic)		Amebicide;Antibiotic, Miscellaneous;Antiprotozoal, Nitroimidazole;	Infusion [premixed iso-osmotic sodium chloride solution]: 500 mg (100 mL) [contains sodium 14 mEq] Tablet, oral: 250 mg, 500 mg		
Tinidazole		Amebicide;Antibiotic, Miscellaneous;Antiprotozoal, Nitroimidazole;	Tablet, Oral: Generic: 250 mg		
Chloroquine		Aminoquinoline (Antimalarial);Antimalarial Agent;	Tablet, oral, as phosphate: 500 mg		
Hydroxychloroquine		Aminoquinoline (Antimalarial);Antimalarial Agent;Antirheumatic, Disease Modifying;	Tablet, oral, as sulfate: 200 mg		
Neomycin (Systemic)		Ammonium Detoxicant;Antibiotic, Aminoglycoside;	Tablet, oral, as sulfate: 500 mg		
Lactulose		Ammonium Detoxicant;Laxative, Osmotic;	Syrup, oral: 10 g/15 mL (1892 mL) [banana flavor]		
Acetaminophen and Codeine	Capital® and Codeine;Tylenol® With Codeine;	Analgesic Combination (Opioid);Analgesic, Opioid;	Tablet, oral: Generic: Acetaminophen 300 mg and codeine phosphate 30 mg		

Hydrocodone and Acetaminophen		Analgesic Combination (Opioid);Analgesic, Opioid;	Elixir, oral: 7.5mg hydrocodone/500mg acetaminophen/15ml Tablet, oral: 5/325: Hydrocodone bitartrate 5 mg and acetaminophen 325 mg 10/325: Hydrocodone bitartrate 10 mg and acetaminophen 325 mg		
Acetaminophen	Acephen™ [OTC];Mapap Infant 's [OTC];Mapap [OTC];Tylenol [OTC];	Analgesic, Nonopioid;	Solution, Intravenous: Generic: 1000 mg/100 mL (100 mL) Suppository, rectal: Generic: 120 mg, 650 mg Suspension, oral: 160 mg/5 mL (118 mL) Tablet, oral: 325 mg		
Aspirin		Analgesic, Nonopioid;Antiplatelet Agent;Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;Salicylate;	Tablet, oral: 325 mg Tablet, chewable, oral: 81 mg Tablet, enteric coated, oral: 81 mg, 325 mg		
Butalbital, Acetaminophen, and Caffeine		Analgesic, Nonopioid;Barbiturate;	Tablet, oral: Butalbital 50 mg, acetaminophen 325 mg, and caffeine 40 mg		
Celecoxib	CeleBREX;	Analgesic, Nonopioid;Nonsteroidal Anti-inflammatory Drug (NSAID), COX-2 Selective;	Capsule, Oral: Generic: 100 mg, 200 mg		
Meclofenamate		Analgesic, Nonopioid;Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;	Capsule, oral, as sodium: 100 mg		
Naproxen		Analgesic, Nonopioid;Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;	Tablet, oral: 250 mg		

Piroxicam (Systemic)		Analgesic, Nonopioid;Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;	Capsule, oral: 20 mg		
Sulindac		Analgesic, Nonopioid;Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;	Tablet, oral: 150 mg		
Ketorolac (Systemic)		Analgesic, Nonopioid;Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;Nonsteroidal Anti-inflammatory Drug (NSAID), Parenteral;	Injection, solution, as tromethamine: 30 mg/mL (1 mL, 2 mL) [contains alcohol 10%] Tablet, Oral, as tromethamine: Generic: 10 mg	Tablets: restricted for up to 5 days for post-op pain only	
Meloxicam	Mobic®;	Analgesic, Nonopioid;Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;Nonsteroidal Anti-inflammatory Drug (NSAID), Parenteral;	Tablet, oral: 7.5 mg, 15 mg Mobic®: 7.5 mg, 15 mg		
Morphine Sulfate (Systemic)		Analgesic, Opioid;	Injection, solution: 5 mg/mL (1 mL); 10 mg/mL (1 mL); 15 mg/mL (1 mL); 50 mg/mL (50 mL) Solution, oral: 10 mg/5 mL (5 mL); 20 mg/5 mL (100 mL) Solution, oral [concentrate]: 20 mg/mL (1 mL) [contains sodium benzoate] Tablet, extended release, oral: 15 mg, 30 mg, 60 mg, 100 mg		
TraMADol		Analgesic, Opioid;	Tablet, oral, as hydrochloride: 50 mg		

Buprenorphine	Brixadi;Butrans;Sublocade; Subutex;	Analgesic, Opioid;Analgesic, Opioid Partial Agonist;	Patch Weekly, Transdermal: Generic: 5 mcg/hr (1 ea, 4 ea); 7.5 mcg/hr (1 ea, 4 ea); 10 mcg/hr (1 ea, 4 ea); 15 mcg/hr (1 ea, 4 ea); 20 mcg/hr (1 ea, 4 ea) Solution Prefilled Syringe, Subcutaneous: Brixadi: 64 mg/0.18 mL [extended-release] (0.18 mL); 96 mg/0.27 mL [extended-release] (0.27 mL); 128 mg/0.36 mL [extended-release] (0.36 mL) Brixadi (Weekly): 8 mg/0.16 mL [extended-release] (0.16 mL); 16 mg/0.32 mL [extended-release] (0.32 mL); 24 mg/0.48 mL [extended-release] (0.48 mL); 32 mg/0.64 mL [extended-release] (0.64 mL) [contains alcohol, usp] Solution Prefilled Syringe, Subcutaneous [preservative free]:	Sublingual tablets are restricted to MAT clinic for third line option in patients who have intolerance to naloxone-containing films or tablets	
Buprenorphine and Naloxone	Suboxone®;	Analgesic, Opioid;Analgesic, Opioid Partial Agonist;	Tablet, Sublingual: Buprenorphine 2 mg and naloxone 0.5 mg; Buprenorphine 8 mg and naloxone 2 mg Film, Sublingual: Buprenorphine 2 mg and naloxone 0.5 mg; Buprenorphine 8 mg and naloxone 2 mg; Buprenorphine 12 mg and naloxone 3 mg	Sublingual tablets are restricted to MAT clinic for second line option in patients who have intolerance to films	

FentaNYL	Duragesic®;	Analgesic, Opioid;Anilidopiperidine Opioid;General Anesthetic;	Injection, solution, as citrate [preservative free]: 0.05 mg/mL (50 mL) Injection, solution, as citrate: 0.05mg/ml (2ml) Transdermal system, topical, as base: Duragesic®: 12 (5s) [delivers 12.5 mcg/hour, contains alcohol 0.1 mL/10 cm2]; 25 (5s) [delivers 25 mcg/hour, contains alcohol 0.1 mL/10 cm2]; 50 (5s) [delivers 50 mcg/hour, contains alcohol 0.1 mL/10 cm2]; 75 (5s) [delivers 75 mcg/hour, contains alcohol 0.1 mL/10 cm2]; 100 (5s) [delivers 100 mcg/hour, contains alcohol 0.1 mL/cm2		
Benzocaine		Analgesic, Topical;Local Anesthetic;	Solution: 20%		
Lidocaine (Topical)	Xylocaine®;	Analgesic, Topical;Local Anesthetic;	Ointment, topical: 5% (37.5 g) Patch, topical: 5%		
Capsaicin	Capsaicin [OTC];	Analgesic, Topical;Topical Skin Product;Transient Receptor Potential Vanilloid 1 (TRPV1) Agonist;	Cream, External: Generic: 0.025% (25 g, 50 g, 60 g, 120 g); 0.1% (42.5 g)	FOR HOSPITAL (ER/INPT) USE ONLY May be fast-tracked for cannabis hyperemesis syndrome (CHS)	
Phenazopyridine		Analgesic, Urinary;	Tablet, oral, as hydrochloride: 100 mg		

Testosterone	AndroGel Pump;Depo®-Testosterone;	Androgen;	Injection, oil, as cypionate: Depo®-Testosterone: 200 mg/mL (1 mL) [contains benzyl alcohol and benzyl benzoate and cottonseed oil] Gel, Transdermal: Generic: 20.25 mg/actuation (1.62%) (75 g)		
Phenol	Phenol EZ Swabs [OTC];	Anesthetic, Topical;	Swab, External: Phenol EZ Swabs: 89% (30 ea)		
Fluorescein and Benoxinate		Anesthetic, Topical;Diagnostic Agent;Ophthalmic Agent;	Solution, ophthalmic: Fluorescein sodium 0.25% and benoxinate hydrochloride 0.4% (5 mL)		
Losartan	Cozaar®;	Angiotensin II Receptor Blocker;Antihypertensive;	Tablet, oral, as potassium: Cozaar®: 25 mg, 50 mg, 100 mg		
Valsartan	Diovan;	Angiotensin II Receptor Blocker;Antihypertensive;	Tablet, Oral: Generic: 40 mg, 80 mg, 160 mg, 320 mg		Preference for Losartan. Valsartan available for patients who cannot tolerate Losartan or who have been stabilized on Valsartan outside the system.
Losartan and Hydrochlorothiazide	Hyzaar;	Angiotensin II Receptor Blocker;Antihypertensive;Diuretic, Thiazide;	Tablet, Oral: Generic: 50/12.5: Losartan potassium 50 mg and hydrochlorothiazide 12.5 mg; 100/12.5: Losartan potassium 100 mg and hydrochlorothiazide 12.5 mg; 100/25: Losartan potassium 100 mg and hydrochlorothiazide 25 mg		

Sacubitril and Valsartan	Entresto;	Angiotensin II Receptor Blocker;Neprilysin Inhibitor;	Tablet, Oral: Entresto: Sacubitril 24 mg and valsartan 26 mg, Sacubitril 49 mg and valsartan 51 mg, Sacubitril 97 mg and valsartan 103 mg		
Captopril		Angiotensin-Converting Enzyme (ACE) Inhibitor;Antihypertensive;	Tablet, oral: 12.5 mg, 25 mg		
Enalaprilat		Angiotensin-Converting Enzyme (ACE) Inhibitor;Antihypertensive;	Injectable, Intravenous: Generic: 1.25 mg/mL (1 mL, 2 mL)		
Fosinopril		Angiotensin-Converting Enzyme (ACE) Inhibitor;Antihypertensive;	Tablet, oral, as sodium: 5 mg, 10 mg, 20 mg, 40 mg		
Lisinopril	Prinivil®;	Angiotensin-Converting Enzyme (ACE) Inhibitor;Antihypertensive;	Tablet, Oral: Generic: 2.5 mg, 5 mg, 10 mg, 20 mg, 30 mg, 40 mg		
Lisinopril and Hydrochlorothiazide	Zestoretic;	Angiotensin-Converting Enzyme (ACE) Inhibitor;Antihypertensive;Diuretic, Thiazide;	Tablet, Oral: Generic: 10/12.5: Lisinopril 10 mg and hydrochlorothiazide 12.5 mg 20/12.5: Lisinopril 20 mg and hydrochlorothiazide 12.5 mg 20/25: Lisinopril 20 mg and hydrochlorothiazide 25 mg		
Naltrexone and Bupropion	Contrave;	Anorexiant;Antidepressant, Dopamine/Norepinephrine-Reuptake Inhibitor;Opioid Antagonist;	Tablet Extended Release 12 Hour, Oral: Contrave: Naltrexone hydrochloride 8 mg and bupropion hydrochloride 90 mg [contains edetate (edta) disodium, fd&c blue #2 (indigo carm) aluminum lake]		Due to extreme cost, preference is for using individual tablets rather than the combination. Please use the following conversion: Naltrexone 25mg (1/2 of 50mg tablet) daily AND Bupropion XL 150mg daily x 1 week then 300mg daily

Phentermine and Topiramate	Qsymia;	Anorexiant;Antiseizure Agent, Miscellaneous;Sympathomimetic;	Capsule, extended release, oral: Qsymia: 3.75/23: Phentermine 3.75 mg [immediate release] and topiramate 23 mg [extended release] [contains tartrazine] Qsymia: 7.5/46: Phentermine 7.5 mg [immediate release] and topiramate 46 mg [extended release] [contains tartrazine] Qsymia: 11.25/69: Phentermine 11.25 mg [immediate release] and topiramate 69 mg [extended release] [contains tartrazine] Qsymia: 15/92: Phentermine 15 mg [immediate release] and topiramate 92 mg [extended release] [contains tartrazine]		
-------------------------------	---------	--	---	--	--

Phentermine	Adipex-P®; Ionamin®;	Anorexiant; Central Nervous System Stimulant; Sympathomimetic;	Capsule, oral, as hydrochloride: 15 mg, 30 mg, 37.5 mg Adipex-P®: 37.5 mg Capsule, resin complex: Ionamin®: 15 mg Tablet, oral, as hydrochloride: 37.5 mg Adipex-P®: 37.5 mg	Pharmacotherapy for weight loss is recommended only for obese patients with a body mass index ≥ 30 kg/m ² , or ≥ 27 kg/m ² in the presence of other risk factors such as hypertension, diabetes, and/or dyslipidemia or a high waist circumference; therapy should be used in conjunction with a comprehensive weight management program. Rule out organic causes of obesity (eg, untreated hypothyroidism) prior to use. Note: Phentermine is not approved for long-term use. The limited usefulness of medications in this class should be weighed against possible risks associated with their use. Consult weight loss guidelines for current pharmacotherapy recommendations.	
Aluminum Hydroxide and Magnesium Trisilicate	Alenic Alka Tablet [OTC]; Gaviscon® Tablet [OTC]; Genaton Tablet [OTC];	Antacid;	Tablet, chewable: Aluminum hydroxide 80 mg and magnesium trisilicate 20 mg		
Calcium Carbonate	Antacid [OTC]; Calcium Antacid [OTC]; Oysco 500 [OTC] [DSC]; Tums [OTC];	Antacid; Antidote; Calcium Salt; Electrolyte Supplement, Oral; Phosphate Binder;	Tablet, Oral: Generic: 1250 mg (elemental calcium 500 mg) Tablet Chewable, Oral: Generic: 500 mg	CHEWABLE RESTRICTED TO DIALYSIS PATIENTS FOR PHOSPHATE BINDER	

Aluminum Hydroxide		Antacid;Antidote;Protectant , Topical;	Suspension, oral: 320 mg/5 mL (473 mL) [sugar free; contains benzyl alcohol; mint flavor]		
Aluminum Hydroxide, Magnesium Hydroxide, and Simethicone	Alamag Plus [OTC] [DSC];Aldroxicon I [OTC];Aldroxicon II [OTC];Almacone Double Strength [OTC];Almacone [OTC] [DSC];Alumina-Magnesia-Simethicone [OTC];Gelusil [OTC];Geri-Mox [OTC];HyVee Advanced Antacid [OTC];Maalox Advanced Maximum Strength [OTC] [DSC];Mi-Acid Maximum Strength [OTC] [DSC];Mi-Acid [OTC];Mintox Plus [OTC];Mintox Regular Strength [OTC] [DSC];Mylanta Classic Maximum Strength Liquid [OTC];Mylanta Classic Regular Strength Liquid [OTC];Rulox [OTC];	Antacid;Antiflatulent;	Liquid, Oral: Generic: Aluminum hydroxide 200 mg, magnesium hydroxide 200 mg, and simethicone 20 mg per 5 mL (360 mL); Aluminum hydroxide 400 mg, magnesium hydroxide 400 mg, and simethicone 40 mg per 5 mL (360 mL) Suspension, Oral: Generic: Aluminum hydroxide 200 mg, magnesium hydroxide 200 mg, and simethicone 20 mg per 5 mL (30 mL); Aluminum hydroxide 225 mg, magnesium hydroxide 200 mg, and simethicone 25 mg per 5 mL (360 mL); Aluminum hydroxide 400 mg, magnesium hydroxide 400 mg, and simethicone 40 mg per 5 mL (30 mL, 355 mL)		
Magnesium Oxide		Antacid;Electrolyte Supplement, Oral;Magnesium Salt;	Tablet, oral: 400 mg		
Magnesium Hydroxide	Milk of Magnesia [OTC];	Antacid;Laxative;Magnesium Salt;	Suspension, Oral: Milk of Magnesia: 400 mg/5 mL (30 mL) [contains methylparaben, propylene glycol, propylparaben]		

Albendazole	Albenza;	Anthelmintic;	Tablet, Oral: Albenza: 200 mg [contains saccharin sodium]		
Pyrantel Pamoate	Pamix [OTC] [DSC];Pin-X [OTC] [DSC];Reeses Pinworm Medicine [OTC];	Anthelmintic;	Suspension, Oral [strength expressed as base]: Reeses Pinworm Medicine: 50 mg/mL (30 mL) [contains saccharin sodium, sodium benzoate]		
Nitroglycerin	Nitro-Bid®;Nitro-Dur®;NitroQuick®;	Antianginal Agent;Antidote, Extravasation;Vasodilator;	Injection, solution: 5 mg/mL Ointment, topical: Nitro-Bid®: 2% (30 g) Tablet, sublingual: NitroQuick®: 0.4 mg (1/150grain) Transdermal system, topical [once-daily patch]: Nitro-Dur®: 0.1 mg/hour; 0.2 mg/hour; 0.4 mg/hour; 0.6 mg/hour		
Nadolol	Corgard®;	Antianginal Agent;Antihypertensive;Beta-Blocker, Nonselective;	Tablet, oral: 20 mg, 40 mg, 80 mg Corgard®: 20 mg, 40 mg, 80 mg [scored]		
NiCARdipine	Cardene IV;	Antianginal Agent;Antihypertensive;Calcium Channel Blocker;Calcium Channel Blocker, Dihydropyridine;	Solution, Intravenous, as hydrochloride: Cardene IV: 20 mg (200 mL); 40 mg (200 mL) Generic: 2.5 mg/mL (10 mL)		
NIFEdipine	Procardia XL;Procardia [DSC];	Antianginal Agent;Antihypertensive;Calcium Channel Blocker;Calcium Channel Blocker, Dihydropyridine;	Tablet Extended Release 24 Hour, Oral: Generic: 30 mg, 60 mg, 90 mg		

Isosorbide Dinitrate	Isordil;	Antianginal Agent; Vasodilator;	Tablet, Oral: Generic: 5 mg, 10 mg		
Isosorbide Mononitrate	Imdur®;	Antianginal Agent; Vasodilator;	Tablet, extended release, oral: 30 mg, 60 mg, 120 mg Imdur®: 30 mg, 60 mg		
BusPIRone		Antianxiety Agent, Miscellaneous;	Tablet, oral, as hydrochloride: 7.5 mg, 10 mg, 30 mg		
Disopyramide	Norpace® CR;	Antiarrhythmic Agent, Class Ia;	Capsule, controlled release, oral: Norpace® CR: 100 mg Capsule, extended release, oral: 150 mg		
Procainamide	Pronestyl-SR®;	Antiarrhythmic Agent, Class Ia;	Injection, solution, as hydrochloride: 100 mg/mL (10 mL) [contains sodium metabisulfite] Tablet, as hydrochloride: Pronestyl-SR®: 500 mg		
Quinidine		Antiarrhythmic Agent, Class Ia; Antimalarial Agent;	Injection, solution, as gluconate: 80 mg/mL (10 mL) [contains disodium edetate]		

Lidocaine (Systemic)	Xylocaine®;	Antiarrhythmic Agent, Class Ib;Local Anesthetic;	Infusion [premixed in D5W], as hydrochloride: 0.4% (250 mL, 500 mL) Injection, solution, as hydrochloride (Xylocaine®): 1% (50 mL) Injection, solution, as hydrochloride: 1% (20 mL), 2% (20 mL) [contains sodium chloride] Injection, solution, as hydrochloride [preservative free]: 2% (5 mL) [contains sodium chloride 6 mg/mL] Solution, viscous, as hydrochloride: 2% (20 mL, 100 mL)		
Sotalol	Sorine®;	Antiarrhythmic Agent, Class II;Antiarrhythmic Agent, Class III;Antihypertensive;Beta-Adrenergic Blocker, Nonselective;	Tablet, oral, as hydrochloride: 80 mg, 120 mg		
Propranolol	Inderal® LA;	Antiarrhythmic Agent, Class II;Antihypertensive;Beta-Adrenergic Blocker, Nonselective;	Capsule, extended release, oral, as hydrochloride: 60 mg Capsule, sustained release, oral, as hydrochloride: Inderal® LA: 60 mg, 80 mg Injection, solution, as hydrochloride: 1 mg/mL (1 mL) Tablet, oral, as hydrochloride: 10 mg, 40 mg		

Esmolol	Brevibloc;	Antiarrhythmic Agent, Class II;Antihypertensive;Beta-Blocker, Beta-1 Selective;	Solution, Intravenous, as hydrochloride [preservative free]: Generic: 2500 mg/250 mL (250 mL)		
Amiodarone	Cordarone®;Pacerone®;	Antiarrhythmic Agent, Class III;	Injection, solution, as hydrochloride: 50 mg/mL (3 mL) [contains benzyl alcohol and polysorbate 80] Tablet, oral, as hydrochloride: 200 mg		
Verapamil		Antiarrhythmic Agent, Class IV;Antihypertensive;Calcium Channel Blocker;	Injection, solution, as hydrochloride [preservative free]: 2.5 mg/mL (2 mL)		
Digoxin	Lanoxin®;	Antiarrhythmic Agent, Miscellaneous;Cardiac Glycoside;	Elixir, oral [pediatric]: Lanoxin®: 0.05 mg/mL (60 mL) [contains alcohol 10%; lime flavor] Injection, solution: Lanoxin®: 0.25 mg/mL (2 mL) [contains alcohol 10% and propylene glycol] Tablet, oral: Lanoxin®: 125 mcg, 250 mcg		
Adenosine	Adenocard® ;	Antiarrhythmic Agent, Miscellaneous;Diagnostic Agent;	Injection, solution [preservative free]: Adenocard® IV: 3 mg/mL (2 mL)		
Gentamicin (Systemic)		Antibiotic, Aminoglycoside;	Injection, solution, as sulfate: 40 mg/mL (2 mL)		
Tobramycin (Systemic)		Antibiotic, Aminoglycoside;	Injection, solution: 40 mg/mL (2 mL)		
Gentamicin (Ophthalmic)	Gentak™;	Antibiotic, Aminoglycoside;Antibiotic, Ophthalmic;	Solution, Ophthalmic: Generic: 0.3% (5 mL)		

Tobramycin (Ophthalmic)		Antibiotic, Aminoglycoside;Antibiotic, Ophthalmic;	Solution, ophthalmic: Generic: 0.3% (5 mL) [contains benzalkonium chloride]		
Gentamicin (Topical)		Antibiotic, Aminoglycoside;Antibiotic, Topical;	Ointment, External: Generic: 0.1% (15 g)	Gentamicin cream is available via fast-track non- formulary approval for dialysis patients with dialysis site infections	
Meropenem	Merrem [DSC];	Antibiotic, Carbapenem;	Solution Reconstituted, Intravenous [preservative free]: Generic: 1 g (1 ea)		
Cefadroxil		Antibiotic, Cephalosporin (First Generation);	Capsule, Oral: Generic: 500 mg		
CeFAZolin		Antibiotic, Cephalosporin (First Generation);	Infusion [iso-osmotic dextrose solution]: 1 g (50 mL) Injection, powder for reconstitution: 1 g, 10 g		
Cephalexin		Antibiotic, Cephalosporin (First Generation);	Capsule, oral: 250 mg, 500 mg Powder for suspension, oral: 250 mg/5 mL (100 mL, 200 mL) [mixed berry flavor]		
Cefepime	Maxipime;	Antibiotic, Cephalosporin (Fourth Generation);	Solution Reconstituted, Injection, as hydrochloride: Maxipime: 1 g (1 ea); 2 g (1 ea) Generic: 1 g (1 ea); 2 g (1 ea) Solution Reconstituted, Intravenous, as hydrochloride: Maxipime: 1 g (1 ea); 2 g (1 ea)		

CefoTEtan	Cefotan®;	Antibiotic, Cephalosporin (Second Generation);	Injection, powder for reconstitution: Cefotan®: 2 g		
Cefprozil		Antibiotic, Cephalosporin (Second Generation);	Suspension Reconstituted, Oral: Generic: 125 mg/5 mL (50 mL, 75 mL, 100 mL); 250 mg/5 mL (50 mL, 75 mL, 100 mL)		
Cefuroxime	Ceftin;	Antibiotic, Cephalosporin (Second Generation);	Tablet, Oral, as axetil [strength expressed as base]: Generic: 250 mg, 500 mg		
Cefdinir	Omnicef®;	Antibiotic, Cephalosporin (Third Generation);	Capsule, oral: 300 mg Omnicef®: 300 mg Powder for oral suspension: 125 mg/5 mL (60 mL, 100 mL); 250 mg/5 mL (60 mL, 100 mL) Omnicef®: 125 mg/5 mL (60 mL, 100 mL) [contains sodium benzoate and sucrose 2.86 g/5 mL; strawberry flavor]; 250 mg/5 mL (60 mL, 100 mL) [contains sodium benzoate and sucrose 2.86 g/5 mL; strawberry flavor]		
Cefixime	Suprax [DSC];	Antibiotic, Cephalosporin (Third Generation);	Capsule, Oral: Generic: 400 mg Suspension Reconstituted, Oral: Generic: 200 mg/5 mL (50 mL)		
Cefotaxime	Claforan®;	Antibiotic, Cephalosporin (Third Generation);	Injection, powder for reconstitution, as sodium: 1 g, 2 g [contains sodium 50.5 mg (2.2 mEq)/g]		

CefTAZidime	Fortaz®;	Antibiotic, Cephalosporin (Third Generation);	Injection, powder for reconstitution: Fortaz®: 1 g, 2 g		
CefTRIAxone	Rocephin®;	Antibiotic, Cephalosporin (Third Generation);	Injection, powder for reconstitution: 250 mg, 1 g, 2 g [contains sodium 83 mg (3.6 mEq)/g]		
Ciprofloxacin (Systemic)	Cipro®;	Antibiotic, Fluoroquinolone;	Tablet, oral, as hydrochloride [strength expressed as base]: Cipro®: 250 mg, 500 mg		
Ciprofloxacin (Ophthalmic)		Antibiotic, Fluoroquinolone;Antibiotic, Ophthalmic;	Solution, ophthalmic, as hydrochloride: 0.3% (5 mL) [contains benzalkonium chloride]		
Moxifloxacin (Ophthalmic)	Vigamox;	Antibiotic, Fluoroquinolone;Antibiotic, Ophthalmic;	Solution, Ophthalmic: Generic: 0.5% (3 mL)		
Ofloxacin (Ophthalmic)	Ocuflox;	Antibiotic, Fluoroquinolone;Antibiotic, Ophthalmic;	Solution, Ophthalmic: Generic: 0.3% (10 mL)		
LevoFLOxacin (Systemic)	Levaquin®;	Antibiotic, Fluoroquinolone;Antibiotic, Respiratory Fluoroquinolone;	Injection, solution [preservative free]: Levaquin®: 25 mg/mL (20 mL) Tablet, oral: 250 mg, 500 mg		
Moxifloxacin (Systemic)		Antibiotic, Fluoroquinolone;Antibiotic, Respiratory Fluoroquinolone;	Tablet, Oral: Generic: 400 mg	For TB treatment only in consultation with TB specialist	

Clindamycin (Systemic)	Cleocin HCl®;Cleocin Phosphate®;Cleocin®;	Antibiotic, Lincosamide;	Capsule, oral, as hydrochloride: 150 mg Injection, solution, as phosphate (Cleocin Phosphate®): 150 mg/mL (6 mL) [contains benzyl alcohol and disodium edetate 0.5 mg/mL] Suspension, oral: 75 mg/mL		
Clindamycin (Topical)	Cleocin®;	Antibiotic, Lincosamide;Topical Skin Product, Acne;	Cream, Vaginal, as phosphate [strength expressed as base]: Cleocin: 2% (40 g) [contains benzyl alcohol] Generic: 2% (40 g) Solution, External, as phosphate [strength expressed as base]: Cleocin-T: 1% (60 mL) [contains isopropyl alcohol, propylene glycol] Generic: 1% (60 mL) Generic: 1% (60 ea)		

Azithromycin (Systemic)	Zithromax®;Zithromax® Z-PAK®;	Antibiotic, Macrolide;	Powder for suspension, immediate release, oral, as dihydrate: Zithromax®: 100 mg/5 mL (15 mL) [contains sodium 3.7 mg/5 mL; cherry-crème de vanilla-banana flavor]; 200 mg/5 mL (15 mL) [contains sodium 7.4 mg/5 mL; cherry-crème de vanilla-banana flavor]; 1 g/packet [contains sodium 37 mg/packet; banana-cherry flavor] Tablet, oral, as dihydrate: Zithromax®: 250 mg [contains sodium 0.9 mg/tablet] Zithromax® Z-PAK® [unit-dose pack]: 250 mg (6s) [contains sodium 0.9 mg per tablet] Tablet, oral, as monohydrate: 250 mg [contains sodium 0.21 mg/tablet]		
Erythromycin (Systemic)	EryPed®;Erythrocin®;	Antibiotic, Macrolide;	Powder for suspension, oral, as ethylsuccinate: EryPed®: 400 mg/5 mL (100 mL) [banana flavor] Tablet, oral, as stearate: Erythrocin®: 250 mg		
Erythromycin and Sulfisoxazole		Antibiotic, Macrolide;Antibiotic, Macrolide Combination;Antibiotic, Sulfonamide Derivative;	Powder for suspension, oral: Erythromycin ethylsuccinate 200 mg and sulfisoxazole acetyl 600 mg per 5 mL (200 mL) [strawberry-banana flavor]		

Erythromycin (Ophthalmic)		Antibiotic, Macrolide; Antibiotic, Ophthalmic;	Ointment, ophthalmic: 0.5% (3.5 g)		
Dapsone (Systemic)		Antibiotic, Miscellaneous;	Tablet, oral: 25 mg, 100 mg		
Fosfomycin	Monurol;	Antibiotic, Miscellaneous;	Packet, Oral: Generic: 3 g (1 ea)		
Methenamine	Hiprex;	Antibiotic, Miscellaneous;	Tablet, Oral: Generic: 1 g		
Nitrofurantoin	Furadantin®; Macrochantin® ;	Antibiotic, Miscellaneous;	Capsule, oral [macrocrystal]: Macrochantin®: 50 mg Capsule, oral [macrocrystal/monohydrate]: 100 mg Suspension, oral: Furadantin®: 25 mg/5 mL (470 mL)		
Sulfamethoxazole and Trimethoprim	Sulfatrim®;	Antibiotic, Miscellaneous; Antibiotic, Sulfonamide Derivative;	Suspension, oral [pediatric]: Sulfatrim®: Sulfamethoxazole 200 mg and trimethoprim 40 mg per 5 mL (480 mL) [contains alcohol ≤0.5%; cherry flavor] Tablet, double strength: 800/160: Sulfamethoxazole 800 mg and trimethoprim 160 mg		
Aztreonam (Systemic)	Azactam;	Antibiotic, Monobactam;	Solution Reconstituted, Injection [preservative free]: Generic: 2 g (1 ea)		
Bacitracin and Polymyxin B (Ophthalmic)	Polysporin® [OTC];	Antibiotic, Ophthalmic;	Ointment, ophthalmic: Bacitracin 500 units and polymyxin B 10,000 units per g (3.5 g)		

Bacitracin, Neomycin, and Polymyxin B (Ophthalmic)	Neosporin® Neo To Go® [OTC]; Neosporin® Topical [OTC];	Antibiotic, Ophthalmic;	Ointment, ophthalmic: Bacitracin 400 units, neomycin 3.5 mg, and polymyxin B 10,000 units per g (3.5 g)		
Bacitracin (Ophthalmic)		Antibiotic, Ophthalmic;	Ointment, Ophthalmic: Generic: 500 units/g (3.5 g)		
Neomycin, Polymyxin B, and Gramicidin		Antibiotic, Ophthalmic;	Solution, ophthalmic: Neomycin 1.75 mg, polymyxin B 10,000 units, and gramicidin 0.025 mg per 1 mL (10 mL) [contains alcohol 0.5% and thimerosal]		
Sulfacetamide (Ophthalmic)		Antibiotic, Ophthalmic;	Solution, ophthalmic, as sodium: Generic: 10% (15 mL)		
Trimethoprim and Polymyxin B (Ophthalmic)	Polytrim;	Antibiotic, Ophthalmic;	Solution, ophthalmic: Trimethoprim 1 mg and polymyxin B sulfate 10,000 units per 1 mL (10 mL) Generic: Trimethoprim 1 mg and polymyxin B sulfate 10,000 units per 1 mL (10 mL) [contains benzalkonium chloride]		
Chlorhexidine Gluconate (Oral)		Antibiotic, Oral Rinse;	Solution, Mouth/Throat: Generic: 0.12% (473 mL)		
Neomycin, Polymyxin B, and Hydrocortisone (Otic)		Antibiotic, Otic; Antibiotic/Corticosteroid, Otic; Corticosteroid, Otic;	Suspension, otic: Generic: Neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per 1 mL (10 mL) [contains thimerosal]		

Amoxicillin	Amoxil®;	Antibiotic, Penicillin;	Capsule, oral: 250 mg, 500 mg Powder for suspension, oral: Amoxil®: 250 mg/5 mL (100 mL, 150 mL) [contains sodium benzoate; bubblegum flavor]		
Amoxicillin and Clavulanate	Augmentin®;	Antibiotic, Penicillin;	Powder for suspension, oral: 200: Amoxicillin 200 mg and clavulanate potassium 28.5 mg per 5 mL (50 mL, 100 mL) [contains phenylalanine 7 mg/5 mL and potassium 0.14 mEq/5 mL; orange flavor]; 400: Amoxicillin 400 mg and clavulanate potassium 57 mg per 5 mL (50 mL, 100 mL) [contains phenylalanine 7 mg/5 mL and potassium 0.29 mEq/5 mL; orange flavor] Tablet, oral: 250/125: Amoxicillin 250 mg and clavulanate potassium 125 mg [contains potassium] 500/125: Amoxicillin 500 mg and clavulanate potassium 125 mg [contains potassium]		
Ampicillin		Antibiotic, Penicillin;	Injection, powder for reconstitution: 1 g, 2 g [contains sodium 2.9 mEq/g]		

Ampicillin and Sulbactam	Unasyn®;	Antibiotic, Penicillin;	Injection, powder for reconstitution: Unasyn®: 1.5 g, 3 g [contains sodium 115 mg (5 mEq)/1.5 g]		
Dicloxacillin		Antibiotic, Penicillin;	Capsule, oral: 250 mg		
Nafcillin		Antibiotic, Penicillin;	Injection, powder for reconstitution: 2 g, 10 g		
Penicillin V Potassium		Antibiotic, Penicillin;	Powder for solution, oral: 250 mg/5 mL (200 mL) [contains phenylalanine 4.5 mg/5 mL; fruit flavor] Tablet, oral: 250 mg, 500 mg		
Penicillin G Benzathine	Bicillin® L-A;	Antibiotic, Penicillin;	Injection, suspension: Bicillin® L-A: 600,000 units/mL (1 mL, 2 mL)		
Penicillin G Benzathine and Penicillin G Procaine	Bicillin® C-R 900/300;	Antibiotic, Penicillin;	Injection, suspension: Bicillin® C-R 900/300: 1,200,000 units: Penicillin G benzathine 900,000 units and penicillin G procaine 300,000 units per 2 mL (2 mL)		
Penicillin G (Parenteral/Aqueous)		Antibiotic, Penicillin;	Injection, powder for reconstitution, as sodium: 5 million units [contains sodium 1.68 mEq per 1 million units]		
Piperacillin		Antibiotic, Penicillin;	Injection, powder for reconstitution: 3 g [contains sodium 42.5 mg (1.85 mEq)/g]		

Piperacillin and Tazobactam	Zosyn®;	Antibiotic, Penicillin;	Note: 8:1 ratio of piperacillin sodium/tazobactam sodium Infusion [premixed iso-osmotic solution, frozen]: 2.25 g: Piperacillin 2 g and tazobactam 0.25 g (50 mL) [contains sodium 5.58 mEq (128 mg) and EDTA] 3.375 g: Piperacillin 3 g and tazobactam 0.375 g (50 mL) [contains sodium 8.38 mEq (192 mg) and EDTA] 4.5 g: Piperacillin 4 g and tazobactam 0.5 g (50 mL) [contains sodium 11.17 mEq (256 mg) and EDTA] Injection, powder for reconstitution: 2.25 g: Piperacillin 2 g and tazobactam 0.25 g [contains sodium 5.58 mEq (128 mg) and EDTA] 3.375 g: Piperacillin 3 g and tazobactam 0.375 g [contains sodium 8.38 mEq (192 mg) and EDTA]		
Doxycycline	Vibramycin®;	Antibiotic, Tetracycline Derivative;	Capsule, oral, as hyclate: 100 mg Injection, powder for reconstitution, as hyclate: 100 mg Suspension, oral, as calcium: Vibramycin®: 50 mg/5 mL (473 mL) [contains sodium metabisulfite; raspberry-apple flavor]		

Minocycline (Systemic)	CoreMino;Minocin;Minolira;Solodyn;Ximino;	Antibiotic, Tetracycline Derivative;	Capsule, Oral: Generic: 50 mg, 100 mg		
Chlorhexidine Gluconate (Topical)	Betasept Surgical Scrub [OTC];	Antibiotic, Topical;	Liquid, External: Betasept Surgical Scrub: 4% (118 mL)		
MetroNIDAZOLE (Topical)	Metrogel;	Antibiotic, Topical;	Gel, External: Generic: 0.75% (45 g) Gel, Vaginal: Generic: 0.75% (70 g)		
Mupirocin	Bactroban®;	Antibiotic, Topical;	Note: Strength expressed as base Cream, topical, as calcium: Bactroban Cream®: 2% (15 g, 30 g) [contains benzyl alcohol] Ointment, topical: 2% (0.9 g, 22 g) Bactroban®: 2% (22 g) [contains polyethylene glycol]		
Silver Sulfadiazine	SSD®;	Antibiotic, Topical;	Cream, topical: 1% (25 g, 50 g, 400 g)		
Gentian Violet		Antibiotic, Topical;Antifungal Agent, Topical;	Solution, topical: 2% (30 mL) [contains ethyl alcohol 10%]		
Silver Nitrate		Antibiotic, Topical;Cauterizing Agent, Topical;Topical Skin Product, Antibacterial;	Applicator sticks, topical: Silver nitrate 75% and potassium nitrate 25%		

Neomycin, Polymyxin B, and Dexamethasone (Ophthalmic)		Antibiotic/Corticosteroid, Ophthalmic;	Ointment, ophthalmic: Generic: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per g (3.5 g) Suspension, ophthalmic: Generic: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per 1 mL (5 mL) [contains benzalkonium chloride]		
Sulfacetamide and Prednisolone	Blephamide®;	Antibiotic/Corticosteroid, Ophthalmic;	Suspension, ophthalmic [drops]: Blephamide®: Sulfacetamide sodium 10% and prednisolone acetate 0.2% (5 mL, 10 mL) [contains benzalkonium chloride]		
Tobramycin and Dexamethasone (Ophthalmic)	TobraDex®;	Antibiotic/Corticosteroid, Ophthalmic;	Suspension, ophthalmic: Generic: Tobramycin 0.3% and dexamethasone 0.1% (5 mL) [contains benzalkonium chloride] Ointment, Ophthalmic: TobraDex: Tobramycin 0.3% and dexamethasone 0.1% (3.5 g) [contains chlorobutanol]		
Cyclopentolate	Cyclogyl®;	Anticholinergic Agent, Ophthalmic;	Solution, ophthalmic, as hydrochloride: Generic: 1% (2 mL) [contains benzalkonium chloride]		
Atropine (Ophthalmic)		Anticholinergic Agent, Ophthalmic; Ophthalmic Agent, Mydriatic;	Solution, ophthalmic, as sulfate: 1% (5 mL) [contains benzalkonium chloride]		

Homatropine	Isopto® Homatropine;	Anticholinergic Agent, Ophthalmic;Ophthalmic Agent, Mydriatic;	Solution, ophthalmic, as hydrobromide: Isopto® Homatropine: 2% (5 mL); 5% (5 mL)		
Tropicamide	Mydracyl®;	Anticholinergic Agent, Ophthalmic;Ophthalmic Agent, Mydriatic;	Solution, ophthalmic [drops]: Mydracyl®: 1% (15 mL) [contains benzalkonium chloride]		
Dicyclomine		Anticholinergic Agent;	Tablet, oral, as hydrochloride: 10 mg, 20 mg		
Glycopyrrolate (Systemic)	Robinul;	Anticholinergic Agent;	Tablet, Oral: Generic: 1 mg		
Hyoscyamine		Anticholinergic Agent;	Capsule, extended release, oral, as sulfate: 0.375 mg Tablet, sublingual, as sulfate: 0.125 mg		
Ipratropium (Oral Inhalation)		Anticholinergic Agent;	Solution, for nebulization, as bromide [preservative free]: 0.02% (2.5 mL)		
Tiotropium	Spiriva® HandiHaler®;	Anticholinergic Agent;Anticholinergic Agent, Long-Acting;	Aerosol Solution, Inhalation: Spiriva Respimat: 1.25 mcg/actuation (4 g); 2.5 mcg/actuation (4 g) [contains benzalkonium chloride, disodium edta]		
Umeclidinium and Vilanterol	Anoro Ellipta;	Anticholinergic Agent;Anticholinergic Agent, Long-Acting;Beta2 Agonist;Beta2-Adrenergic Agonist, Long-Acting;	Aerosol Powder Breath Activated, Inhalation: Anoro Ellipta: Umeclidinium 62.5 mcg and vilanterol 25 mcg per inhalation (7 dose, 30 dose) [contains milk protein]		

Atropine (Systemic)		Anticholinergic Agent;Antidote;Antispasmodic Agent, Gastrointestinal;	Injection, solution, as sulfate: 0.1 mg/mL (10 mL); 0.4 mg/mL (20 mL)		
Ipratropium and Albuterol	Combivent®;DuoNeb;	Anticholinergic Agent;Beta2-Adrenergic Agonist;	Aerosol, for oral inhalation: Combivent®: Ipratropium bromide 18 mcg and albuterol sulfate 103 mcg per inhalation (14.7 g) [contains chlorofluorocarbon and soya lecithin] Solution, for nebulization: Generic: Ipratropium bromide 0.5 mg and albuterol (base) 2.5 mg per 3 mL (30s)		
Heparin	Hep-Lock U/P;Hep-Lock®;HepFlush®-10;	Anticoagulant;	Injection, solution, as sodium [lock flush preparation; porcine intestinal mucosa source]: 10 units/mL (5 mL); 100 units/mL (1 mL, 30 mL) [contains benzyl alcohol] Injection: 5000 units/mL (1 mL, 30 mL)		
Apixaban	Eliquis;	Anticoagulant;Anticoagulant, Factor Xa Inhibitor;Direct Oral Anticoagulant (DOAC);	Tablet, Oral: Eliquis: 2.5 mg, 5 mg		
Rivaroxaban	Xarelto;	Anticoagulant;Anticoagulant, Factor Xa Inhibitor;Direct Oral Anticoagulant (DOAC);	Tablet, Oral: Xarelto: 2.5 mg, 10 mg, 15 mg, 20 mg		

Enoxaparin	Lovenox®;	Anticoagulant;Anticoagulant, Low Molecular Weight Heparin;	Injection, solution, as sodium [preservative free]: Lovenox®: 30 mg/0.3 mL (0.3 mL); 40 mg/0.4 mL (0.4 mL); 60 mg/0.6 mL (0.6 mL); 80 mg/0.8 mL (0.8 mL); 100 mg/mL (1 mL); 150 mg/mL (1 mL)		
Warfarin	Coumadin®;	Anticoagulant;Anticoagulant, Vitamin K Antagonist;	Tablet, oral, as sodium: 1 mg, 2 mg, 2.5 mg, 3 mg, 5 mg, 7.5 mg		
Mirtazapine		Antidepressant, Alpha-2 Antagonist;	Tablet, oral: 15 mg, 30 mg		
BuPROPion	Wellbutrin;Wellbutrin SR;Wellbutrin XL;	Antidepressant, Dopamine/Norepinephrine-Reuptake Inhibitor;Dopamine and Norepinephrine - Reuptake Inhibitor;Smoking Cessation Aid;	Tablet, oral, as hydrochloride: 75 mg, 100 mg Tablet, extended release, oral, as hydrochloride: 100 mg, 150 mg Tablet, extended release 24 hour, oral, as hydrochloride: 150 mg, 300 mg		
Citalopram	CeleXA®;	Antidepressant, Selective Serotonin Reuptake Inhibitor;	Tablet, oral: 20 mg, 40 mg		
Escitalopram	Lexapro;	Antidepressant, Selective Serotonin Reuptake Inhibitor;	Tablet, Oral: Generic: 5 mg, 10 mg, 20 mg		
FLUoxetine		Antidepressant, Selective Serotonin Reuptake Inhibitor;	Capsule, oral, as hydrochloride: 10 mg, 20 mg		
PARoxetine	Paxil;	Antidepressant, Selective Serotonin Reuptake Inhibitor;	Tablet, Oral, as hydrochloride [strength expressed as base]: Generic: 20 mg		

Sertraline	Zoloft®;	Antidepressant, Selective Serotonin Reuptake Inhibitor;	Tablet, oral: 25 mg, 50 mg, 100 mg Zoloft®: 25 mg, 50 mg, 100 mg		
TraZODone		Antidepressant, Serotonin Reuptake Inhibitor/Antagonist;Serotonin Modulator;	Tablet, oral, as hydrochloride: 50 mg (outpatients only), 100 mg (inpatients only)		50 mg tablets are for outpatient use only. 100 mg tablets are for inpatient us only.
DULoxetine	Cymbalta®;	Antidepressant, Serotonin/Norepinephrine Reuptake Inhibitor;	Capsule, delayed release, enteric coated pellets, oral: Cymbalta®: 20 mg, 30 mg, 60 mg		
Venlafaxine	Effexor®;Effexor® XR;	Antidepressant, Serotonin/Norepinephrine Reuptake Inhibitor;	Capsule, extended release, oral: 37.5 mg, 75 mg, 150 mg Tablet, oral: 37.5 mg, 75 mg		
Desipramine		Antidepressant, Tricyclic (Secondary Amine);	Tablet, oral, as hydrochloride: 25 mg, 50 mg		
Nortriptyline		Antidepressant, Tricyclic (Secondary Amine);	Capsule, oral: 10 mg, 25 mg, 50 mg		
Amitriptyline		Antidepressant, Tricyclic (Tertiary Amine);	Tablet, oral, as hydrochloride: 10 mg, 25 mg, 50 mg		
ClomiPRAMINE		Antidepressant, Tricyclic (Tertiary Amine);	Capsule, oral, as hydrochloride: 25 mg		
Doxepin (Systemic)		Antidepressant, Tricyclic (Tertiary Amine);	Capsule, Oral: Generic: 10 mg, 25 mg, 50 mg Tablet, Oral: Generic: 3 mg, 6 mg		Note: lower strengths (3mg, 6mg) are indicated for insomnia; higher strengths (10mg, 25mg, 50mg) are indicated for depression/anxiety/bipolar disorder.
Imipramine		Antidepressant, Tricyclic (Tertiary Amine);	Tablet, oral, as hydrochloride: 10 mg, 25 mg		
Ketamine		Antidepressant;General Anesthetic;	Injection, solution: 100 mg/mL (5 mL)		

MetFORMIN		Antidiabetic Agent, Biguanide;	Tablet, oral, as hydrochloride: 500 mg Tablet, extended release, oral, as hydrochloride: 500 mg		
Glyburide and Metformin	Glucovance®;	Antidiabetic Agent, Biguanide;Antidiabetic Agent, Sulfonylurea;	Tablet: 2.5/500: Glyburide 2.5 and metformin hydrochloride 500 mg 5/500: Glyburide 5 mg and metformin hydrochloride 500 mg		
SITagliptin	Januvia;	Antidiabetic Agent, Dipeptidyl Peptidase 4 (DPP-4) Inhibitor;	Tablet, Oral: Generic: 25 mg, 50 mg, 100 mg		
Exenatide	Bydureon;Byetta 10 MCG Pen;Byetta 5 MCG Pen;	Antidiabetic Agent, Glucagon-Like Peptide-1 (GLP-1) Receptor Agonist;	Pen-injector, Subcutaneous: Bydureon: 2 mg (1 ea) Solution Pen-injector, Subcutaneous: Byetta 10 MCG Pen: 10 mcg/0.04 mL (2.4 mL) [contains metacresol] Byetta 5 MCG Pen: 5 mcg/0.02 mL (1.2 mL) [contains metacresol]		
Semaglutide	Ozempic;	Antidiabetic Agent, Glucagon-Like Peptide-1 (GLP-1) Receptor Agonist;	Solution Pen-injector, Subcutaneous: Ozempic (0.25 or 0.5 MG/DOSE): 0.25 mg or 0.5 mg per dose [2 mg/1.5 mL] (1.5 mL) [contains phenol, propylene glycol] Ozempic (1 MG/DOSE): 1 mg per dose [2 mg/1.5 mL] (1.5 mL) [contains phenol, propylene glycol] Ozempic (2 MG/DOSE): 8 mg/3 mL (3 mL) [contains phenol, propylene glycol]		

Empagliflozin	Jardiance;	Antidiabetic Agent, Sodium-Glucose Cotransporter 2 (SGLT2) Inhibitor; Sodium-Glucose Cotransporter 2 (SGLT2) Inhibitor;	Tablet, Oral: Jardiance: 10 mg, 25 mg		
GlipizIDE	Glucotrol®;	Antidiabetic Agent, Sulfonylurea;	Tablet, oral: 5 mg, 10 mg		
GlyBURIDE		Antidiabetic Agent, Sulfonylurea;	Tablet, oral: 2.5 mg, 5 mg	Only for use in pregnancy	
TOLAZamide		Antidiabetic Agent, Sulfonylurea;	Tablet, oral: 250 mg		
Pioglitazone	Actos;	Antidiabetic Agent, Thiazolidinedione;	Tablet, Oral: Generic: 15 mg, 30 mg, 45 mg		
Bismuth Subsalicylate		Antidiarrheal;	Tablet, chewable, oral, as subsalicylate: 262 mg [sugar free; contains sodium 0.1 mg/tablet]		
Diphenoxylate and Atropine		Antidiarrheal;	Tablet: 2.5/0.025: Diphenoxylate hydrochloride 2.5 mg and atropine sulfate 0.025 mg		
Loperamide		Antidiarrheal;	Capsule, oral, as hydrochloride: 2 mg		
Octreotide	SandoSTATIN LAR®; SandoSTATIN®;	Antidiarrheal; Antidote; Somatostatin Analog;	Injection, solution, as acetate [preservative free]: 0.05 mg/mL (1 mL)		
Psyllium	Konsyl-D™ [OTC];	Antidiarrheal; Fiber Supplement; Laxative, Bulk-Producing;	Powder, oral: Konsyl-D™: 3.4 g/dose (397 g) [contains calcium 6 mg/teaspoon, dextrose 3.1 g/teaspoon, potassium 31 mg/teaspoon, and sodium 3 mg/teaspoon]		
Vasopressin		Antidiuretic Hormone Analog; Hormone, Posterior Pituitary;	Injection, solution: 20 units/mL (0.5 mL)		

Terbutaline	Brethine®;	Antidote, Extravasation;Beta2 Agonist;	Injection, solution, as sulfate: Brethine®: 1 mg/mL (1 mL) Tablet, oral, as sulfate: Brethine®: 5 mg		
Dextrose		Antidote, Hypoglycemia;Intravenous Nutritional Therapy;	Infusion: 5% (250 mL, 500 mL, 1000 mL); Injection, solution: 50% (50 mL) Gel, oral: 40%		
Charcoal, Activated		Antidote;	Powder for suspension, oral: USP (30 g)		
Dimercaprol	BAL in Oil®;	Antidote;	Injection, oil: BAL in Oil®: 100 mg/mL (3 mL) [contains benzyl benzoate and peanut oil]		
Flumazenil	Romazicon®;	Antidote;	Injection, solution: Romazicon®: 0.1 mg/mL (5 mL) [contains disodium edetate 0.01%]		
Ipecac Syrup		Antidote;	Syrup, oral: USP (30 mL) [contains ethyl alcohol]		
Pralidoxime	Protopam®;	Antidote;	Injection, powder for reconstitution, as chloride: Protopam®: 1 g		
Protamine		Antidote;	Injection, solution, as sulfate [preservative free]: 10 mg/mL (5 mL) Generic: 10 mg/mL (25 mL)		
Glucagon	Gvoke Kit;	Antidote;Antidote, Hypoglycemia;Diagnostic Agent;	Kit, for injection: Glucagon Emergency Kit: 1 mg [contains lactose 49 mg]		
Potassium Iodide	SSKI®;	Antidote;Antithyroid Agent;Expectorant;	Solution, oral: SSKI®: 1 g/mL (30 mL)		
Calcium Acetate	PhosLo®;	Antidote;Calcium Salt;Phosphate Binder;	Gelcap, oral: 667 mg		

Deferoxamine	Desferal®;	Antidote;Chelating Agent;	Injection, powder for reconstitution, as mesylate: Desferal®: 500 mg		
Leucovorin		Antidote;Chemotherapy Modulating Agent;Rescue Agent (Chemotherapy);Vitamin, Water Soluble;	Injection, powder for reconstitution, as calcium: 350 mg Tablet, oral, as calcium: 5 mg		
Methylene Blue		Antidote;Diagnostic Agent;Phenothiazine Derivative;	Injection, solution [preservative free]: 10 mg/mL (1 mL)		
Acetylcysteine	Acetadote®;	Antidote;Mucolytic Agent;	Solution, for oral inhalation: 10% [100 mg/mL] (30 mL); 20% [200 mg/mL] (4 mL, 30 mL) [contains disodium edetate]		
Naloxone	Narcan®;	Antidote;Opioid Antagonist;	Liquid, Nasal, as hydrochloride: Generic: 4 mg/0.1 mL (2 ea) Injection, solution, as hydrochloride [preservative free]: Generic: 0.4 mg/mL (1 mL); 1 mg/mL (2 mL)		
Naltrexone		Antidote;Opioid Antagonist;	Suspension Reconstituted, Intramuscular: Vivitrol: 380 mg (1 ea) Tablet, Oral, as hydrochloride: Generic: 50 mg		
Sodium Zirconium Cyclosilicate	Lokelma;	Antidote;Potassium Binder;	Packet, Oral: Lokelma: 5 g (30 ea), 10 g (30 ea)		

Sugammadex	Bridion;	Antidote; Selective Relaxant Binding Agent;	Solution, Intravenous [preservative free]: Bridion: 500 mg/5 mL (5 mL)		
Hydroxocobalamin	Cyanokit;	Antidote; Vitamin, Water Soluble;	Solution Reconstituted, Intravenous: Cyanokit: 5 g (1 ea)		
Trimethobenzamide		Antiemetic;	Suppository, rectal, as hydrochloride: 100 mg [contains benzocaine 2%]		
Metoclopramide		Antiemetic; Dopamine Antagonist; Gastrointestinal Agent, Prokinetic; Serotonin 5-HT ₄ Receptor Agonist;	Injection, solution: 5 mg/mL Solution, oral, as hydrochloride: 5 mg/5 mL (473 mL) [alcohol free, sugar free; berry-citrus flavor] Tablet, oral: 10 mg		
Perphenazine		Antiemetic; First Generation (Typical) Antipsychotic; Phenothiazine Derivative;	Tablet, oral: 2 mg		
Prochlorperazine	Compro™;	Antiemetic; First Generation (Typical) Antipsychotic; Phenothiazine Derivative;	Injection, solution, as edisylate: 5 mg/mL (2 mL) [contains benzyl alcohol] Suppository, rectal: Compro™: 25 mg [contains coconut oil and palm oil] Tablet, oral, as maleate: 5 mg		

Promethazine	Phenergan®;	Antiemetic;Histamine H1 Antagonist;Histamine H1 Antagonist, First Generation;Phenothiazine Derivative;	Suppository, rectal, as hydrochloride: 12.5 mg, 25 mg Syrup, oral, as hydrochloride: 6.25 mg/5 mL (473 mL) [gluten free; contains alcohol 7% and sugar 37%; tropical fruit flavor] Tablet, oral, as hydrochloride: 25 mg		
HydrOXYzine		Antiemetic;Histamine H1 Antagonist;Histamine H1 Antagonist, First Generation;Piperazine Derivative;	Capsule, oral, as pamoate: 25 mg Injection, solution, as hydrochloride: 25 mg/mL (1 mL); 50 mg/mL Syrup, oral, as hydrochloride: 10 mg/5 mL (480 mL) [contains alcohol 0.5%; peppermint flavor]		
Meclizine		Antiemetic;Histamine H1 Antagonist;Histamine H1 Antagonist, First Generation;Piperazine Derivative;	Tablet, oral, as hydrochloride: 25 mg		
Ondansetron	Zofran®;Zofran® ODT;	Antiemetic;Selective 5-HT3 Receptor Antagonist;	Injection, solution: Generic: 2 mg/mL (2 mL) Solution, oral: Generic: 4 mg/5 mL (50 mL) [contains sodium benzoate; strawberry flavor] Tablet, oral: Generic: 4 mg; 8 mg Tablet Disintegrating, Oral: Generic: 4 mg, 8 mg		

Tranexamic Acid	Cyklokapron;Lysteda;	Antifibrinolytic Agent;Antihemophilic Agent;Hemostatic Agent;Lysine Analog;	Solution, Intravenous: Generic: 1000 mg/10 mL (10 mL) Solution, Intravenous [preservative free]: Cyklokapron: 1000 mg/10 mL (10 mL) Generic: 1000 mg/10 mL (10 mL); 1000 mg/100 mL in NaCl 0.7% (100 mL) Tablet, Oral: Lysteda: 650 mg Generic: 650 mg		
Simethicone	Mytab Gas [OTC];	Antiflatulent;	Tablet, chewable, oral: 80 mg		
Clotrimazole (Topical)		Antifungal Agent, Imidazole Derivative;Antifungal Agent, Oral Nonabsorbed/Partially Absorbed;Antifungal Agent, Topical;Antifungal Agent, Vaginal;	Cream, topical/vaginal: 1% (45 g) [contains benzyl alcohol] Cream, topical: 1% (30 g)		
Clotrimazole (Oral)	Mycelex®;	Antifungal Agent, Imidazole Derivative;Antifungal Agent, Oral Nonabsorbed;	Troche, oral: Mycelex®: 10 mg		
Ketoconazole (Topical)	Ketodan;	Antifungal Agent, Imidazole Derivative;Antifungal Agent, Topical;	Shampoo, External: Generic: 2% (120 mL)		
Nystatin (Oral)		Antifungal Agent, Oral Nonabsorbed/Partially Absorbed;	Suspension, oral: 100,000 units/mL (60 mL, 480 mL) [contains alcohol <1%; fruit flavor] Tablet, oral: 500,000 units		

Griseofulvin	Grifulvin V®; Gris-PEG®;	Antifungal Agent, Oral;	Suspension, oral, microsize: Grifulvin V®: 125 mg/5 mL (120 mL) [contains alcohol 0.2%] Tablet, oral, microsize: Grifulvin V®: 500 mg Tablet, oral, ultramicrosize: Gris-PEG®: 125 mg		
Terbinafine (Systemic)	Lamisil [DSC];	Antifungal Agent, Oral;	Tablet, Oral: Generic: 250 mg		
Fluconazole	Diflucan®;	Antifungal Agent, Oral; Antifungal Agent, Parenteral;	Tablet, oral: Generic: 100 mg, 150 mg, 200 mg Suspension Reconstituted, Oral: Generic: 40 mg/mL (35 mL)		
Nystatin (Topical)		Antifungal Agent, Topical;	Cream, topical: 100,000 units/g (15 g, 30 g) Powder, topical: 100,000 units/g (15 g) [contains talc]		
Betamethasone and Clotrimazole		Antifungal Agent, Topical; Corticosteroid, Topical;	Cream, topical: Betamethasone dipropionate 0.05% (base) and clotrimazole 1% (45 g) [contains benzyl alcohol]		
Nystatin and Triamcinolone		Antifungal Agent, Topical; Corticosteroid, Topical;	Cream, topical: Nystatin 100,000 units and triamcinolone acetonide 0.1% (60 g)		
Colchicine		Antigout Agent;	Tablet, oral: 0.6 mg		
Allopurinol		Antigout Agent; Xanthine Oxidase Inhibitor;	Tablet, oral: 100 mg, 300 mg		

Hydrocortisone (Topical)		Antihemorrhoidal Agent;Corticosteroid, Rectal;Corticosteroid, Topical;	Suppository, rectal, as acetate: 25 mg Generic: 25 mg (12 ea) Cream, Rectal, as base: Generic: 2.5% (28.35 g)		
Zinc Oxide		Antihemorrhoidal Agent;Topical Skin Product;	Ointment, topical: 20% (30 g)		
Glecaprevir and Pibrentasvir	Mavyret;	Antihhepaciviral, NS3/4A Protease Inhibitor (Anti-HCV);Antihhepaciviral, NS5A Inhibitor;NS3/4A Inhibitor;NS5A Inhibitor;	Tablet, Oral: Mavyret: Glecaprevir 100 mg and pibrentasvir 40 mg		
Sofosbuvir and Velpatasvir	Epclusa;	Antihhepaciviral, NS5A Inhibitor;Antihhepaciviral, Polymerase Inhibitor (Anti-HCV);NS5A Inhibitor;NS5B RNA Polymerase Inhibitor;	Tablet, Oral: Generic: Sofosbuvir 400 mg and velpatasvir 100 mg		
Cetirizine (Systemic)	ZyrTEC;ZyrTEC Allergy [OTC];ZyrTEC Children's Allergy [OTC];ZyrTEC Children's Hives Relief [OTC];	Antihistamine, H1 Blocker, Nonsedating;	Syrup, Oral, as hydrochloride: ZyrTEC: 5 mg/5 mL (120 mL, 480 mL) [contains propylene glycol; banana-grape flavor] ZyrTEC Children's Allergy: 5 mg/5 mL (118 mL) [dye free, sugar free; contains propylene glycol, sodium benzoate] ZyrTEC Children's Hives Relief: 5 mg/5 mL (120 mL) [contains propylene glycol; grape flavor] Tablet, Oral, as hydrochloride: ZyrTEC: 5 mg, 10 mg Generic: 5 mg, 10 mg		

Hydrochlorothiazide and Triamterene		Antihypertensive;Antihypertensive Agent, Combination;Diuretic, Potassium-Sparing;Diuretic, Thiazide;	Tablet, oral: 50/75: Hydrochlorothiazide 50 mg and triamterene 75 mg		
Carvedilol	Coreg®;	Antihypertensive;Beta-Blocker With Alpha-Blocking Activity;	Tablet, oral: 6.25 mg, 12.5 mg, 25 mg		
Labetalol		Antihypertensive;Beta-Blocker With Alpha-Blocking Activity;	Injection, solution, as hydrochloride: 5 mg/mL Generic: 5 mg/mL (20 mL) Tablet, Oral, as hydrochloride: Generic: 100 mg, 200 mg		
Atenolol		Antihypertensive;Beta-Blocker, Beta-1 Selective;	Tablet, oral: 25 mg, 50 mg, 100 mg		
Metoprolol		Antihypertensive;Beta-Blocker, Beta-1 Selective;	Injection, solution, as tartrate: 1 mg/mL (5 mL) Tablet, oral, as tartrate: 50 mg Tablet, extended release, oral, as succinate: 25 mg, 50 mg, 100mg		
AmLODIPine	Norvasc®;	Antihypertensive;Calcium Channel Blocker;	Tablet, oral: 5 mg, 10 mg		
Diltiazem	Cardizem® CD;	Antihypertensive;Calcium Channel Blocker;	Capsule, extended release, oral, as hydrochloride [once-daily dosing]: Generic: 120 mg, 180 mg, 240 mg, 300 mg, 360 mg Injection, solution, as hydrochloride: 5 mg/mL (5 mL)		

Bumetanide	Bumex;	Antihypertensive;Diuretic, Loop;	Solution, Injection: Generic: 0.25 mg/mL (10 mL) Tablet, Oral: Generic: 0.5 mg, 1 mg, 2 mg		
Furosemide		Antihypertensive;Diuretic, Loop;	Injection, solution: 10 mg/mL (4 mL) Injection, solution [preservative free]: 10 mg/mL (2 mL, 10 mL) Solution, oral: 10 mg/mL (60 mL) [sugar free; contains alcohol 11.6%; orange flavor] Tablet, oral: 20 mg, 40 mg, 80 mg		
Torsemide	Soaanz;	Antihypertensive;Diuretic, Loop;	Tablet, Oral: Generic: 5 mg, 10 mg, 20 mg, 100 mg		
AMILoride		Antihypertensive;Diuretic, Potassium-Sparing;	Tablet, Oral, as hydrochloride: Generic: 5 mg		
Spirolactone		Antihypertensive;Diuretic, Potassium-Sparing;Mineralocorticoid (Aldosterone) Receptor Antagonist;	Tablet, oral: 25 mg, 100 mg		
HydroCHLORothiazide	Microzide®;	Antihypertensive;Diuretic, Thiazide;	Capsule, oral: Microzide®: 12.5 mg Tablet, oral: 25 mg		
Chlorthalidone		Antihypertensive;Diuretic, Thiazide-Related;	Tablet, Oral: Generic: 25 mg, 50 mg, 100 mg		
Indapamide		Antihypertensive;Diuretic, Thiazide-Related;	Tablet, Oral: Generic: 1.25 mg, 2.5 mg		

HydrALAZINE		Antihypertensive;Vasodilator;	Injection, solution, as hydrochloride: 20 mg/mL (1 mL) [contains methylparaben and propylene glycol and propylparaben] Tablet, oral, as hydrochloride: 25 mg		
Nitroprusside	Nitropress®;	Antihypertensive;Vasodilator;	Injection, solution, as sodium: Nitropress®: 25 mg/mL (2 mL)		
Boric Acid (Vaginal)	Azo Boric Acid [OTC];Maintain Boric Acid [OTC];	Anti-infective Agent, Vaginal;	Suppository, Vaginal [preservative free]: Boric Acid: 600 mg (30 ea) [dye free, fragrance free, perfume free]		
DexAMETHasone (Ophthalmic)		Anti-inflammatory Agent, Ophthalmic;Corticosteroid, Ophthalmic;Corticosteroid, Otic;	Solution, Ophthalmic, as phosphate: Generic: 0.1% (5 mL)		
DexAMETHasone (Systemic)		Anti-inflammatory Agent;Antiemetic;Corticosteroid, Systemic;	Elixir, as base: 0.5 mg/5 mL (240 mL) Injection, solution, as sodium phosphate: 4 mg/mL (1 mL, 5 mL), 10 mg/mL (1 mL) [contains benzyl alcohol and sodium sulfite] Tablet, oral: 0.5 mg, 2 mg, 4 mg		
Ezetimibe	Zetia;	Antilipemic Agent, 2-Azetidinone;	Tablet, Oral: Generic: 10 mg		
Cholestyramine Resin	Prevalite;Questran;	Antilipemic Agent, Bile Acid Sequestrant;	Packet, Oral: Generic: 4 g (1 ea, 60 ea)		

Fenofibrate and Derivatives	Antara;Fenoglide;Fibricor;Lipofen;Lofibra [DSC];Tricor;Triglide [DSC];Trilipix;	Antilipemic Agent, Fibric Acid;	Tablet, Oral, as fenofibrate: Tricor: 48 mg [contains fd&c blue #2 aluminum lake, fd&c yellow #10 aluminum lake, fd&c yellow #6 aluminum lake, soybean lecithin] Generic: 40 mg, 48 mg, 54 mg, 120 mg, 145 mg, 160 mg		
Atorvastatin		Antilipemic Agent, HMG-CoA Reductase Inhibitor;	Tablet, Oral: Generic: 10 mg, 20 mg, 40 mg, 80 mg		
Pravastatin		Antilipemic Agent, HMG-CoA Reductase Inhibitor;	Tablet, Oral, as sodium: Generic: 10 mg, 20 mg, 40 mg, 80 mg		
Rosuvastatin	Crestor;	Antilipemic Agent, HMG-CoA Reductase Inhibitor;	Tablet, Oral: Crestor: 5 mg, 10 mg, 20 mg, 40 mg Generic: 5 mg, 10 mg, 20 mg, 40 mg		
Omega-3 Fatty Acids	Lovaza;Omega-3 Fish Oil [OTC];	Antilipemic Agent, Omega-3 Fatty Acids;	Capsule, Oral: Lovaza: 1 g [contains soybean oil, tocopherol, dl-alpha (vit e)] Capsule, Oral: Nature Made Fish Oil: 1000 mg, 1200 mg Generic: 1000 mg, 1200 mg		
Colestipol	Colestid®;	Antilipemic Agent;Antilipemic Agent, Bile Acid Sequestrant;	Granules, oral, as hydrochloride: Colestid®: 5 g/7.5 g packet Tablet, oral, as hydrochloride: Colestid®: 1 g		

Simvastatin	Zocor®;	Antilipemic Agent;Antilipemic Agent, HMG-CoA Reductase Inhibitor;	Tablet, oral: 5 mg, 40 mg, 80 mg Zocor®: 5 mg, 10 mg, 20 mg, 40 mg, 80 mg		
Lithium		Antimanic Agent;	Capsule, oral, as carbonate: Generic: 150 mg, 300 mg Tablet Extended Release, oral, as carbonate: Generic: 300 mg, 450 mg		Can consider addition of amiloride if concern for polyuria or other signs of renal toxicity
CarBAMazepine	Carbatrol®;TEGretol®;TE Gretol®-XR;	Antimanic Agent;Antiseizure Agent, Miscellaneous;	Capsule, extended release, oral: 200 mg, 300 mg Suspension, oral: 100 mg/5 mL (480 mL) [alcohol free; citrus-vanilla flavor] Tablet, oral: 200 mg Tablet, chewable, oral: 100 mg Tablet, extended release, oral: 100 mg, 400 mg		

Divalproex	Depakote®;Depakote® ER;Depakote® Sprinkle;	Antimanic Agent;Antiseizure Agent, Miscellaneous;Histone Deacetylase (HDAC) Inhibitor;	Capsule, sprinkle, oral: 125 mg [strength expressed as valproic acid] Depakote® Sprinkle: 125 mg [strength expressed as valproic acid] Tablet, delayed release, oral: 125 mg [strength expressed as valproic acid], 250 mg [strength expressed as valproic acid], 500 mg [strength expressed as valproic acid] Depakote®: 125 mg, 250 mg, 500 mg [strength expressed as valproic acid] Tablet, extended release, oral: 250 mg [strength expressed as valproic acid], 500 mg [strength expressed as valproic acid] Depakote® ER: 250 mg, 500 mg [strength expressed as valproic acid]		
-------------------	---	---	--	--	--

Valproic Acid and Derivatives	Depakene®;Depakote ER;Depakote®;Depakote® Sprinkle;	Antimanic Agent;Antiseizure Agent, Miscellaneous;Histone Deacetylase (HDAC) Inhibitor;	Capsule, sprinkle, oral, as divalproex sodium: Depakote® Sprinkle: 125 mg Syrup, oral, as valproate sodium: Depakene®: 250 mg/5 mL (480 mL) Tablet, delayed release, oral, as divalproex sodium: Depakote®: 250 mg Generic: 125mg, 250mg Tablet Extended Release 24 Hour, oral, as divalproex sodium: Depakote® ER: 250 mg, 500 mg Generic: 250 mg, 500 mg		
ChlorproMAZINE		Antimanic Agent;First Generation (Typical) Antipsychotic;Phenothiazine Derivative;	Injection, solution, as hydrochloride: 25 mg/mL (2 mL) [contains sodium metabisulfite 1 mg/mL and sodium sulfite 1 mg/mL] Tablet, oral, as hydrochloride: 10 mg, 25 mg		
ARIPiprazole	Abilify;Abilify Maintena;	Antimanic Agent;Second Generation (Atypical) Antipsychotic;	Prefilled Syringe, Intramuscular: Abilify Maintena: 300 mg (1 ea); 400 mg (1 ea) Tablet, Oral: Generic: 2 mg, 5 mg, 10 mg, 15 mg, 20 mg, 30 mg		

OLANzapine	ZyPREXA;	Antimanic Agent;Second Generation (Atypical) Antipsychotic;	Solution Reconstituted, Intramuscular: Generic: 10 mg (1 ea) Tablet, Oral: Generic: 2.5 mg, 5 mg, 7.5 mg, 10 mg, 15 mg, 20 mg		
QUetiapine	SEROquel®;	Antimanic Agent;Second Generation (Atypical) Antipsychotic;	Tablet, oral: Generic: 25 mg, 50 mg, 100 mg, 200 mg, 300 mg, 400 mg		
RisperiDONE	RisperDAL®;	Antimanic Agent;Second Generation (Atypical) Antipsychotic;	Tablet, oral: 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3mg Injection: 25 mg, 37.5 mg, 50 mg		
Ziprasidone	Geodon;	Antimanic Agent;Second Generation (Atypical) Antipsychotic;	Capsule, Oral, as hydrochloride: Geodon: 20 mg, 40 mg, 60 mg, 80 mg Generic: 20 mg, 40 mg, 60 mg, 80 mg Solution Reconstituted, Intramuscular, as mesylate [strength expressed as base, preservative free]: Geodon: 20 mg (1 ea) Generic: 20 mg (1 ea)		
Ergotamine and Caffeine	Cafergot®;	Antimigraine Agent;Central Nervous System Stimulant;Ergot Derivative;	Tablet: Cafergot®: 1/100: Ergotamine tartrate 1 mg and caffeine 100 mg		
Dihydroergotamine		Antimigraine Agent;Ergot Derivative;	Injection: 1 mg/mL		
Eletriptan	Relpax;	Antimigraine Agent;Serotonin 5-HT1B, 1D Receptor Agonist;	Tablet, Oral: Generic: 40 mg		

Rizatriptan	Maxalt;Maxalt-MLT;	Antimigraine Agent;Serotonin 5-HT1B, 1D Receptor Agonist;	Tablet Disintegrating, Oral: Maxalt-MLT: 5 mg [DSC] [contains aspartame] Maxalt-MLT: 5 mg [contains aspartame; peppermint flavor] Maxalt-MLT: 10 mg [DSC] [contains aspartame] Maxalt-MLT: 10 mg [contains aspartame; peppermint flavor] Generic: 5 mg, 10 mg		
SUMatriptan		Antimigraine Agent;Serotonin 5-HT1B, 1D Receptor Agonist;	Tablet, Oral, as succinate [strength expressed as base]: Generic: 50 mg		
CycloPHOSphamide	Cytosan®;	Antineoplastic Agent, Alkylating Agent;Antineoplastic Agent, Alkylating Agent (Nitrogen Mustard);Antirheumatic Miscellaneous;Immunosuppressant Agent;	Tablet, oral: Cytosan®: 50 mg		
Methotrexate		Antineoplastic Agent, Antimetabolite (Antifolate);Antirheumatic, Disease Modifying;Immunosuppressant Agent;	Injection, solution [preservative free]: 25 mg/mL (2 mL, 4 mL) Tablet, oral: 2.5 mg		
Mercaptopurine		Antineoplastic Agent, Antimetabolite;Antineoplastic Agent, Antimetabolite (Purine Analog);Immunosuppressant Agent;	Tablet, oral: 50 mg		

Fluorouracil (Topical)	Efudex®;	Antineoplastic Agent, Antimetabolite;Antineoplastic Agent, Antimetabolite (Pyrimidine Analog);Topical Skin Product;	Cream, topical: Efudex®: 5% (40 g)		
Anastrozole		Antineoplastic Agent, Aromatase Inhibitor;	Tablet, Oral: Generic: 1 mg		
Letrozole	Femara;	Antineoplastic Agent, Aromatase Inhibitor;	Tablet, Oral: Femara: 2.5 mg Generic: 2.5 mg		
Tamoxifen	Nolvadex®;	Antineoplastic Agent, Estrogen Receptor Antagonist;Selective Estrogen Receptor Modulator (SERM);	Tablet, oral: 10 mg		
Leuprolide	Lupron Depot (1-Month);Lupron Depot (3-Month);Lupron Depot (4-Month);Lupron Depot (6-Month);	Antineoplastic Agent, Gonadotropin-Releasing Hormone Agonist;Gonadotropin Releasing Hormone Agonist;	Kit, Intramuscular, as acetate: Lupron Depot (1-Month): 7.5 mg [latex free; contains polysorbate 80] Lupron Depot (6-Month): 45 mg [latex free; contains polysorbate 80] Kit, Intramuscular, as acetate [preservative free]: Lupron Depot (1-Month): 3.75 mg [latex free; contains polysorbate 80] Lupron Depot (3-Month): 11.25 mg, 22.5 mg [latex free; contains polysorbate 80] Lupron Depot (4-Month): 30 mg [latex free; contains polysorbate 80]		

Megestrol		Antineoplastic Agent, Hormone;Appetite Stimulant;Progestin;	Suspension, oral, as acetate: 40 mg/mL (240 mL) [contains alcohol 0.6% and sodium benzoate; lemon-lime flavor] Tablet, oral, as acetate: 40 mg		
Hydroxyurea	Hydrea®;	Antineoplastic Agent, Miscellaneous;	Capsule, oral: Hydrea®: 500 mg		
Permethrin		Antiparasitic Agent, Topical;Pediculocide;Scabidical Agent;	Cream, External: Generic: 5% (60 g) Lotion, External: Generic: 1% (2 x 59 mL)		
Benztropine	Cogentin®;	Anti-Parkinson Agent, Anticholinergic;Anticholinergic Agent;	Solution, for injection, as mesylate: Cogentin®: 1 mg/mL (2 mL) Tablet, oral, as mesylate: 1 mg		
Trihexyphenidyl		Anti-Parkinson Agent, Anticholinergic;Anticholinergic Agent;	Tablet, oral, as hydrochloride: 2 mg		
Levodopa and Carbidopa	Sinemet® CR;	Anti-Parkinson Agent, Decarboxylase Inhibitor;Anti-Parkinson Agent, Dopamine Precursor;	Tablet: 100/10: Levodopa 100 mg and carbidopa 10 mg 100/25: Levodopa 100 mg and carbidopa 25 mg 250/25: Levodopa 250 mg and carbidopa 25 mg Tablet, extended release: 100/25: Levodopa 100 mg and carbidopa 25 mg Tablet, sustained release: 100/25: Levodopa 100 mg and carbidopa 25 mg 200/50: Levodopa 200 mg and carbidopa 50 mg		

Pramipexole	Mirapex [DSC];	Anti-Parkinson Agent, Dopamine Agonist;	Tablet, Oral, as dihydrochloride monohydrate: Generic: 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg		
Bromocriptine	Parlodel® SnapTabs®;	Anti-Parkinson Agent, Dopamine Agonist;Antidiabetic Agent, Dopamine Agonist;Ergot Derivative;Hyperprolactine mia Agent, Dopamine (D2) Agonist;	Tablet, oral, as mesylate: Parlodel® SnapTabs®: 2.5 mg		
Amantadine	Symmetrel®;	Anti-Parkinson Agent, Dopamine Agonist;Antiviral Agent;Antiviral Agent, Adamantane;	Capsule, oral, as hydrochloride: 100 mg Capsule, softgel, oral, as hydrochloride: 100 mg Syrup, oral, as hydrochloride: 50 mg/5 mL (473 mL) [alcohol free, dye free, sugar free; raspberry flavor]		
Selegiline		Anti-Parkinson Agent, MAO Type B Inhibitor;Antidepressant, Monoamine Oxidase Inhibitor;	Tablet, oral, as hydrochloride: 5 mg		
Aspirin and Dipyridamole	Aggrenox®;	Antiplatelet Agent;	Capsule, variable release: Aggrenox®: Aspirin 25 mg (immediate release) and dipyridamole 200 mg (extended release) [contains lactose, sucrose]		
Ticagrelor	Brilinta;	Antiplatelet Agent;Antiplatelet Agent, Non-thienopyridine;P2Y12 Antagonist;	Tablet, Oral: Generic: 60 mg, 90 mg		

Clopidogrel	Plavix®;	Antiplatelet Agent; Antiplatelet Agent, Thienopyridine; P2Y12 Antagonist;	Tablet, oral: 75 mg		
Cilostazol		Antiplatelet Agent; Phosphodiesterase-3 Enzyme Inhibitor; Vasodilator;	Tablet, Oral: Generic: 50 mg, 100 mg		
Dipyridamole		Antiplatelet Agent; Vasodilator;	Tablet, oral: 25 mg, 50 mg		
Dolutegravir	Tivicay; Tivicay PD;	Antiretroviral, Integrase Inhibitor (Anti-HIV);	Tablet, Oral: Tivicay: 10 mg, 25 mg, 50 mg Tablet Soluble, Oral: Tivicay PD: 5 mg		
Raltegravir	Isentress;	Antiretroviral, Integrase Inhibitor (Anti-HIV);	Tablet, Oral: Isentress: 400 mg		
Abacavir, Dolutegravir, and Lamivudine	Triumeq; Triumeq PD;	Antiretroviral, Integrase Inhibitor (Anti-HIV); Antiretroviral, Reverse Transcriptase Inhibitor, Nucleoside (Anti-HIV);	Tablet, Oral: Triumeq: Abacavir 600 mg, dolutegravir 50 mg, and lamivudine 300 mg Tablet Soluble, Oral: Triumeq PD: Abacavir 60 mg, dolutegravir 5 mg, and lamivudine 30 mg		
Bictegravir, Emtricitabine, and Tenofovir Alafenamide	Biktarvy;	Antiretroviral, Integrase Inhibitor (Anti-HIV); Antiretroviral, Reverse Transcriptase Inhibitor, Nucleoside (Anti-HIV); Antiretroviral, Reverse Transcriptase Inhibitor, Nucleotide (Anti-HIV);	Tablet, Oral: Biktarvy: Bictegravir 30 mg, emtricitabine 120 mg, and tenofovir alafenamide 15 mg, Bictegravir 50 mg, emtricitabine 200 mg, and tenofovir alafenamide 25 mg		

Emtricitabine and Tenofovir Alafenamide	Descovy;	Antiretroviral, Reverse Transcriptase Inhibitor, Nucleoside (Anti-HIV);Antiretroviral, Reverse Transcriptase Inhibitor, Nucleotide (Anti-HIV);	Tablet, Oral: Descovy: Emtricitabine 120 mg and tenofovir alafenamide 15 mg Descovy: Emtricitabine 200 mg and tenofovir alafenamide 25 mg [contains fd&c blue #2 aluminum lake]		
Emtricitabine and Tenofovir Disoproxil Fumarate	Truvada;	Antiretroviral, Reverse Transcriptase Inhibitor, Nucleoside (Anti-HIV);Antiretroviral, Reverse Transcriptase Inhibitor, Nucleotide (Anti-HIV);	Tablet, Oral: Generic: Emtricitabine 200 mg and tenofovir disoproxil fumarate 300 mg		
Hyaluronate and Derivatives	Euflexxa;Gel-One;	Antirheumatic Miscellaneous;Cosmetic Agent, Implant;Ophthalmic Agent, Viscoelastic;Skin and Mucous Membrane Agent, Miscellaneous;	Injection, gel, intra-articular [cross-linked hyaluronate]: Gel-One: 10 mg/mL (3 mL) [derived from or manufactured using an avian source] Injection, solution, intra-articular [sodium hyaluronate]: Euflexxa: 10 mg/mL (2 mL)		
Leflunomide	Arava;	Antirheumatic, Disease Modifying;	Tablet, Oral: Arava: 10 mg, 20 mg Generic: 10 mg, 20 mg		
Adalimumab	Humira;Humira Pen;Humira Pen-Crohns Starter;Humira Pen-Psoriasis Starter;	Antirheumatic, Disease Modifying;Gastrointestinal Agent, Miscellaneous;Monoclonal Antibody;Tumor Necrosis Factor (TNF) Blocking Agent;	Kit, Subcutaneous [preservative-free, citrate-free]: 40 mg/0.4 mL Kit, Subcutaneous [contains polysorbate 80]: 40 mg/0.8 mL		

Sulfur and Salicylic Acid		Antiseborrheic Agent, Topical;	Shampoo: Micropulverized sulfur 2% and salicylic acid 2%		
Selenium Sulfide		Antiseborrheic Agent, Topical;Topical Skin Product;	Lotion, topical: 2.5% (120 mL)		
PHENobarbital	Luminal®;	Antiseizure Agent, Barbiturate;Barbiturate;	Elixir, oral: 20 mg/5 mL (480 mL) [orange flavor] Injection, solution, as sodium: Luminal®: 60 mg/mL; 130 mg/mL (1 mL) [contains alcohol 10% and propylene glycol] Tablet, oral: 15 mg, 16.2 mg, 30 mg, 100 mg		
Clonazepam		Antiseizure Agent, Benzodiazepine;Benzodiaz epine;	Tablet, oral: 0.5 mg, 1 mg		
Diazepam	Diastat®;Diastat® AcuDial™;	Antiseizure Agent, Benzodiazepine;Benzodiaz epine;	Gel, rectal: Pediatric rectal tip [4.4 cm]: Diastat®: 5 mg/mL (0.5 mL) [contains benzoic acid and benzyl alcohol and ethyl alcohol 10% and sodium benzoate] Pediatric/Adult rectal tip [4.4 cm]: Diastat® AcuDial™: 10 mg (2 mL) [contains benzoic acid and benzyl alcohol 1.5% and ethyl alcohol 10% and sodium benzoate] Injection, solution: 5 mg/mL (2 mL, 10 mL) [contains benzyl alcohol] Tablet, oral: 5 mg		

LORazepam		Antiseizure Agent, Benzodiazepine;Benzodiazepine;	Injection, solution: 2 mg/mL (1 mL) Tablet, oral: 0.5 mg, 1 mg		
Midazolam		Antiseizure Agent, Benzodiazepine;Benzodiazepine;	Solution, Injection: Generic: 5 mg/mL (1 mL); 10 mg/2 mL (2 mL); 50 mg/10 mL (10 mL) Solution, Nasal: Nayzilam: 5 mg/0.1 mL (1 ea) [contains propylene glycol]		
Fosphenytoin	Cerebyx®;	Antiseizure Agent, Hydantoin;	Injection, solution, as sodium: 75 mg/mL (2 mL, 10 mL) [equivalent to phenytoin sodium 50 mg/mL] Cerebyx®: 75 mg/mL (2 mL) [equivalent to phenytoin sodium 50 mg/mL] Injection, solution, as sodium [preservative free]: 75 mg/mL (2 mL)		

Phenytoin	Dilantin-125®; Dilantin® Infatabs®; Dilantin® Kapseals®;	Antiseizure Agent, Hydantoin;	Capsule, extended release, oral, as sodium: Dilantin® Kapseals®: 100 mg Injection, solution, as sodium: 50 mg/mL (2 mL, 5 mL) [contains alcohol 10% and propylene glycol 40%] Suspension, oral: Dilantin-125®: 125 mg/5 mL (240 mL) [contains alcohol ≤0.6% and sodium benzoate; orange-vanilla flavor] Tablet, chewable, oral: Dilantin® Infatabs®: 50 mg		
Lamotrigine		Antiseizure Agent, Miscellaneous;	Tablet, oral: 25 mg, 100 mg, 150 mg, 200 mg Tablet, chewable/dispersible, oral: 5 mg, 25 mg		
Levetiracetam		Antiseizure Agent, Miscellaneous;	Solution, Intravenous: Generic: 500 mg/5 mL (5 mL) Solution, Oral: Keppra: 100 mg/mL (473 mL) [gluten free, lactose free; contains acesulfame potassium, methylparaben, propylparaben; grape flavor] Generic: 100 mg/mL (5 mL, 473 mL, 500 mL) Tablet, Oral: Generic: 250 mg, 500 mg, 750 mg, 1000 mg		

OXcarbazepine	Trileptal;	Antiseizure Agent, Miscellaneous;	Suspension, Oral: Generic: 300 mg/5 mL (250 mL) Tablet, Oral: Generic: 150 mg, 300 mg, 600 mg		
Topiramate	Topamax®;	Antiseizure Agent, Miscellaneous;	Tablet, oral: 25 mg, 50mg, 100 mg		
Primidone		Antiseizure Agent, Miscellaneous;Barbiturate;	Tablet, oral: 50 mg, 250 mg		
AcetaZOLAMIDE	Diamox® Sequels®;	Antiseizure Agent, Miscellaneous;Carbonic Anhydrase Inhibitor;Diuretic, Carbonic Anhydrase Inhibitor;Ophthalmic Agent, Antiglaucoma;	Capsule, sustained release, oral: Diamox® Sequels®: 500 mg Injection, powder for reconstitution, as sodium: 500 mg Tablet, oral: 250 mg		
Magnesium Sulfate		Antiseizure Agent, Miscellaneous;Electrolyte Supplement, Parenteral;Magnesium Salt;	Injection, solution [preservative free]: 500 mg/mL (2 mL)		
Gabapentin	Neurontin®;	Antiseizure Agent, Miscellaneous;GABA Analog;	Capsule, oral: 100 mg, 300 mg, 400 mg Neurontin®: 100 mg, 300 mg, 400 mg		
Pregabalin	Lyrica;	Antiseizure Agent, Miscellaneous;GABA Analog;	Capsule, Oral: Lyrica: 25 mg, 50 mg, 75 mg, 100 mg, 150 mg, 200 mg, 225 mg, 300 mg		
Ethosuximide	Zarontin;	Antiseizure Agent, Succinimide;	Capsule, Oral: Generic: 250 mg		
Povidone-Iodine (Ophthalmic)	Betadine Ophthalmic Prep;	Antiseptic, Ophthalmic;	Solution, Ophthalmic: Betadine Ophthalmic Prep: 5% (30 mL)		
FlavoxATE	Urispas®;	Antispasmodic Agent, Urinary;	Tablet, oral: Urispas®: 100 mg		

OxyBUTYnin		Antispasmodic Agent, Urinary;	Tablet, Oral, as chloride: Generic: 5 mg Tablet Extended Release 24 Hour, Oral, as chloride: Generic: 5 mg, 10 mg, 15 mg Solution, Oral, as chloride: Generic: 5 mg/5 mL (473 mL)		
MethIMAzole		Antithyroid Agent;Thioamide;	Tablet, oral: 10 mg		
Propylthiouracil		Antithyroid Agent;Thioamide;	Tablet, oral: 50 mg		
Ethambutol	Myambutol®;	Antitubercular Agent;	Tablet, oral, as hydrochloride: 100 mg, 400 mg		
Isoniazid		Antitubercular Agent;	Tablet, oral: 300 mg		
Pyrazinamide		Antitubercular Agent;	Tablet, oral: 500 mg		
RifAMPin	Rifadin®;	Antitubercular Agent;Rifamycin;	Capsule, oral: 300 mg		
Rifapentine	Priftin;	Antitubercular Agent;Rifamycin;	Tablet, Oral: Priftin: 150 mg [contains disodium edta, fd&c blue #2 aluminum lake]		
Benzonatate		Antitussive;	Capsule, softgel, oral: 100 mg		
Guaifenesin and Codeine	Cheratussin AC [OTC];	Antitussive;Expectorant;	Syrup, oral: Guaifenesin 100 mg and codeine phosphate 10 mg per 5 mL (10 mL, 120 mL)		
Guaifenesin and Dextromethorphan	Q-Tussin DM [OTC];	Antitussive;Expectorant;	Liquid, oral: Q-Tussin DM: 100/10: guaifenesin 100 mg and dextromethorphan hydrobromide 10 mg per 5 mL (120 mL) [cherry flavor]		

Antivenin (Crotalidae) Polyvalent	CroFab™ [Ovine];	Antivenin;	Injection, powder for reconstitution: CroFab™ [ovine]: Derived from <i>Crotalus adamanteus</i> , <i>C. atrox</i> , <i>C. scutulatus</i> , and <i>Agkistrodon piscivorus</i> snake venoms [ovine origin; contains thimerosal; manufactured with papain]		
Trifluridine		Antiviral Agent, Ophthalmic;	Solution, ophthalmic: 1% (7.5 mL) [contains thimerosal]		
Acyclovir (Topical)	Zovirax;	Antiviral Agent, Topical;	Cream, External: Generic: 5% (5 g) Ointment, External: Generic: 5% (15 g)		
Acyclovir (Systemic)		Antiviral Agent;	Capsule, oral: 200 mg Injection, powder for reconstitution, as sodium [preservative free]: 500 mg Tablet, oral: 800 mg		
Vidarabine		Antiviral Agent;	Ointment, ophthalmic, as monohydrate: 3% [30 mg/mL = 28 mg/mL base] (3.5 g) [DSC]		

Nirmatrelvir and Ritonavir	Paxlovid (150/100); Paxlovid (300/100);	Antiviral Agent; Cytochrome P-450 Inhibitor;	Tablet Therapy Pack, Oral: Paxlovid (300/100): Nirmatrelvir 20 x 150 mg and ritonavir 10 x 100 mg (6 ea, 30 ea) Paxlovid (150/100): Nirmatrelvir 10 x 150 mg and ritonavir 10 x 100 mg (2 ea, 4 ea [DSC], 20 ea)		Note: check patient's kidney function as well as drug interactions. CRCL >60 = use 300mg strength CRCL 30-60 = use 150mg strength CRCL < 30 = not recommended For drug interaction checking, please utilize both Lexicomp Interactions menu as well as the Liverpool COVID interactions website: https://www.covid19-druginteractions.org/checker
ValACYclovir	Valtrex;	Antiviral Agent; Antiviral Agent, Oral;	Tablet, Oral: Generic: 500 mg, 1 g		
Oseltamivir	Tamiflu®;	Antiviral Agent; Neuraminidase Inhibitor;	Capsule, as phosphate: Tamiflu®: 30 mg, 45 mg, 75 mg Powder for oral suspension: Tamiflu®: 12 mg/mL (25 mL) [contains sodium benzoate; tutti-frutti flavor]		
Butalbital, Aspirin, and Caffeine		Barbiturate;	Capsule, oral: Butalbital 50 mg, aspirin 325 mg, and caffeine 40 mg		
Chlordiazepoxide		Benzodiazepine;	Capsule, oral, as hydrochloride: 10 mg, 25 mg		
Temazepam		Benzodiazepine;	Capsule, oral: 15 mg		
Isoproterenol	Isuprel®;	Beta1/Beta2 Agonist;	Injection, solution, as hydrochloride: Isuprel®: 0.2 mg/mL (1 mL) [contains sodium metabisulfite]		

Albuterol	ProAir HFA;	Beta2 Agonist;	Aerosol, for oral inhalation: ProAir HFA: 90 mcg/actuation (8.5 g) Solution, for nebulization: 0.083% (3 mL)		
Budesonide and Formoterol	Symbicort;	Beta2 Agonist;Beta2-Adrenergic Agonist, Long-Acting;Corticosteroid, Inhalant (Oral);	Aerosol, Inhalation: Generic: Budesonide 160 mcg and formoterol fumarate dihydrate 4.5 mcg per actuation (10.2 g); Budesonide 80 mcg and formoterol fumarate dihydrate 4.5 mcg per actuation (10.2 g)		
Fluticasone and Salmeterol	Advair Diskus;Wixela;	Beta2 Agonist;Beta2-Adrenergic Agonist, Long-Acting;Corticosteroid, Inhalant (Oral);	Powder, for oral inhalation: 100/50: Fluticasone propionate 100 mcg and salmeterol 50 mcg (60s) 250/50: Fluticasone propionate 250 mcg and salmeterol 50 mcg (60s) 500/50: Fluticasone propionate 500 mcg and salmeterol 50 mcg (60s)		
Dorzolamide and Timolol	Cosopt;Cosopt PF;	Beta-Adrenergic Blocker, Nonselective;Carbonic Anhydrase Inhibitor (Ophthalmic);Ophthalmic Agent, Antiglaucoma;	Solution, Ophthalmic: Generic: Dorzolamide 2% and timolol 0.5% (10 mL)		
Betaxolol (Ophthalmic)	Betoptic S®;	Beta-Blocker, Beta-1 Selective;Ophthalmic Agent, Antiglaucoma;	Solution, ophthalmic: 0.5% (5 mL, 10 mL) [contains benzalkonium chloride] Suspension, ophthalmic: Betoptic S®: 0.25% (10 mL) [contains benzalkonium chloride]		

Carteolol (Ophthalmic)		Beta-Blocker, Nonselective; Ophthalmic Agent, Antiglaucoma;	Solution, Ophthalmic, as hydrochloride: Generic: 1% (5 mL)		
Timolol (Ophthalmic)	Timoptic-XE®;	Beta-Blocker, Nonselective; Ophthalmic Agent, Antiglaucoma;	Solution, ophthalmic, as maleate: Generic: 0.5% (5 mL) [contains benzalkonium chloride]		
Alendronate	Fosamax®;	Bisphosphonate Derivative;	Tablet, oral: 5 mg, 10 mg, 35 mg, 40 mg, 70 mg		
Zoledronic Acid	Reclast;	Bisphosphonate Derivative;	Solution, Intravenous [preservative free]: Generic: 5 mg/100 mL (100 mL)		
Prothrombin Complex Concentrate (Human) [(Factors II, VII, IX, X), Protein C, and Protein S]	Kcentra;	Blood Product Derivative; Hemostatic Agent; Prothrombin Complex Concentrate (PCC);	Kit, Intravenous [preservative free]: Kcentra: ~500 units, ~1000 units [pyrogen free; contains albumin human, antithrombin iii (human), heparin]		

Immune Globulin	Carimune® NF;Flebogamma® DIF;Flebogamma® [DSC];GamaSTAN™ S/D;Gammagard S/D®;Gammagard® Liquid;Gammaplex®;Gamunex®;Gamunex®-C;Hizentra®;Octagam®;Privigen®;Vivaglobin®;	Blood Product Derivative;Immune Globulin;	Injection, powder for reconstitution [preservative free]: Carimune® NF: 3 g, 6 g, 12 g [contains sucrose] Gammagard S/D®: 2.5 g, 5 g, 10 g [contains albumin (human), glucose, glycine, natural rubber/natural latex in packaging, polyethylene glycol, polysorbate 80] Injection, solution [preservative free]: Flebogamma®: 5% [50 mg/mL] (10 mL [DSC], 50 mL [DSC], 100 mL [DSC], 200 mL [DSC]) [contains polyethylene glycol, sorbitol] Flebogamma® DIF: 5% [50 mg/mL] (10 mL, 50 mL, 100 mL, 200 mL, 400 mL); 10% [100 mg/mL] (100 mL, 200 mL) [contains polyethylene glycol, sorbitol] GamaSTAN™ S/D: 15% to 18% (2 mL, 10 mL) Gammagard® Liquid: 10%		
Rabies Immune Globulin (Human)	BayRab®;	Blood Product Derivative;Immune Globulin;	Injection, solution [preservative free]: BayRab®: 150 int. units/mL (2 mL)		
Rho(D) Immune Globulin	RhoGAM®;	Blood Product Derivative;Immune Globulin;	Injection, solution [preservative free]: RhoGAM®: ~300 mcg [contains polysorbate 80]		
Albumin	Plasbumin®-25;	Blood Product Derivative;Plasma Volume Expander, Colloid;	Injection, solution [human]: Plasbumin®-25: 25% (50 mL)		

Pentoxifylline		Blood Viscosity Reducer Agent;	Tablet, extended release, oral: 400 mg		
CycloSPORINE (Systemic)	Neoral®; SandIMMUNE®;	Calcineurin Inhibitor; Immunosuppressant Agent;	Capsule, softgel, oral [modified]: Neoral®: 25 mg, 100 mg [contains castor oil and dehydrated alcohol 11.9% and propylene glycol] Capsule, softgel, oral [non-modified]: SandIMMUNE®: 25 mg, 100 mg [contains dehydrated alcohol 12.7%]		
Tacrolimus (Topical)	Protopic [DSC];	Calcineurin Inhibitor; Immunosuppressant Agent; Topical Skin Product;	Ointment, External: Generic: 0.03% (30 g); 0.1% (30 g)		
Calcium Citrate and Vitamin D		Calcium Salt;	Tablet: Calcium citrate 400 mg and vitamin D 500 int. units		
Calcium Gluconate		Calcium Salt; Electrolyte Supplement, Oral; Electrolyte Supplement, Parenteral;	Injection, solution [preservative free]: 10% (10 mL)		
Calcium Chloride		Calcium Salt; Electrolyte Supplement, Parenteral;	Solution, Intravenous: Generic: 10% (10 mL) Solution, Intravenous [preservative free]: Generic: 10% (10 mL)		
Lipid Emulsion (Plant Based)	Intralipid;	Caloric Agent;	Emulsion, Intravenous: Intralipid: 20% (250 mL)		
Dorzolamide	Trusopt®;	Carbonic Anhydrase Inhibitor (Ophthalmic); Ophthalmic Agent, Antiglaucoma;	Solution, ophthalmic: Generic: 2% (10 mL) [contains benzalkonium chloride]		
MethazolAMIDE		Carbonic Anhydrase Inhibitor; Diuretic, Carbonic Anhydrase Inhibitor; Ophthalmic Agent, Antiglaucoma;	Tablet, oral: 50 mg		

Sodium Phosphates	Fleet® Enema for Children [OTC]; Fleet® Enema [OTC];	Cathartic; Electrolyte Supplement, Parenteral; Laxative, Bowel Evacuant;	Solution, rectal [enema]: Fleet® Enema for Children: Monobasic sodium phosphate 9.5 g and dibasic sodium phosphate 3.5 g per 59 mL delivered dose (66 mL) Fleet® Enema: Monobasic sodium phosphate 19 g and dibasic sodium phosphate 7 g per 118 mL delivered dose (133 mL)		
Dextroamphetamine	Dexedrine; ProCentra; Zenzedi;	Central Nervous System Stimulant;	Tablet, Oral, as sulfate: Generic: 10 mg		
Dextroamphetamine and Amphetamine	Adderall XR®;	Central Nervous System Stimulant;	Capsule, extended release, oral: Generic: 5mg, 10 mg, 15 mg, 20 mg, 25 mg, 30 mg Tablet, Oral: Generic: 5mg, 10 mg, 15 mg, 20 mg, 25 mg, 30 mg		
Methylphenidate	Concerta; QuillChew ER; Quillivant XR;	Central Nervous System Stimulant;	Tablet Extended Release, Oral, as hydrochloride: Generic: 18 mg, 27 mg, 36 mg, 54 mg Tablet, Oral, as hydrochloride: Generic: 5 mg, 10 mg, 20 mg		
Edetate Disodium	Endrate®;	Chelating Agent;	Injection, solution: Endrate®: 150 mg/mL (20 mL)		
PenicillAMINE	Depen®;	Chelating Agent;	Tablet, oral: Depen®: 250 mg		

Lubiprostone	Amitiza;	Chloride Channel Activator;Gastrointestinal Agent, Miscellaneous;	Capsule, Oral: Amitiza: 8 mcg Amitiza: 24 mcg [contains fd&c red #40, fd&c yellow #10 (quinoline yellow)]		
Epoetin Alfa	Epogen®;	Colony Stimulating Factor;Erythropoiesis-Stimulating Agent (ESA);Hematopoietic Agent;	Injection, solution: Epogen®: 10,000 units/mL (2 mL), 20,000 units/mL (1 mL) [contains benzyl alcohol] Injection, solution [preservative free]: Epogen®: 2000 units/mL (1 mL)		
Copper IUD	Paragard Intrauterine Copper;	Contraceptive;	Intrauterine Device, Intrauterine: Paragard Intrauterine Copper:		
Ethinyl Estradiol and Drospirenone	Jasmiel;Lo-Zumandimine;Loryna;Nikki;Ocella;Syeda;Vestura;Yasmin 28;YAZ;Zumandimine;	Contraceptive;Estrogen and Progestin Combination;	Generic: Ethinyl estradiol 0.03 mg and drospirenone 3 mg [21 active tablets and 7 inactive tablets]		
Ethinyl Estradiol and Ethynodiol Diacetate	Zovia™ 1/35;Zovia™ 1/50;	Contraceptive;Estrogen and Progestin Combination;	Tablet, oral: Zovia™ 1/35: Ethinyl estradiol 0.035 mg and ethynodiol diacetate 1 mg [21 light pink tablets and 7 white inactive tablets] Zovia™ 1/50: Ethinyl estradiol 0.05 mg and ethynodiol diacetate 1 mg [21 pink tablets and 7 white inactive tablets]		
Ethinyl Estradiol and Etonogestrel	NuvaRing;	Contraceptive;Estrogen and Progestin Combination;	Ring, vaginal: NuvaRing: Ethinyl estradiol 0.015 mg/day and etonogestrel 0.12 mg/day (3s) [3-week duration]		

Ethinyl Estradiol and Levonorgestrel	Camrese® 91; Levlen® 28; Seasonique® 91; Tri- Levlen® 28; Trivora® 28;	Contraceptive; Estrogen and Progestin Combination;	Tablet, monophasic formulation: Levlen® 28: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg [21 light orange tablets and 7 pink inactive tablets] Levora® 28: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg [21 light orange tablets and 7 pink inactive tablets] Tablet, triphasic formulation: Myzilra® 28: Day 1-6: Ethinyl estradiol 0.03 mg and levonorgestrel 0.05 mg [6 brown tablets]; Day 12- 2: Ethinyl estradiol 0.03 mg and levonorgestrel 0.125 mg [10 light yellow tablets]; Day 22-28: 7 light green inactive tablets; Day 7-11: Ethinyl estradiol 0.04 mg and levonorgestrel 0.075 mg [5 white tablets] Tri-Levlen® 28: Day 1-6: Ethinyl estradiol 0.03 mg and levonorgestrel 0.05 mg		
Ethinyl Estradiol and Norelgestromin	Xulane; Zafemy;	Contraceptive; Estrogen and Progestin Combination;	Patch Weekly, Transdermal: Xulane: Ethinyl estradiol 35 mcg and norelgestromin 150 mcg per day (1 ea, 3 ea) Zafemy: Ethinyl estradiol 35 mcg and norelgestromin 150 mcg per day (1 ea, 3 ea)		

Ethinyl Estradiol and Norethindrone	Brevicon®;Loestrin® 21 1/20;Loestrin® Fe 1.5/30;Loestrin® Fe 1/20;Norinyl® 1/35-28;Ortho-Novum® 1/35-28;Ortho-Novum® 7/7/7-21;	Contraceptive;Estrogen and Progestin Combination;	Tablet, monophasic formulation: Loestrin® 21 1/20: Ethinyl estradiol 0.02 mg and norethindrone acetate 1 mg Loestrin® Fe 1.5/30: Ethinyl estradiol 0.03 mg and norethindrone acetate 1.5 mg [21 green tablets] and ferrous fumarate 75 mg [7 brown tablets] Loestrin® Fe 1/20: Ethinyl estradiol 0.02 mg and norethindrone acetate 1 mg [21 white tablets] and ferrous fumarate 75 mg [7 brown tablets] Brevicon®: Ethinyl estradiol 0.035 mg and norethindrone 0.5 mg [21 blue tablets and 7 orange inactive tablets] Norinyl® 1/35-28: Ethinyl estradiol 0.035 mg and norethindrone 1 mg [21 yellow green tablets and 7 orange inactive tablets] Ortho-Novum® 1/35-28:		
-------------------------------------	--	---	---	--	--

Ethinyl Estradiol and Norgestimate	Estarylla; Femynor; Mono-Linyah; MonoNessa; Ortho Tri-Cyclen; Ortho Tri-Cyclen Lo; Ortho-Cyclen; Previfem; Sprintec; Tri-Estarylla; Tri-Linyah; Tri-Lo-Estarylla; Tri-Lo-Marzia; Tri-Lo-Sprintec; Tri-Previfem; Tri-Sprintec; TriNessa; TriNessa Lo;	Contraceptive; Estrogen and Progestin Combination;	Tablet, oral [monophasic formulation]: Estarylla: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 green inactive tablets] (28s) Femynor: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 red tablets and 7 white inactive tablets] (28s) MonoNessa, Ortho-Cyclen: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 dark green inactive tablets] (28s) Previfem: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 light green inactive tablets] (28s) Mono-Linya, Sprintec: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 white inactive tablets] (28s)		
Ethinyl Estradiol and Norgestrel	Ogestrel® 28;	Contraceptive; Estrogen and Progestin Combination;	Tablet, oral: Ogestrel® 28: Ethinyl estradiol 0.05 mg and norgestrel 0.5 mg		
Norethindrone and Mestranol	Ortho-Novum® 1/50;	Contraceptive; Estrogen and Progestin Combination;	Tablet, monophasic formulation: Ortho-Novum® 1/50: Norethindrone 1 mg and mestranol 0.05 mg [21 yellow tablets and 7 green inactive tablets]		

Ulipristal	Ella;	Contraceptive;Progestin Receptor Modulator;	Tablet, Oral, as acetate: Ella: 30 mg		
Etonogestrel	Nexplanon;	Contraceptive;Progestin;	Implant, Subcutaneous: Nexplanon: 68 mg (1 ea)		
Levonorgestrel (IUD)	Mirena;	Contraceptive;Progestin;	Intrauterine Device, Intrauterine: Mirena: 20 mcg/24 hr		
Levonorgestrel (Systemic)	Plan B One-Step [OTC];	Contraceptive;Progestin;	Tablet, Oral: Generic: 1.5 mg		
MedroxyPROGESTERone	Depo-Provera® Contraceptive;	Contraceptive;Progestin;	Suspension, Intramuscular, as acetate: Generic: 150 mg/mL (1 mL) Tablet, oral, as acetate: Generic: 5 mg, 10 mg		
Norethindrone	Nor-QD®;	Contraceptive;Progestin;	Tablet, oral: Nor-QD®: 0.35 mg Tablet, Oral, as acetate: Generic: 5 mg		
Norgestrel	Opill;	Contraceptive;Progestin;	Tablet, Oral: Opill: 0.075 mg (28s)		

Beclomethasone (Oral Inhalation)	QVAR®;	Corticosteroid, Inhalant (Oral);	Aerosol, for oral inhalation, as dipropionate: QVAR®: 40 mcg/inhalation (7.3 g [DSC]) [chlorofluorocarbon free; contains ethanol; 100 metered actuations] QVAR®: 40 mcg/inhalation (8.7 g) [chlorofluorocarbon free; contains ethanol; 120 metered actuations] QVAR®: 80 mcg/inhalation (7.3 g [DSC]) [chlorofluorocarbon free; contains ethanol; 100 metered actuations] QVAR®: 80 mcg/inhalation (8.7 g) [chlorofluorocarbon free; contains ethanol; 120 metered actuations]		
Budesonide (Oral Inhalation)	Pulmicort Flexhaler;Pulmicort Respules;	Corticosteroid, Inhalant (Oral);	Powder, for oral inhalation: Pulmicort Flexhaler: 180mcg/inhalation (225 mg) Suspension, for nebulization: Pulmicort Respules: 0.25 mg/2 mL (2 mL); 0.5 mg/2 mL (2 mL)		

Mometasone (Oral Inhalation)	Asmanex HFA;Asmanex® Twisthaler®;	Corticosteroid, Inhalant (Oral);	Powder, for oral inhalation, as furoate: Asmanex® Twisthaler®: 110 mcg (30 units) [contains lactose; delivers 100 mcg/actuation] Asmanex® Twisthaler®: 220 mcg (14 units, 30 units, 60 units, 120 units) [contains lactose; delivers 200 mcg/actuation] Aerosol, Inhalation, as furoate: Asmanex HFA: 50 mcg/actuation (13 g); 100 mcg/actuation (13 g); 200 mcg/actuation (13 g)		
Fluticasone (Nasal)		Corticosteroid, Nasal;	Suspension, Nasal, as propionate: Generic: 50 mcg/actuation (16 g)		
Fluorometholone	FML Forte®;	Corticosteroid, Ophthalmic;	Suspension, ophthalmic, as base: 0.1% (5 mL) FML Forte®: 0.25% (5 mL) [contains benzalkonium chloride]		
PrednisoLONE (Ophthalmic)	Pred Forte®;Pred Mild®;	Corticosteroid, Ophthalmic;	Suspension, ophthalmic, as acetate: Generic: 0.12% (5 mL); 1% (5 mL)		
Cortisone		Corticosteroid, Systemic;	Tablet, oral, as acetate: 25 mg		
Fludrocortisone		Corticosteroid, Systemic;	Tablet, oral, as acetate: 0.1 mg		
Hydrocortisone (Systemic)	Cortef®;Solu-CORTEF®;	Corticosteroid, Systemic;	Injection, powder for reconstitution, as sodium succinate: Solu-CORTEF®: 100 mg Tablet, oral, as base: 10 mg, 20 mg		

MethylPREDNISolone (Systemic)	Depo-Medrol®; Medrol; Solu-MEDROL ®;	Corticosteroid, Systemic;	Injection, powder for reconstitution, as sodium succinate: Solu-MEDROL ®: 125 mg, 500 mg, 1 g Injection, suspension, as acetate: Depo-Medrol®: 40 mg/mL (1 mL), 80 mg/mL (1 mL) Tablet Therapy Pack, Oral: Generic: 4 mg (21 ea)		
PrednisolONE (Systemic)	Pred Mild®;	Corticosteroid, Systemic;	Syrup, oral, as base: 15 mg/5 mL (473 mL) [contains alcohol 5% and propylene glycol and sodium benzoate; berry flavor]		
PredniSONE	Deltasone®;	Corticosteroid, Systemic;	Solution, oral: 1 mg/mL (500 mL) [dye free; contains alcohol 5% and propylene glycol and sodium benzoate; peppermint-vanilla flavor] Tablet, oral: 1 mg, 5 mg, 10 mg, 20 mg		

Triamcinolone (Systemic)	Azmacort® [DSC];Kenalog-10®;Kenalog-40®;	Corticosteroid, Systemic;	Aerosol, for oral inhalation, as acetoneide: Azmacort®: 200 mcg/actuation (20 g) [contains chlorofluorocarbon] Injection, suspension, as acetoneide: Kenalog®-10: 10 mg/mL (5 mL) [contains benzyl alcohol and polysorbate 80] Kenalog®-40: 40 mg/mL (1 mL, 10 mL) [contains benzyl alcohol and polysorbate 80]		
Betamethasone (Topical)		Corticosteroid, Topical;	Cream, External, as dipropionate [strength expressed as base]: Generic: 0.05% (15 g, 45 g)		
Clobetasol (Topical)		Corticosteroid, Topical;	Ointment, External, as propionate: Generic: 0.05% (15 g) Solution, External, as propionate: Generic: 0.05% (25 mL, 50 mL)		
Fluocinolone (Topical)	Derma-Smoothe;	Corticosteroid, Topical;	Oil, External, as acetoneide: Generic: 0.01% (118.28 mL)		
Triamcinolone (Topical)		Corticosteroid, Topical;	Cream, topical, as acetoneide: 0.1% (15 g, 454 g) Ointment, topical, as acetoneide: 0.1% (15 g, 454 g)		

Etomidate		Cortisol Synthesis Inhibitor;General Anesthetic;	Injection, solution [preservative free]: 2 mg/mL (10 mL) [contains propylene glycol]		
Fluorescein		Diagnostic Agent;	Strip, ophthalmic, as sodium: 1 mg		
Histoplasmin		Diagnostic Agent;	Injection: 1:100		
Tuberculin Tests	Aplisol;Tubersol;	Diagnostic Agent;	Solution, Intradermal: Aplisol: 5 units/0.1 mL (1 mL, 5 mL) [latex free; contains phenol, polysorbate 80] Tubersol: 5 units/0.1 mL (1 mL, 5 mL) [contains phenol, polysorbate 80]		
Lactobacillus	Culturelle Baby Digestive Calm + Comfort [OTC];Culturelle Kids Purely Probiotics [OTC];	Dietary Supplement;Probiotic;	Granules: Culturelle Kids Purely Probiotics: L. rhamnosus 5 billion colony-forming units per packet (30s) [contains sucrose] Liquid, Oral: Culturelle Baby Calm + Comfort: L. rhamnosus and Bifidobacterium animalis 2 billion colony-forming units per 5 drops (8.5 mL) Tablet, chewable, Oral: Culturelle Kids Purely Probiotics: L. rhamnosus 5 billion colony-forming units per tablet (30s)	Restricted to pediatrics only	

Lactobacillus	BioGaia [OTC];Culturelle Baby [OTC];Culturelle Kids [OTC];	Dietary Supplement;Probiotic;	Liquid, Oral: Culturelle Baby, Probiotic Drops (for ages 0-12 months): 2 billion CFU proprietary blend (Lactobacillus rhamnosus and Bifidobacterium animalis) BioGaia, Probiotic Drops (for ages 0-12 months): 100 million CFU Lactobacillus reuteri Powder, Oral: Culturelle Kids, Probiotic Packet (for ages >1-12 years): 5 billion CFU Lactobacillus rhamnosus Tablet, chewable, Oral: Culturelle Kids, Probiotic Chewable Tablets (for ages 3-12 years): 5 billion CFU Lactobacillus rhamnosus	For use in pediatric patients only	
Saccharomyces boulardii	Florastor [OTC];	Dietary Supplement;Probiotic;	Capsule, oral: Generic: 250 mg	FOR HOSPITAL (ER/INPT) USE ONLY	
Sodium Hypochlorite	Dakin's Solution;	Disinfectant, Antibacterial (Topical);	Solution, topical (Dakin's): 0.125%, 0.25%, 0.5% Dakin's 1/2, 1/4, or 1/8 strength: Extemporaneously prepared by Pharmacy		
Mannitol (Systemic)		Diuretic, Osmotic;	Injection, solution: 25% (50 mL)		
MetOLazone		Diuretic, Thiazide-Related;	Tablet, oral: 2.5 mg, 5 mg		

Potassium Phosphate and Sodium Phosphate	Phospha 250™ Neutral;	Electrolyte Supplement, Oral;	Tablet: Phospha 250™ Neutral: Monobasic potassium phosphate 155 mg, dibasic sodium phosphate 852 mg, and monobasic sodium phosphate 130 mg		
Potassium Chloride	Klor-Con;	Electrolyte Supplement, Oral; Electrolyte Supplement, Parenteral;	Tablet, extended release, oral: Generic: 10 mEq, 20 mEq Solution, Oral: Generic: 20 mEq/15 mL (10%) (473 mL) Packet, Oral: Generic: 20 mEq **for hospital use only** Solution, Intravenous: 2 mEq/mL (20 mL) Potassium 20 mEq/100 mL (100 mL) Potassium 20 mEq/L and sodium chloride 0.9% (1000 mL) Potassium 40 mEq/L and sodium chloride 0.9% (1000 mL) Potassium 20 mEq/L, dextrose 5%, and sodium chloride 0.45% (1000 mL) Potassium 20 mEq/L, dextrose 5%, and sodium chloride 0.9% (1000 mL)	Potassium packets for solution are for hospital use only Concentrated potassium for injection to be used for admixture by inpatient pharmacy staff only	
Dextrose and Ringer's Injection (Lactated)		Electrolyte Supplement, Parenteral;	Solution, Intravenous: Generic: Dextrose 5% in Lactated Ringer's		
Ringer's Injection (Lactated)		Electrolyte Supplement, Parenteral;	Injection: 1000 mL		

Sodium Chloride	Deep Sea [OTC];Muro 128® [OTC];	Electrolyte Supplement, Parenteral;Genitourinary Irrigant;Irrigant;Lubricant, Ocular;Sodium Salt;	Nebulization Solution, Inhalation: Generic: 0.9% (3 mL), 3% (4 mL) Ointment, Ophthalmic: Generic: 5% (3.5 g) Solution, Injection: Generic: 0.9% (10 mL) Solution, Intravenous: Generic: 0.45% (1000 mL); 0.9% (50 mL, 100 mL, 250 mL, 500 mL, 1000 mL); 3% (500 mL) Solution, Nasal: Generic: 0.65% (44 mL) [contains benzalkonium chloride] Solution, Ophthalmic: Generic: 5% (15 mL)		
Potassium Phosphate		Electrolyte Supplement, Parenteral;Urinary Acidifying Agent;	Injection, solution: Potassium 4.4 mEq and phosphorus 3 mmol per mL (5 mL, 15 mL, 50 mL) [equivalent to potassium 170 mg and phosphate 285 mg per mL]		

Pancrelipase	Pancrease®; Pangestyme™ EC;	Enzyme;	Capsule, delayed release, enteric-coated beads, oral [porcine derived]: Zenpep: Lipase 5,000 USP units, protease 17,000 USP units, and amylase 24,000 USP units Zenpep: Lipase 20,000 USP units, protease 63,000 USP units, and amylase 84,000 USP units Capsule, delayed release, enteric coated microspheres, oral [porcine derived]: Creon: Lipase 12,000 USP units, protease 38,000 USP units, and amylase 60,000 USP units Creon: Lipase 36,000 USP units, protease 114,000 USP units, and amylase 180,000 USP units		
Methylergonovine	Methergine®;	Ergot Derivative;	Injection, solution, as maleate: Generic: 0.2 mg/mL (1 mL) Tablet, oral, as maleate: Generic: 0.2 mg		

Estradiol and Norethindrone	CombiPatch;	Estrogen and Progestin Combination;	Patch Twice Weekly, Transdermal: CombiPatch: estradiol 0.05 mg and norethindrone acetate 0.14 mg per day (8 ea); 0.05/0.25: Estradiol 0.05 mg and norethindrone acetate 0.25 mg per day (8 ea)		
Estradiol (Systemic)	Estrace;Vivelle-Dot;	Estrogen Derivative;	Tablet, oral: Generic: 1 mg, 2 mg Patch Weekly, Transdermal: 0.0375 mg/24 hr (4 ea) Patch Twice Weekly, Transdermal: Generic: 0.025 mg/24 hr (1 ea, 8 ea); 0.0375 mg/24 hr (1 ea, 8 ea); 0.05 mg/24 hr (1 ea, 8 ea); 0.075 mg/24 hr (1 ea, 8 ea); 0.1 mg/24 hr (1 ea, 8 ea)		
Estradiol (Topical)	Estrace;	Estrogen Derivative;	Cream, Vaginal: Generic: 0.1 mg/g (42.5 g)		
Estrogens (Conjugated/Equine, Systemic)		Estrogen Derivative;	Injection, powder for reconstitution: 25 mg Tablet, oral: 0.3 mg, 0.625 mg, 0.9 mg, 1.25 mg		
Estrogens (Conjugated/Equine, Topical)	Premarin®;	Estrogen Derivative;	Cream, vaginal: 0.625 mg/g (42.5 g)		
Estropipate	Ogen®;	Estrogen Derivative;	Tablet, oral: 1.25 mg		

DiphenhydrAMINE (Systemic)	Banophen™ [OTC]; Genahist™ [OTC];	Ethanolamine Derivative; Histamine H1 Antagonist; Histamine H1 Antagonist, First Generation;	Capsule, oral, as hydrochloride: 25 mg Elixir, oral, as hydrochloride: Banophen™: 12.5 mg/5 mL (120 mL) Injection, solution, as hydrochloride: 50 mg/mL (1 mL) Tablet, oral, as hydrochloride: 25 mg Genahist™: 25 mg		
Doxylamine	Sleep Aid [OTC];	Ethanolamine Derivative; Histamine H1 Antagonist; Histamine H1 Antagonist, First Generation;	Tablet, Oral, as succinate: Sleep Aid: 25 mg [scored; contains fd&c blue #1 aluminum lake]		
Doxylamine and Pyridoxine	Diclegis;	Ethanolamine Derivative; Histamine H1 Antagonist; Histamine H1 Antagonist, First Generation; Vitamin, Water Soluble;	Tablet Delayed Release, Oral: Generic: doxylamine succinate 10 mg and pyridoxine hydrochloride 10 mg		
Haloperidol	Haldol®; Haldol® Decanoate;	First Generation (Typical) Antipsychotic;	Injection, oil, as decanoate: Haldol® Decanoate: 50 mg/mL (1 mL); 100 mg/mL (5 mL) [contains benzyl alcohol and sesame oil] Injection, solution, as lactate: Haldol®: 5 mg/mL (10 mL) [contains methylparaben] Tablet, oral: 0.5 mg, 1 mg, 2 mg, 10 mg		
Thiothixene		First Generation (Typical) Antipsychotic;	Capsule, oral: 1 mg, 2 mg, 10 mg		

FluPHENAZine		First Generation (Typical) Antipsychotic;Phenothiazine Derivative;	Injection, oil, as decanoate: 25 mg/mL (5 mL) [contains benzyl alcohol and sesame oil]		
Thioridazine		First Generation (Typical) Antipsychotic;Phenothiazine Derivative;	Tablet, oral, as hydrochloride: 10 mg, 25 mg		
Ursodiol	Actigall [DSC];Reltone;Urso 250 [DSC];Urso Forte;	Gallstone Dissolution Agent;	Capsule, Oral: Generic: 200 mg, 300 mg, 400 mg Tablet, Oral: Generic: 250 mg, 500 mg		
Saliva Substitute	Biotene Oral Balance [OTC];	Gastrointestinal Agent, Miscellaneous;	Gel, oral: Biotene Oral Balance: Glycerin, water, sorbitol, xylitol, carbomer, hydroxyethylcellulose, sodium hydroxide (42 g) [alcohol-free, sugar-free]	RESTRICTED TO DENTAL PROVIDERS ONLY	
Sucralfate	Carafate;	Gastrointestinal Agent, Miscellaneous;	Suspension, Oral: Carafate: 1 g/10 mL (420 mL) [contains fd&c red #40, methylparaben; cherry flavor] Tablet, Oral: Generic: 1 g		
Acetic Acid (Topical)		Genitourinary Irrigant;	Solution, for irrigation [preservative free]: 0.25% (1000 mL)		
Sorbitol		Genitourinary Irrigant;Laxative, Osmotic;	Solution, oral: 70% (480 mL)		
Vancomycin		Glycopeptide;	Capsule, oral: 125 mg, 250 mg Injection, powder for reconstitution: 500 mg, 1 g		
Ferric Subsulfate	Monsels Ferric Subsulfate;	Hemostatic Agent;	Solution, External: Monsels Ferric Subsulfate: (8 mL, 60 mL)		

Cyproheptadine		Histamine H1 Antagonist;Histamine H1 Antagonist, First Generation;Piperidine Derivative;	Tablet, Oral, as hydrochloride: Generic: 4 mg		
Azelastine (Nasal)	Astelín [DSC];Astepro;	Histamine H1 Antagonist;Histamine H1 Antagonist, Second Generation;	Solution, Nasal, as hydrochloride: Generic: 0.1% (30 mL)		
Ketotifen (Ophthalmic)	Zaditor [OTC];	Histamine H1 Antagonist;Histamine H1 Antagonist, Second Generation;Mast Cell Stabilizer;Piperidine Derivative;	Solution, Ophthalmic: Zaditor: 0.025% (5 mL) [contains benzalkonium chloride] Generic: 0.025% (5 mL)		
Fexofenadine	Allegra Allergy Childrens [OTC];Allegra Allergy [OTC];Allegra Hives 24HR [OTC];Allergy 24-HR [OTC];Allergy Childrens [OTC];Allergy Relief [OTC];Allergy Relief/Indoor/Outdoor [OTC];FT Allergy Relief 12 Hour [OTC];FT Allergy Relief 24 Hour [OTC];FT Allergy Relief [OTC];	Histamine H1 Antagonist;Histamine H1 Antagonist, Second Generation;Piperidine Derivative;	Tablet, Oral, as hydrochloride: Generic: 180 mg		
Cimetidine		Histamine H2 Antagonist;	Solution, oral: 300 mg/5 mL (237 mL) [gluten free, sugar free; contains alcohol 2.8%; peach flavor] Tablet, oral: 400 mg		

Famotidine	Acid Controller Max St [OTC]; Acid Controller Original Str [OTC]; Acid Reducer Maximum Strength [OTC]; Acid Reducer [OTC]; Heartburn Relief Max St [OTC]; Heartburn Relief [OTC]; Pepcid; Pepcid AC Maximum Strength [OTC];	Histamine H2 Antagonist;	Solution, Intravenous: Generic: 20 mg (50 mL); 20 mg/2 mL (2 mL); 40 mg/4 mL (4 mL); 200 mg/20 mL (20 mL) Solution, Intravenous [preservative free]: Generic: 20 mg/2 mL (2 mL) Suspension Reconstituted, Oral: Generic: 40 mg/5 mL (50 mL) Tablet, Oral: Generic: 10 mg, 20 mg, 40 mg		
Zolpidem	Ambien®;	Hypnotic, Miscellaneous; Nonbenzodiazepine Benzodiazepine Receptor Agonist;	Tablet, oral, as tartrate: 5 mg, 10 mg		
Nirsevimab	Beyfortus;	Immune Globulin; Monoclonal Antibody;	Solution Prefilled Syringe, Intramuscular [preservative free]: Beyfortus: Nirsevimab-alip 100 mg/mL (1 mL); Nirsevimab-alip 50 mg/0.5 mL (0.5 mL) [contains polysorbate 80]		Obtained through VFC program
AzaTHIOprine	Azasan; Imuran;	Immunosuppressant Agent;	Tablet, Oral: Generic: 50 mg		
Mycophenolate	CellCept®;	Immunosuppressant Agent;	Capsule, oral, as mofetil: CellCept®: 250 mg		
Inhalation Devices	AeroChamber™;	Inhalation, Miscellaneous;	AeroChamber™, AeroChamber™ with mask (small, medium, large)		

Insulin Aspart Protamine and Insulin Aspart	NovoLOG® Mix 70/30 FlexPen®;	Insulin, Combination;	Injection, suspension: NovoLOG® Mix 70/30 FlexPen®: Insulin aspart protamine suspension 70% [intermediate acting] and insulin aspart solution 30% [rapid acting]: 100 units/mL (3 mL)		
Insulin NPH and Insulin Regular	NovoLIN® 70/30;	Insulin, Combination;	Injection, suspension: NovoLIN® 70/30: 100 units/mL: Insulin NPH suspension 70% [intermediate acting] and insulin regular solution 30% [short-acting] (10 mL)		
Insulin NPH	NovoLIN® N;	Insulin, Intermediate-Acting;	Injection, suspension: NovoLIN® N: 100 units/mL (10 mL)		
Insulin Detemir	Levemir;Levemir FlexPen;	Insulin, Long-Acting;	Solution, Subcutaneous: Levemir: 100 units/mL (10 mL) [contains metacresol, phenol] Solution Pen-injector, Subcutaneous: Levemir FlexPen: 100 units/mL (3 mL) [contains metacresol, phenol]		
Insulin Glargine	Lantus;Lantus SoloStar;	Insulin, Long-Acting;	Solution, Subcutaneous: Lantus: 100 units/mL (10 mL) [contains metacresol] Solution Pen-injector, Subcutaneous: Lantus SoloStar: 100 units/mL (3 mL) [contains metacresol]		

Insulin Aspart	NovoLOG FlexPen; NovoLOG®;	Insulin, Rapid-Acting;	Solution, Subcutaneous: NovoLOG: 100 units/mL (10 mL) [contains metacresol, phenol] Solution Pen-injector, Subcutaneous: NovoLOG FlexPen: 100 units/mL (3 mL) [contains metacresol, phenol]		
Insulin Regular	NovoLIN® R;	Insulin, Short-Acting;	Injection, suspension: NovoLIN® R: 100 units/mL (10 mL)		
Dextrose and Sodium Chloride		Intravenous Nutritional Therapy;	Injection: D5 1/4NS: Dextrose 5% in sodium chloride 0.225% (500 mL) D5 1/2NS: Dextrose 5% in sodium chloride 0.45% (500 mL) D5NS: Dextrose 5% in sodium chloride 0.9% (500 mL, 1000 mL)		
Diatrizoate Meglumine and Diatrizoate Sodium	Gastrografin;	Iodinated Contrast Media; Radiological/Contrast Media, Ionic (High Osmolality);	Solution, Oral: Gastrografin: Diatrizoate meglumine 660 mg and diatrizoate sodium 100 mg per 1 mL (30 mL, 120 mL) [contains disodium edta, polysorbate 80, saccharin sodium]		
Ferrous Sulfate	Fer-Gen Sol [OTC];	Iron Preparations;	Elixir, oral: 220 mg/5 mL (480 mL) Liquid, oral [drops]: Fer-Gen Sol: 75 mg/0.6 mL (50 mL) Tablet, oral: 325 mg [elemental iron 65 mg]		

Ferumoxytol	Feraheme;	Iron Preparations;	Solution, Intravenous [preservative free]: Generic: 510 mg/17 mL (17 mL)		
Iron Sucrose	Venofer;	Iron Preparations;	Solution, Intravenous [preservative free]: Venofer: 20 mg/mL (10 mL)		
Urea (Topical)	Aluvea [DSC];Aquaphilic/Carbamid e [OTC];Atrac-Tain [OTC];Beta Care Betamide [OTC];Carb-O-Lac5 [OTC] [DSC];Carb-O-Philic/10 [OTC] [DSC];Carb-O- Philic/20 [OTC] [DSC];Carb- O-Philic/40 [DSC];Carmol 10 [OTC];Carmol 20 [OTC];Carmol [OTC];CEM- Urea;Cerovel;Dermal Therapy Finger Care [OTC];Dermasorb XM;DPM [OTC];Gordons Urea;Gordons Urea [OTC];Gormel 10 [OTC];Gormel [OTC];Hydro 35;Hydro 40;Kerafoam 42 [DSC];Kerafoam [DSC];Keralac;Lanaphilic/U rea [OTC];Latrix;Latrix XM;Mycocide CX Callus Exfoliator [OTC];Nutraplus [OTC];Rea Lo 39;Rea Lo 40;Rea-Lo [OTC];Remeven;Rynoderm ;TL Urea [DSC];U-Kera E [DSC];Ultra Mide 25	Keratolytic Agent;Topical Skin Product;	Cream, vaginal: Amino-Cerv™: 8.34% (82.5 g)		
Mineral Oil		Laxative, Lubricant;	Oil, rectal [enema]: 100% (130 mL)		

Glycerin	Sani-Supp® [OTC];	Laxative, Osmotic;	Suppository, rectal: 82.5% (25) Sani-Supp®: 82.5% (25)		
Polyethylene Glycol 3350	MiraLax [OTC];	Laxative, Osmotic;	Packet, Oral: Generic: 17 g/dose (30 ea) **for hospital use only** Powder, Oral: Generic: 17 g/dose (238 g, 510 g)		
Polyethylene Glycol-Electrolyte Solution	GoLYTELY;	Laxative, Osmotic;	Powder for solution, oral: GoLYTELY: PEG 3350 236 g, sodium sulfate 22.74 g, sodium bicarbonate 6.74 g, sodium chloride 5.86 g, and potassium chloride 2.97 g (4000 mL) [regular flavor]		
Sodium Sulfate, Potassium Sulfate, and Magnesium Sulfate	Suprep Bowel Prep Kit;	Laxative, Osmotic;	Solution, oral: Generic: Sodium sulfate 17.5 g, potassium sulfate 3.13 g, and magnesium sulfate 1.6 g per 177 mL [contains sodium benzoate]		
Magnesium Citrate	Citroma® [OTC];	Laxative, Saline; Magnesium Salt;	Solution, oral: Citroma®: 290 mg/5 mL (296 mL) [contains magnesium 48 mg/5 mL and potassium 13 mg/5 mL; lemon flavor]		
Bisacodyl		Laxative, Stimulant;	Suppository, rectal: 10 mg		

Docusate and Senna	Doc-Q-Lax [OTC];Dok Plus [OTC];Geri-Stool [OTC];Peri-Colace [OTC] [DSC];Senexon-S [OTC];Senna Plus [OTC];SennaLax-S [OTC];Senokot-S [OTC];SenoSol-SS [OTC];	Laxative, Stimulant;Stool Softener;	Tablet, oral: Doc-Q-Lax: Docusate sodium 50 mg and sennosides 8.6 mg Dok Plus: Docusate sodium 50 mg and sennosides 8.6 mg [contains sodium benzoate] Geri-Stool: Docusate sodium 50 mg and sennosides 8.6 mg Peri-Colace: Docusate sodium 50 mg and sennosides 8.6 mg [DSC] Senexon-S: Docusate sodium 50 mg and sennosides 8.6 mg [contains calcium 20 mg/tablet, sodium 6 mg/tablet] SennaLax-S: Docusate sodium 50 mg and sennosides 8.6 mg [contains sodium benzoate] Senna Plus: Docusate sodium 50 mg and sennosides 8.6 mg Senokot-S: Docusate sodium 50 mg and		
Montelukast	Singulair;	Leukotriene-Receptor Antagonist;	Tablet, Oral: Generic: 10 mg Tablet Chewable, Oral: Generic: 4 mg, 5 mg		
Proparacaine		Local Anesthetic, Ophthalmic;	Solution, ophthalmic, as hydrochloride: 0.5% (15 mL) [contains benzalkonium chloride]		

Benzocaine, Butamben, and Tetracaine	Cetacaine®;	Local Anesthetic;	Aerosol, topical [spray]: Cetacaine®: Benzocaine 14%, butamben 2%, and tetracaine hydrochloride 2% (56 g) [contains benzalkonium chloride]		
BUPIvacaine	Marcaine®;	Local Anesthetic;	Injection, solution, as hydrochloride [preservative free]: Marcaine®: 0.5% (30 mL)		
Lidocaine and Epinephrine		Local Anesthetic;	Injection, solution: 1% / 1:100,000: Lidocaine hydrochloride 1% and epinephrine 1:100,000 (20 mL) [contains sodium metabisulfite] 2% / 1:100,000: Lidocaine hydrochloride 2% and epinephrine 1:100,000 (20 mL) [contains sodium metabisulfite]		
Lidocaine and Prilocaine		Local Anesthetic;	Cream, topical: 2.5% / 2.5%: Lidocaine 2.5% and prilocaine 2.5% (5 g, 30 g)		
ROPivacaine	Naropin;	Local Anesthetic;	Solution, Injection, as hydrochloride [preservative free]: Generic: 2 mg/mL (20 mL)		
Ocular Lubricant	Refresh Lacri-Lube [OTC];	Lubricant, Ocular;Ophthalmic Agent, Miscellaneous;	Ointment, ophthalmic [preservative free]: Generic: Mineral oil 42.5% and white petrolatum 57.3% (3.5 g)		
Lifitegrast	Xiidra;	Lymphocyte Function-Associated Antigen 1 (LFA-1) Antagonist;	Solution, Ophthalmic [preservative free]: Xiidra: 5% (5 ea)	Restricted to Eye Clinic only	

Cromolyn (Oral Inhalation)		Mast Cell Stabilizer;	Nebulization Solution, Inhalation, as sodium: Generic: 20 mg/2 mL (2 mL)		
Lodoxamide	Alomide®;	Mast Cell Stabilizer;	Solution, ophthalmic: Alomide®: 0.1% (10 mL) [contains benzalkonium chloride]		
Benadryl® and Maalox®		Miscellaneous Product;	Suspension, oral: Extemporaneously prepared by Pharmacy		
Benadryl®, Lidocaine, and Nystatin		Miscellaneous Product;	Solution: 1:1:1, extemporaneously prepared by Pharmacy		
Benadryl®, Maalox®, and Xylocaine®		Miscellaneous Product;	Suspension: Extemporaneously prepared by Pharmacy		
Lidocaine and Maalox®		Miscellaneous Product;	Suspension: 1:1, 1:3; extemporaneously prepared by Pharmacy		
Nystatin, Benadryl®, Lidocaine, and Maalox®		Miscellaneous Product;	Suspension: Extemporaneously prepared by Pharmacy		
Xylocaine® (Viscous) and Benadryl®		Miscellaneous Product;	Solution		
Palivizumab	Synagis®;	Monoclonal Antibody;	Injection, solution [preservative free]: Synagis®: 100 mg/mL (1 mL)		Obtained through VFC program
Succinylcholine		Neuromuscular Blocker Agent, Depolarizing;	Injection, solution, as chloride: 20 mg/mL (10 mL)		

Rocuronium		Neuromuscular Blocker Agent, Nondepolarizing;	Solution, Intravenous, as bromide: Generic: 50 mg/5 mL (5 mL); 100 mg/10 mL (10 mL) Solution, Intravenous, as bromide [preservative free]: Generic: 50 mg/5 mL (5 mL); 100 mg/10 mL (10 mL)		
Vecuronium	Norcuron®;	Neuromuscular Blocker Agent, Nondepolarizing;	Injection, powder for reconstitution, as bromide: Norcuron®: 10 mg [contains benzyl alcohol]		
Memantine	Namenda;	N-Methyl-D-Aspartate (NMDA) Receptor Antagonist;	Solution, Oral, as hydrochloride: Generic: 2 mg/mL (240 mL, 360 mL) Tablet, Oral, as hydrochloride: Namenda: 5 mg [contains fd&c blue #2 (indigotine), fd&c yellow #6 (sunset yellow)] Namenda: 10 mg Generic: 5 mg, 10 mg, 5 mg (28s) and 10 mg (21s)		
Ketorolac (Ophthalmic)	Acular®;	Nonsteroidal Anti-inflammatory Drug (NSAID), Ophthalmic;	Solution, ophthalmic, as tromethamine: Generic: 0.5% (5 mL) [contains benzalkonium chloride]		

Ibuprofen	Motrin®;	Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;	Suspension, oral: 100 mg/5 mL (120 mL) [alcohol free; contains sodium benzoate; grape flavor] Suspension, oral: 100 mg/5 mL (480 mL) [berry flavor] Tablet, oral: 400 mg, 800 mg		
Indomethacin		Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;	Capsule, oral: 50 mg		
Diclofenac (Topical)	Voltaren;	Nonsteroidal Anti-inflammatory Drug (NSAID); Nonsteroidal Anti-inflammatory Drug (NSAID), Topical;	Gel, Transdermal, as sodium: Voltaren: 1% (100 g) [contains isopropyl alcohol, propylene glycol]		
Atomoxetine	Strattera;	Norepinephrine Reuptake Inhibitor, Selective;	Capsule, Oral: Generic: 10 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg, 100 mg		
Fluoride	PreviDent® 5000 Plus™;	Nutritional Supplement;	Cream, oral, as sodium [toothpaste]: PreviDent® 5000 Plus™: 1.1% (51 g) [spearmint flavor]		
Pilocarpine (Ophthalmic)		Ophthalmic Agent, Antiglaucoma; Ophthalmic Agent, Miotic;	Solution, ophthalmic, as hydrochloride [drops]: 1% (15 mL); 2% (15 mL); 4% (15 mL)		
Latanoprost		Ophthalmic Agent, Antiglaucoma; Prostaglandin, Ophthalmic;	Solution, Ophthalmic: Generic: 0.005% (2.5 mL)		
Artificial Tears		Ophthalmic Agent, Miscellaneous;	Solution, ophthalmic: 1.4% (15 mL) [contains benzalkonium chloride]		

Carboxymethylcellulose	Refresh Celluvisc [OTC]; Refresh Plus [OTC];	Ophthalmic Agent, Miscellaneous;	Solution, Ophthalmic, as sodium: Refresh Plus: 0.5% (30 ea) Solution, Ophthalmic, as sodium [preservative free]: Refresh Celluvisc: 1% (30 ea)		
Ophthalmic Irrigant Mixture		Ophthalmic Agent, Miscellaneous;	Solution, ophthalmic: 120 mL		
Cyclopentolate and Phenylephrine	Cyclomydril®;	Ophthalmic Agent, Mydriatic;	Solution, ophthalmic: Cyclomydril®: Cyclopentolate hydrochloride 0.2% and phenylephrine hydrochloride 1% (5 mL) [contains benzalkonium chloride]		
Acetic Acid and Hydrocortisone	Acetasol® HC;	Otic Agent, Anti-infective;	Solution, otic [drops]: Acetasol® HC: Acetic acid 2%, propylene glycol diacetate 3%, and hydrocortisone 1% (10 mL)		
Acetic Acid (Otic)		Otic Agent, Anti-infective;	Solution, otic [drops]: Generic: 2% (15 mL) [alcohol free]		
Carbamide Peroxide		Otic Agent, Cerumenolytic;	Solution, otic [drops]: Generic: 6.5% (15 mL)		
ClomiPHENE		Ovulation Stimulator; Selective Estrogen Receptor Modulator (SERM);	Tablet, oral, as citrate: 50 mg		
Oxytocin	Pitocin®;	Oxytocic Agent;	Injection, solution: Pitocin®: 10 units/mL (1 mL)		

Varenicline (Systemic)	Chantix;Chantix Continuing Month Pak;Chantix Starting Month Pak;	Partial Nicotine Agonist;Smoking Cessation Aid;	Tablet, Oral: Chantix: 0.5 mg Chantix: 1 mg [contains fd&c blue #2 aluminum lake] Chantix Continuing Month Pak: 1 mg [contains fd&c blue #2 aluminum lake] Chantix Starting Month Pak: 0.5 mg x 11 & 1 mg x 42		
Water for Injection (Bacteriostatic)		Pharmaceutical Aid;	Injection: 30 mL		
Water for Injection (Sterile)		Pharmaceutical Aid;	Injection: 20 mL, 1000 mL		
Water for Irrigation (Sterile)		Pharmaceutical Aid;	Solution: 1000 mL		
White Petrolatum	Skin Protectant [OTC];	Pharmaceutical Aid;Topical Skin Product;	Ointment: 5 g **NOTE: FOR HOSPITAL USE ONLY**		
Sevelamer	Renvela®;	Phosphate Binder;	Tablet, oral, as carbonate: Renvela®: 800 mg		
Theophylline		Phosphodiesterase Enzyme Inhibitor, Nonselective;	Tablet, controlled release, oral: 100 mg Tablet, extended release, oral: 100 mg, 200 mg, 300 mg		
Sildenafil	Revatio;Viagra;	Phosphodiesterase-5 Enzyme Inhibitor;	Tablet, Oral: Generic: 20 mg, 100 mg		
Tadalafil	Cialis;	Phosphodiesterase-5 Enzyme Inhibitor;	Tablet, Oral: Generic: 2.5 mg, 5 mg		
Progesterone	Prometrium;	Progestin;	Capsule, Oral: Generic: 100 mg, 200 mg		
MiSOPROStol	Cytotec;	Prostaglandin;	Tablet, Oral: Generic: 200 mcg		
Dimethicone (Topical)	Secura Dimethicone Protectant [OTC];	Protectant, Topical;Topical Skin Product;	Solution, External: Nix Ultra: 4%, 3.4 oz		

Omeprazole	PriLOSEC OTC™ [OTC];PriLOSEC®;	Proton Pump Inhibitor;	Capsule, delayed release, oral: 20 mg PriLOSEC®: 20 mg Suspension, oral: 2 mg/mL		
Pantoprazole	Protonix;	Proton Pump Inhibitor;Substituted Benzimidazole;	Solution Reconstituted, Intravenous [preservative free]: Generic: 40 mg (1 ea) Tablet Delayed Release, Oral: Generic: 20 mg, 40 mg		
Ammonia Spirit (Aromatic)		Respiratory Stimulant;	Solution for inhalation [ampul]: 1.7% to 2.1% (0.33 mL)		
RifAXIMin	Xifaxan;	Rifamycin;	Tablet, Oral: Xifaxan: 200 mg [contains edetate (edta) disodium] Xifaxan: 550 mg		
Salsalate		Salicylate;	Tablet, oral: 750 mg		
Lurasidone	Latuda;	Second Generation (Atypical) Antipsychotic;	Tablet, Oral, as hydrochloride: Generic: 20 mg, 40 mg, 60 mg, 80 mg, 120 mg		
Baclofen		Skeletal Muscle Relaxant;	Tablet, oral: 10 mg		
Cyclobenzaprine		Skeletal Muscle Relaxant;	Tablet, oral, as hydrochloride: 10 mg		
Methocarbamol		Skeletal Muscle Relaxant;	Tablet, oral: 750 mg		
Orphenadrine		Skeletal Muscle Relaxant;	Solution, Injection, as citrate: Generic: 30 mg/mL (2 mL) Solution, Injection, as citrate [preservative free]: Generic: 30 mg/mL (2 mL)		

Imiquimod	Aldara;	Skin and Mucous Membrane Agent;Topical Skin Product;	Cream, External: Aldara: 5% (12 ea) [contains benzyl alcohol, cetyl alcohol, methylparaben, propylparaben, sorbitan monostearate(sorbitan stearate)] Generic: 5% (1 ea, 12 ea, 24 ea)		
Nicotine	Nicorette Mini [OTC];Nicorette [OTC];Nicotine Mini [OTC];Nicotine Step 1 [OTC];Nicotine Step 2 [OTC];Nicotine Step 3 [OTC];	Smoking Cessation Aid;	Gum, Mouth/Throat, as polacrilex: Generic: 2 mg (110 ea); 4 mg (110 ea) Lozenge, Mouth/Throat, as polacrilex: Nicorette Mini: 2 mg (81 ea); 4 mg (81 ea) Generic: 2 mg (72 ea, 81 ea); 4 mg (72 ea, 81 ea) Patch 24 Hour, Transdermal: Generic: 7 mg/24 hr (14 ea); 14 mg/24 hr (14 ea); 21 mg/24 hr (14 ea)		
Docusate	Doc-Q-Lace [OTC];	Stool Softener;	Capsule, softgel, oral, as sodium: 100 mg Syrup, oral, as sodium: Doc-Q-Lace: 60 mg/15 mL (480 mL)		

Alteplase	Activase®;	Thrombolytic Agent;	Injection, powder for reconstitution [recombinant]: Activase®: 50 mg [29 million int. units], 100 mg [58 million int. units] [contains polysorbate 80; derived from or manufactured using Chinese hamster ovary cells; supplied with diluent]		
Tenecteplase	TNKase™;	Thrombolytic Agent;	Injection, powder for reconstitution [recombinant]: TNKase™: 50 mg		
Levothyroxine	Synthroid®;	Thyroid Product;	Tablet, oral, as sodium: Synthroid®: 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 125 mcg, 150 mcg, 175 mcg		
Aluminum Acetate		Topical Skin Product;	Powder		
Coal Tar	Polytar® [OTC];	Topical Skin Product;	Shampoo, topical: Polytar®: Coal tar 0.5% (177 mL)		
Lactic Acid and Ammonium Hydroxide	AmLactin® [OTC];	Topical Skin Product;	Lotion, topical: AmLactin®: Lactic acid 12% with ammonium hydroxide (225 g)		
Lanolin		Topical Skin Product;	Ointment: 30 g		
Moisturizing Cream		Topical Skin Product;	Cream		
Personal Lubricant		Topical Skin Product;	Jelly		
Calcipotriene	Calcitrene; Dovonex; Sorilux ;	Topical Skin Product; Vitamin D Analog;	Ointment, External: Generic: 0.005% (60 g)		
Zinc Sulfate	Orazinc [OTC]; Zinc 15 [OTC];	Trace Element;	Capsules, Oral: Generic: 220 mg		
Probenecid		Uricosuric Agent;	Tablet, oral: 500 mg		

Pneumococcal Conjugate Vaccine (7-Valent)	Prevnar®;	Vaccine, Inactivated (Bacterial);	Injection, suspension: Prennar®: 2 mcg of each saccharide for serotypes 4, 9V, 14, 18C, 19F, and 23F and 4 mcg of serotype 6B per 0.5 mL (0.5 mL) [contains packaging contains natural rubber/natural latex]		
Diphtheria and Tetanus Toxoid		Vaccine;Vaccine, Inactivated (Bacterial);	Injection, suspension: Diphtheria 6.6 Lf units and tetanus 5 Lf units per 0.5 mL (5 mL) [contains thimerosal]		
Diphtheria, Tetanus Toxoids, and Acellular Pertussis Vaccine	Boostrix®;Infanrix®;Tripedia®;	Vaccine;Vaccine, Inactivated (Bacterial);	Injection, powder for reconstitution: Tripedia®: Diphtheria 6.7 Lf units, tetanus 5 Lf units, and acellular pertussis vaccine 46.8 mcg (0.5 mL) [contains packaging contains natural rubber/natural latex and thimerosal] Injection, suspension: Boostrix®: Diphtheria 2.5 Lf units, tetanus 5 Lf units, and acellular pertussis 8 mcg per 0.5 mL (0.5 mL) [contains aluminum and polysorbate 80 ≤100 mcg/0.5 mL] Infanrix®: Diphtheria 25 Lf units, tetanus 10 Lf units, and acellular pertussis vaccine 25 mcg per 0.5 mL (0.5 mL)		

Haemophilus b Conjugate Vaccine	ActHIB®; PedvaxHIB®;	Vaccine; Vaccine, Inactivated (Bacterial);	Injection, powder for reconstitution [preservative free]: ActHIB®: Haemophilus b capsular polysaccharide 10 mcg and tetanus toxoid 24 mcg per dose [contains sucrose 8.5%] Injection, suspension: PedvaxHIB®: Haemophilus b capsular polysaccharide 7.5 mcg and Neisseria meningitidis OMPC 125 mcg per 0.5 mL (0.5 mL) [contains aluminum 225 mcg/0.5 mL]		
Meningococcal (Groups A / C / Y and W-135) Conjugate Vaccine	Menactra®;	Vaccine; Vaccine, Inactivated (Bacterial);	Injection, solution: Menactra®: 4 mcg each of polysaccharide antigen groups A, C, Y, and W-135 per 0.5 mL [conjugated to diphtheria toxoid protein 48 mcg; adjuvant and preservative free; vial stopper contains dry, natural latex rubber]		
Meningococcal Polysaccharide Vaccine (Groups A / C / Y and W-135)	Menomune®-A/C/Y/W-135;	Vaccine; Vaccine, Inactivated (Bacterial);	Injection, powder for reconstitution [preservative free]: Menomune®-A/C/Y/W-135: 50 mcg each of polysaccharide antigen groups A, C, Y, and W-135 (1) [contains packaging contains natural rubber/natural latex]		

Pneumococcal Conjugate Vaccine (13-Valent)	Prevnar 13;	Vaccine;Vaccine, Inactivated (Bacterial);	Injection, suspension: Prevnar 13: 2 mcg of each capsular saccharide for serotypes 1, 3, 4, 5, 6A, 7F, 9V, 14, 18C, 19A, 19F, and 23F, and 4 mcg of serotype 6B [bound to diphtheria CRM197 protein ~34 mcg] per 0.5 mL (0.5 mL) [contains aluminum, polysorbate 80, and yeast]		
Pneumococcal Conjugate Vaccine (20-Valent)	Prevnar 20;	Vaccine;Vaccine, Inactivated (Bacterial);	Suspension Prefilled Syringe, Intramuscular: Prevnar 20: 0.5 mL (0.5 mL) [contains polysorbate 80]		
Pneumococcal Conjugate Vaccine (21-Valent)	Capvaxive;	Vaccine;Vaccine, Inactivated (Bacterial);	Solution Prefilled Syringe, Intramuscular [preservative free]: Capvaxive: 0.5 mL (0.5 mL)		
Pneumococcal Polysaccharide Vaccine (23-Valent)	Pneumovax® 23;	Vaccine;Vaccine, Inactivated (Bacterial);	Injection, solution: 25 mcg each of 23 polysaccharide isolates/0.5 mL		
Diphtheria, Tetanus Toxoids, Acellular Pertussis, Hepatitis B (Recombinant), and Poliovirus (Inactivated) Vaccine	Pediarix™;	Vaccine;Vaccine, Inactivated (Bacterial);Vaccine, Inactivated (Viral);	Injection, suspension: Pediarix™: Diphtheria toxoid 25 Lf, tetanus toxoid 10 Lf, inactivated PT 25 mcg, FHA 25 mcg, pertactin 8 mcg, HBsAg 10 mcg, poliovirus type 1 40 DU, poliovirus type 2 8 DU, and poliovirus type 3 32 DU per 0.5 mL (0.5 mL) [contains packaging contains natural rubber/natural latex]		

Typhoid Vaccine	Typhim Vi;Vivotif;	Vaccine;Vaccine, Inactivated (Bacterial);Vaccine, Live (Bacterial);	Capsule, enteric coated, Oral [live]: Vivotif: Viable S. typhi Ty21a 2-10 x 10 ⁹ colony-forming units [contains lactose 180-200 mg/capsule and sucrose 3.3-34.2 mg/capsule] Injection, solution [inactivated]: Typhim Vi: Purified Vi capsular polysaccharide 25 mcg/0.5 mL (0.5 mL, 10 mL) [derived from S. typhi Ty2 strain]		
Hepatitis A Inactivated and Hepatitis B (Recombinant) Vaccine	Twinrix®;	Vaccine;Vaccine, Inactivated (Viral);	Injection, suspension: Twinrix®: Inactivated hepatitis A virus 720 ELISA units and hepatitis B surface antigen 20 mcg per mL (1 mL)		
Hepatitis A Vaccine	Havrix®;	Vaccine;Vaccine, Inactivated (Viral);	Injection, suspension [adult]: Havrix®: Viral antigen 1440 ELISA units/mL (1 mL)		
Human Papillomavirus Vaccine (Quadrivalent)	Gardasil®;	Vaccine;Vaccine, Inactivated (Viral);	Injection, suspension [preservative free]: Gardasil®: HPV 6 L1 protein 20 mcg, HPV 11 L1 protein 40 mcg, HPV 16 L1 protein 40 mcg, and HPV 18 L1 protein 20 mcg per 0.5 mL (0.5 mL) [contains aluminum, polysorbate 80; manufactured using S. cerevisiae (baker's yeast)]		

Poliovirus Vaccine (Inactivated)	IPOL®;	Vaccine;Vaccine, Inactivated (Viral);	Injection, suspension: IPOL®: Type 1 poliovirus 40 D antigen units/0.5 mL, Type 2 poliovirus 8 D antigen units/0.5 mL, and Type 3 poliovirus 32 D antigen units/0.5 mL (0.5 mL)		
Rabies Virus Vaccine	Imovax® Rabies;	Vaccine;Vaccine, Inactivated (Viral);	Injection, powder for reconstitution: Imovax® Rabies: 2.5 int. units		
Hepatitis B Vaccine	Engerix-B®;	Vaccine;Vaccine, Inactivated (Viral);Vaccine, Recombinant;	Injection, suspension: Recombinant DNA, adult: Engerix-B®: Hepatitis B surface antigen 20 mcg/mL (1 mL) Recombinant DNA, pediatric/adolescent: Engerix-B®: Hepatitis B surface antigen 10 mcg/0.5 mL (0.5 mL)		
Hepatitis B Vaccine (Recombinant [Adjuvanted])	Heplisav-B;	Vaccine;Vaccine, Inactivated (Viral);Vaccine, Recombinant;	Solution, Intramuscular [preservative free]: Heplisav-B: Hepatitis B surface antigen 20 mcg/0.5 mL (0.5 mL [DSC]) [contains polysorbate 80] Solution Prefilled Syringe, Intramuscular [preservative free]: Heplisav-B: 20 mcg/0.5 mL (0.5 mL) [contains polysorbate 80]		

Respiratory Syncytial Virus Vaccine (Recombinant [Adjuvanted])	Arexvy;	Vaccine;Vaccine, Inactivated (Viral);Vaccine, Recombinant;	Suspension Reconstituted, Intramuscular: Arexvy: 120 mcg/0.5 mL (1 ea) [contains polysorbate 80]		
Respiratory Syncytial Virus Vaccine (Recombinant)	Abrysvo;	Vaccine;Vaccine, Inactivated (Viral);Vaccine, Recombinant;	Solution Reconstituted, Intramuscular [preservative free]: Abrysvo: 120 mcg/0.5 mL (1 ea) [contains polysorbate 80]		
Measles, Mumps, and Rubella Vaccines (Combined)	M-M-R® II;	Vaccine;Vaccine, Live (Viral);	Injection, powder for reconstitution [preservative free]: M-M-R® II: Measles virus 1000 TCID50, rubella virus 1000 TCID50, and mumps virus 20,000 TCID50		
Rotavirus Vaccine	Rotarix;	Vaccine;Vaccine, Live (Viral);	Powder, for suspension, oral [preservative free; human derived]: Rotarix: G1P[8] ≥106 CCID50 per 1 mL [contains sorbitol, sucrose; supplied with diluent which may contain natural rubber/natural latex in packaging]		
Zoster Vaccine (Recombinant)	Shingrix;	Vaccine;Vaccine, Recombinant;	Suspension Reconstituted, Intramuscular: Shingrix: 50 mcg [contains polysorbate 80]		

Calcitriol (Systemic)	Rocaltrol;	Vitamin D Analog;	Capsule, Oral: Rocaltrol: 0.25 mcg [contains fd&c yellow #6 (sunset yellow), methylparaben, propylparaben] Generic: 0.5 mcg		
Cholecalciferol		Vitamin D Analog;	Capsule, Oral [preservative free]: Generic: 2000 units, 5000 units Tablet, Oral: Generic: 1000 units, 2000 units,		
Ergocalciferol	Calciferol™; Drisdol®;	Vitamin D Analog;	Capsule, softgel, oral: 50,000 int. units		
Phytonadione	Mephyton®;	Vitamin, Fat Soluble;	Injection, aqueous colloidal: 2 mg/mL (0.5 mL); 10 mg/mL (1 mL) Tablet, oral: Mephyton®: 5 mg		
Ascorbic Acid	Ascor;	Vitamin, Water Soluble;	Solution, Intravenous [preservative free]: Ascor: 500 mg/mL (50 mL) [contains edetate (edta) disodium]	FOR HOSPITAL (ER/INPT) USE ONLY	
Cyanocobalamin		Vitamin, Water Soluble;	Injection, solution: 1000 mcg/mL (1 mL) [contains benzyl alcohol] Tablet, sublingual: 2500 mcg		
Folic Acid		Vitamin, Water Soluble;	Injection, solution, as sodium folate: 5 mg/mL Tablet, oral: 1 mg		
Pyridoxine		Vitamin, Water Soluble;	Injection, solution, as hydrochloride: 100 mg/mL (1 mL) [contains aluminum] Tablet, oral, as hydrochloride: 50 mg		

Thiamine		Vitamin, Water Soluble;	Injection, solution, as hydrochloride: 100 mg/mL (2 mL) Tablet, oral, as hydrochloride: 100 mg		
Vitamin B Complex, Ascorbic Acid, and Folic Acid	Nephrocaps®;	Vitamin, Water Soluble;	Capsule		
Vitamin B Complex Combinations	High Potency B with C; Total B w/ C;	Vitamin;	Tablet		
Vitamins (Multiple/Injectable)	M.V.I. Adult™;	Vitamin;	Injection		
Vitamins (Multiple/Oral)	Hexavitamin; Systane ICaps AREDS2;	Vitamin;	Tablet Capsule	Hexavitamin for ER/INPT use only. AREDS2 prescribing restricted to Eye Clinic only.	
Vitamins (Multiple/Pediatric)	Poly-Vi-Sol With Iron [OTC]; Poly-Vi-Sol [OTC]; Tri-Vi-Sol [OTC];	Vitamin;	Solution, drops: 50 mL		

Vitamins (Multiple/Prenatal)	A-Free Prenatal [OTC];Azesco;CitraNatal 90 DHA;CitraNatal Assure;CitraNatal B- Calm;CitraNatal Bloom;CitraNatal Bloom DHA [DSC];CitraNatal DHA;CitraNatal Harmony;CitraNatal Rx;Concept DHA;Concept OB;Duet;Duet DHA Balanced;Femecal OB;Folcaps Care One;Folivane- OB;Gesticare DHA;Infanate Balance [DSC];KPN Prenatal [OTC];M-Natal Plus;Mini- Prenatal [OTC];Multi-Nate 30;NeoNatal Plus;Neonatal Prenatal;NeoNatal Vitamin;Niva-Plus;Néevo DHA;OB Complete Gold;OB Complete One [DSC];OB Complete Petite;OB Complete Premier;One A Day Women's Prenatal [OTC];One Vite	Vitamin;	Content varies depending on product used. For more detailed information on ingredients in these and other multivitamins, please refer to specific product labeling.		
Fluticasone HFA Aerosol Inhaler	Flovent HFA;				