

Generic Name	Brand Name	Therapeutic Cate	Dosage Forms	Comments	Restrictions
Finasteride	Proscar®;	5 Alpha-Reductase Inhibitor;	Tablet, oral: Generic: 1 mg, 5 mg		
				Capsule, controlled release, oral: Pentasa®: 250 mg Suppository, rectal: Canasa®: 500 mg, 1000 mg Rowasa®: 4 g/60 mL (60 mL) [contains potassium metabisulfite and sodium benzoate]	
Mesalamine	Asacol®;Canasa®;Pentasa®;Rowasa®;	5-Aminosalicylic Acid Derivative;	Tablet, delayed release, enteric coated, oral: Asacol®: 400 mg		
Sulfasalazine	Sulfazine;	5-Aminosalicylic Acid Derivative;	Tablet, oral: 500 mg		
Carboprost Tromet Hemabate;		Abortifacient;Prostaglandin;	Solution, Intramuscular [strength expressed as base]: Generic: 250 mcg/mL (1 mL)		
Donepezil	Aricept®;	Acetylcholinesterase Inhibitor (Central);	Tablet, Oral, as hydrochloride: Generic: 5 mg, 10 mg		
Neostigmine (Systemic)		Acetylcholinesterase Inhibitor;	Injection, solution, as methylsulfate: 1 mg/mL ()		
Pyridostigmine		Acetylcholinesterase Inhibitor;	Injection, solution, as bromide: 5 mg/mL		
Physostigmine		Acetylcholinesterase Inhibitor;Antidote;	Injection, solution, as salicylate: 1 mg/mL (2 mL) [contains benzyl alcohol and sodium metabisulfite]		

Edrophonium	Enlon®;	Acetylcholinesterase Inhibitor;Antidote; Diagnostic Agent;	Injection, solution, as chloride: Enlon®: 10 mg/mL (15 mL) [contains sodium sulfite]
Erythromycin (Topical)		Acne Products;Antibiotic, Macrolide;Antibiotic, Topical;Topical Skin Product;Topical Skin Product,	Solution, topical: 2% (60 mL) [sugar free; contains alcohol 66%]
ISotretinoin (Systemic);Zenatane;	Absorica;Amnestee m;Claravis;Myorisan	Acne Products;Antineoplastic Agent, Retinoic Acid Derivative;Retinoic Acid Derivative;	Capsule, Oral: Amnesteem: 10 mg, 20 mg, 40 mg [contains soybean oil] Myorisan: 10 mg, 20 mg [contains soybean oil] Myorisan: 30 mg Myorisan: 40 mg [contains fd&c yellow #6 (sunset yellow), soybean oil]
Salicylic Acid		Acne Products;Keratolytic Agent;Topical Skin Product,	Plaster: 40%

Tretinoin (Topical) Retin-A®;	Acne Products;Retinoic Acid Derivative;Topical Skin Product, Acne;	Cream, topical: Retin-A®: 0.05% (20 g) Gel, topical: Retin-A®: 0.01% (15 g) [contains alcohol 90% w/w]
Adapalene and Ber Epiduo;	Acne Products;Retinoic Acid Derivative;Topical Skin Product;Topical Skin Product, Acne;	Gel, External: Epiduo: Adapalene 0.1% and benzoyl peroxide 2.5% (45 g) [contains edetate disodium, polysorbate 80, propylene glycol] Generic: Adapalene 0.1% and benzoyl peroxide 2.5% (45 g)
Benzoyl Peroxide	Acne Products;Topical Skin Product;Topical Skin Product, Acne;	Gel, topical: 10% (45 g)
Clindamycin and B BenzaClin;	Acne Products;Topical Skin Product;Topical Skin Product, Acne;	Gel, topical: Generic: Clindamycin 1% and benzoyl peroxide 5% (25 g)
Hydroxyamphetam Paremyd;	Adrenergic Agonist Agent, Ophthalmic;	Solution, ophthalmic: Paremyd: Hydroxyamphetamine hydrobromide 1% and tropicamide 0.25% (15 mL) [contains benzalkonium chloride]

DOBUtamine		Adrenergic Agonist Agent; Inotrope;	Injection, solution, as hydrochloride: 12.5 mg/mL (20 mL)
			Infusion [premixed in D5W], as hydrochloride: 1.6 mg/mL (2)
DOPamine		Adrenergic Agonist Agent; Inotrope;	Injection, solution, as hydrochloride: 40 mg/mL (5 mL) [contains sodium metabisulfite]
Disulfiram	Antabuse®;	Aldehyde Dehydrogenase Inhibitor;	Tablet, oral: 250 mg
Potassium Citrate	Urocit-K 10; Urocit-K 15; Urocit-K 5;	Alkalinizing Agent, Oral;	Tablet Extended Release, Oral: Generic: 10 mEq
Sodium Citrate and Citric Acid		Alkalinizing Agent, Oral;	Solution, oral: Sodium citrate dihydrate 500 mg and citric acid monohydrate 334 mg per 5 mL (473 mL) [alcohol free, dye free, sugar free; grape flavor]
Sodium Bicarbonate (Systemic)		Alkalinizing Agent; Antacid; Electrolyte Supplement, Oral; Electrolyte Supplement, Parenteral;	Injection, solution [preservative free]: 4.2% (); 8.4% () Tablet, oral: 325 mg

			Injection, solution [prefilled auto injector]: EpiPen®: 0.3 mg/0.3 mL [1:1000] (2 mL) [contains sodium metabisulfite] EpiPen® Jr.: 0.15 mg/0.3 mL [1:2000] (2 mL) [contains sodium metabisulfite]
EpiPen 2-Pak;EpiPen EPINEPHrine (Syst Jr 2-Pak;	Alpha/Beta Agonist;		Injection, solution: 0.1 mg/mL [1:10,000] (); 1 mg/mL [1:1000] (1 mL, 30 mL)
Norepinephrine	Alpha/Beta Agonist;		Injection, solution, as bitartrate: 1 mg/mL (4 mL) [contains sodium metabisulfite]
Racepinephrine InI Asthmanefrin;S2;	Alpha/Beta Agonist;		Asthmanefrin Refill: 2.25% (1 ea) [contains edetate disodium]
Midodrine	Alpha1 Agonist;		Tablet, Oral, as hydrochloride: Generic: 2.5 mg, 5 mg, 10 mg
Phentolamine (Systemic)	Alpha1 and Alpha2 Blocker, Nonselective;Antid ote, Extravasation;Anti hypertensive;		Injection, powder for reconstitution, as mesylate: 5 mg
Doxazosin	Alpha1 Blocker;Alpha1 Blocker, Nonselective;Antih ypertensive;		Tablet, Oral: Generic: 1 mg, 4mg
Alfuzosin	Uroxatral; Alpha1 Blocker;Alpha1a Blocker, Selective;		Tablet Extended Release 24 Hour, Oral, as hydrochloride: Uroxatral: 10 mg [contains hydrogenated castor oil] Generic: 10 mg

EBCI Supplemental Formulary -
for EBCI enrolled patients

Tamsulosin	Flomax®;	Alpha1 Blocker; Alpha1a Blocker, Selective;	Capsule, oral, as hydrochloride: 0.4 mg Flomax®: 0.4 mg
Prazosin		Alpha1 Blocker; Antihypertensive;	Capsule, oral, as hydrochloride: 1 mg, 2 mg, 5 mg
Brimonidine (Opht)	Alphagan P;	Alpha2 Agonist, Ophthalmic Agent, Antiglaucoma;	Solution, Ophthalmic, as tartrate: Alphagan P: 0.15% (5 mL) [contains carboxymethylcellulose sodium]
Tizanidine	Zanaflex;	Alpha2-Adrenergic Agonist;	Tablet, Oral: Generic: 2 mg, 4 mg
Clonidine		Alpha2-Adrenergic Agonist; Antihypertensive;	Tablet, oral, as hydrochloride: 0.1 mg, 0.2 mg
Guanfacine	Intuniv;	Alpha2-Adrenergic Agonist; Antihypertensive;	Tablet, Oral: Generic: 1 mg, 2 mg Tablet Extended Release 24 Hour, Oral: Generic: 1 mg, 2 mg, 3 mg, 4 mg
Methyldopa		Alpha2-Adrenergic Agonist; Antihypertensive;	Injection, solution, as methyldopate hydrochloride: 50 mg/mL (5 mL) Tablet, oral: 250 mg
Dexmedetomidine	Precedex;	Alpha2-Adrenergic Agonist; Sedative;	Solution, Intravenous, as hydrochloride [preservative free]: Precedex: Dexmedetomidine 200 mcg/ in NaCl 0.9% ()

Phenylephrine (Top Anu-Med ;	Alpha-Adrenergic Agonist ;Antihemorrhoidal Agent;	Suppository, rectal, as hydrochloride: Anu-Med: 0.25%
Phenylephrine (Op AK-Dilate™;	Alpha-Adrenergic Agonist ;Ophthalmic Agent, Mydriatic;	Solution, ophthalmic, as hydrochloride: AK-Dilate™: 2.5% (15 mL) [contains benzalkonium chloride and benzyl alcohol]
MetroNIDAZOLE (Systemic)	Amebicide;Antibiotic, Miscellaneous;Antiprotozoal, Nitroimidazole;	Infusion [premixed iso-osmotic sodium chloride solution]: 500 mg (100 mL) [contains sodium 14 mEq] Tablet, oral: 250 mg, 500 mg
Tinidazole	Amebicide;Antibiotic, Miscellaneous;Antiprotozoal, Nitroimidazole;	Tablet, Oral: Generic: 250 mg
Chloroquine	Aminoquinoline (Antimalarial);Antimalarial Agent;	Tablet, oral, as phosphate: 500 mg
Hydroxychloroquine	Aminoquinoline (Antimalarial);Antimalarial Agent;Antirheumatic, Disease Modifying;	Tablet, oral, as sulfate: 200 mg

Neomycin (Systemic)	Ammonium Detoxicant;Antibiotic, Aminoglycoside;	Tablet, oral, as sulfate: 500 mg
Lactulose	Ammonium Detoxicant;Laxative, Osmotic;	Syrup, oral: 10 g/15 mL (1892 mL) [banana flavor]
Acetaminophen and Codeine; Capital® and Tylenol®	Analgesic Combination (Opioid);Analgesic , Opioid;	Tablet, oral: Generic: Acetaminophen 300 mg and codeine phosphate 30 mg
Hydrocodone and Acetaminophen	Analgesic Combination (Opioid);Analgesic , Opioid;	Elixir, oral: 7.5mg hydrocodone/500mg acetaminophen/15ml Tablet, oral: 5/325: Hydrocodone bitartrate 5 mg and acetaminophen 325 mg 10/325: Hydrocodone bitartrate 10 mg and acetaminophen 325 mg
Acetaminophen Acephen™;Mapap Infant's;Mapap ;Tylenol ;	Analgesic, Nonopioid;	Solution, Intravenous: Generic: 1000 mg/100 mL (100 mL) Suppository, rectal: Generic: 120 mg, 650 mg Suspension, oral: 160 mg/5 mL (118 mL) Tablet, oral: 325 mg

Aspirin	Analgesic, Nonopioid;Antiplatelet Agent;Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;Salicylate;	Tablet, oral: 325 mg Tablet, chewable, oral: 81 mg Tablet, enteric coated, oral: 81 mg, 325 mg	
Butalbital, Acetaminophen, and Caffeine	Analgesic, Nonopioid;Barbiturate;	Tablet, oral: Butalbital 50 mg, acetaminophen 325 mg, and caffeine 40 mg	
Celecoxib	CeleBREX;	Analgesic, Nonopioid;Nonsteroidal Anti-inflammatory Drug (NSAID), COX-2 Selective;	Capsule, Oral: Generic: 100 mg, 200 mg
Meclofenamate		Analgesic, Nonopioid;Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;	Capsule, oral, as sodium: 100 mg
Naproxen		Analgesic, Nonopioid;Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;	Tablet, oral: 250 mg

Piroxicam (Systemic)	Analgesic, Nonopioid;Nonste roidal Anti- inflammatory Drug (NSAID), Oral;	Capsule, oral: 20 mg	
Sulindac	Analgesic, Nonopioid;Nonste roidal Anti- inflammatory Drug (NSAID), Oral;	Tablet, oral: 150 mg	
Ketorolac (Systemic)	Analgesic, Nonopioid;Nonste roidal Anti- inflammatory Drug (NSAID), Oral;Nonsteroidal Anti-inflammatory Drug (NSAID), Parenteral;	Injection, solution, as tromethamine: 30 mg/mL (1 mL, 2 mL) [contains alcohol 10%] Tablet, Oral, as tromethamine: Generic: 10 mg	Tablets: restricted for up to 5 days for post-op pain only
Meloxicam Mobic®;	Analgesic, Nonopioid;Nonste roidal Anti- inflammatory Drug (NSAID), Oral;Nonsteroidal Anti-inflammatory Drug (NSAID), Parenteral;	Tablet, oral: 7.5 mg, 15 mg Mobic®: 7.5 mg, 15 mg	

Morphine Sulfate (Systemic)	Analgesic, Opioid;	Injection, solution: 5 mg/mL (1 mL); 10 mg/mL (1 mL); 15 mg/mL (1 mL); 50 mg/mL () Solution, oral: 10 mg/5 mL (5 mL); 20 mg/5 mL (100 mL) Solution, oral [concentrate]: 20 mg/mL (1 mL) [contains sodium benzoate] Tablet, extended release, oral: 15 mg, 30 mg, 60 mg, 100 mg
TraMADol	Analgesic, Opioid;	Tablet, oral, as hydrochloride: 50 mg

Buprenorphine	Brixadi;Butrans;Sublocade;Subutex;	Analgesic, Opioid;Analgesic, Opioid Partial Agonist;	<p>Patch Weekly, Transdermal: Generic: 5 mcg/hr (1 ea, 4 ea); 7.5 mcg/hr (1 ea, 4 ea); 10 mcg/hr (1 ea, 4 ea); 15 mcg/hr (1 ea, 4 ea); 20 mcg/hr (1 ea, 4 ea) Solution Prefilled Syringe, Subcutaneous: Brixadi: 64 mg/0.18 mL [extended-release] (0.18 mL); 96 mg/0.27 mL [extended-release] (0.27 mL); 128 mg/0.36 mL [extended-release] (0.36 mL) Brixadi (Weekly): 8 mg/0.16 mL [extended-release] (0.16 mL); 16 mg/0.32 mL [extended-release] (0.32 mL); 24 mg/0.48 mL [extended-release] (0.48 mL); 32 mg/0.64 mL [extended-release] (0.64 mL) [contains alcohol, usp] Solution Prefilled Syringe, Subcutaneous [preservative free]: Sublocade: 100 mg/0.5 mL (0.5 mL); 300 mg/1.5 mL (1.5 mL) Tablet Sublingual, Sublingual, as hydrochloride: Generic: 2 mg, 8 mg</p>	Sublingual tablets are restricted to MAT clinic for third line option in patients who have intolerance to naloxone-containing films or tablets
---------------	------------------------------------	--	---	--

Buprenorphine and Suboxone®;	Analgesic, Opioid;Analgesic, Opioid Partial Agonist;	<p>Tablet, Sublingual: Buprenorphine 2 mg and naloxone 0.5 mg; Buprenorphine 8 mg and naloxone 2 mg</p> <p>Film, Sublingual: Buprenorphine 2 mg and naloxone 0.5 mg; Buprenorphine 8 mg and naloxone 2 mg; Buprenorphine 12 mg and naloxone 3 mg</p>	Sublingual tablets are restricted to MAT clinic for second line option in patients who have intolerance to films
FentaNYL	Duragesic®;	Analgesic, Opioid;Anilidopiperidine Opioid;General Anesthetic;	<p>Injection, solution, as citrate [preservative free]: 0.05 mg/mL ()</p> <p>Injection, solution, as citrate: 0.05mg/ml (2ml)</p> <p>Transdermal system, topical, as base: Duragesic®: 12 (5s) [delivers 12.5 mcg/hour, contains alcohol 0.1 mL/10 cm²]; 25 (5s) [delivers 25 mcg/hour, contains alcohol 0.1 mL/10 cm²]; 50 (5s) [delivers 50 mcg/hour, contains alcohol 0.1 mL/10 cm²]; 75 (5s) [delivers 75 mcg/hour, contains alcohol 0.1 mL/10 cm²]; 100 (5s) [delivers 100 mcg/hour, contains alcohol 0.1 mL/cm²</p>
Benzocaine		Analgesic, Topical;Local Anesthetic;	Solution: 20%
Lidocaine (Topical, Xylocaine®);		Analgesic, Topical;Local Anesthetic;	Ointment, topical: 5% (37.5 g) Patch, topical: 5%

Capsaicin	Capsaicin ;	Analgesic, Topical;Topical Skin Product;Transient Receptor Potential Vanilloid 1 (TRPV1) Agonist;	Cream, External: Generic: 0.025% (25 g, 50 g, 60 g, 120 g); 0.1% (42.5 g)	FOR HOSPITAL (ER/INPT) USE ONLY May be fast-tracked for cannabis hyperemesis syndrome (CHS)
Phenazopyridine		Analgesic, Urinary;	Tablet, oral, as hydrochloride: 100 mg	
Testosterone	AndroGel Pump;Depo®- Testosterone;	Androgen;	Injection, oil, as cypionate: Depo®-Testosterone: 200 mg/mL (1 mL) [contains benzyl alcohol and benzyl benzoate and cottonseed oil] Gel, Transdermal: Generic: 20.25 mg/actuation (1.62%) (75 g)	
Phenol	Phenol EZ Swabs ;	Anesthetic, Topical;	Swab, External: Phenol EZ Swabs: 89% (30 ea)	
Fluorescein and Benoxinate		Anesthetic, Topical;Diagnostic Agent;Ophthalmic Agent;	Solution, ophthalmic: Fluorescein sodium 0.25% and benoxinate hydrochloride 0.4% (5 mL)	
Losartan	Cozaar®;	Angiotensin II Receptor Blocker;Antihypert ensive;	Tablet, oral, as potassium: Cozaar®: 25 mg, 50 mg, 100 mg	

Valsartan	Diovan;	Angiotensin II Receptor Blocker; Antihypertensive;	Tablet, Oral: Generic: 40 mg, 80 mg, 160 mg, 320 mg	Preference for Losartan. Valsartan available for patients who cannot tolerate Losartan or who have been stabilized on Valsartan outside the system.
Losartan and Hydrochlorothiazide	Hyzaar;	Angiotensin II Receptor Blocker; Antihypertensive; Diuretic, Thiazide;	Tablet, Oral: Generic: 50/12.5: Losartan potassium 50 mg and hydrochlorothiazide 12.5 mg; 100/12.5: Losartan potassium 100 mg and hydrochlorothiazide 12.5 mg; 100/25: Losartan potassium 100 mg and hydrochlorothiazide 25 mg	
Sacubitril and Valsartan	Entresto;	Angiotensin II Receptor Blocker; Neprilysin Inhibitor;	Tablet, Oral: Entresto: Sacubitril 24 mg and valsartan 26 mg, Sacubitril 49 mg and valsartan 51 mg, Sacubitril 97 mg and valsartan 103 mg	
Captopril		Angiotensin-Converting Enzyme (ACE) Inhibitor; Antihypertensive;	Tablet, oral: 12.5 mg, 25 mg	

Enalaprilat	Angiotensin- Converting Enzyme (ACE) Inhibitor;Antihyper tensive; Injectable, Intravenous: Generic: 1.25 mg/mL (1 mL, 2 mL)	
Fosinopril	Angiotensin- Converting Enzyme (ACE) Inhibitor;Antihyper tensive; Tablet, oral, as sodium: 5 mg, 10 mg, 20 mg, 40 mg	
Lisinopril	Prinivil®;	Angiotensin- Converting Enzyme (ACE) Inhibitor;Antihyper tensive; Tablet, Oral: Generic: 2.5 mg, 5 mg, 10 mg, 20 mg, 30 mg, 40 mg
Lisinopril and Hydr Zestoretic;	Angiotensin- Converting Enzyme (ACE) Inhibitor;Antihyper tensive;Diuretic, Thiazide;	Tablet, Oral: Generic: 10/12.5: Lisinopril 10 mg and hydrochlorothiazide 12.5 mg 20/12.5: Lisinopril 20 mg and hydrochlorothiazide 12.5 mg 20/25: Lisinopril 20 mg and hydrochlorothiazide 25 mg

Naltrexone and Bu	Contrave;	Anorexiant;Antidepressant, Dopamine/Norepinephrine- Reuptake Inhibitor;Opioid Antagonist;	Tablet Extended Release 12 Hour, Oral: Contrave: Naltrexone hydrochloride 8 mg and bupropion hydrochloride 90 mg [contains edetate (edta) disodium, fd&c blue #2 (indigo carm) aluminum lake]	Due to extreme cost, preference is for using individual tablets rather than the combination. Please use the following conversion: Naltrexone 25mg (1/2 of 50mg tablet) daily AND Bupropion XL 150mg daily x 1 week then 300mg daily
-------------------	-----------	---	---	---

<p>Phentermine and T Qsymia;</p>	<p>Aorexiant;Antiseizure Agent, Miscellaneous;Sympathomimetic;</p>	<p>Capsule, extended release, oral: Qsymia: 3.75/23: Phentermine 3.75 mg [immediate release] and topiramate 23 mg [extended release] [contains tartrazine] Qsymia: 7.5/46: Phentermine 7.5 mg [immediate release] and topiramate 46 mg [extended release] [contains tartrazine] Qsymia: 11.25/69: Phentermine 11.25 mg [immediate release] and topiramate 69 mg [extended release] [contains tartrazine] Qsymia: 15/92: Phentermine 15 mg [immediate release] and topiramate 92 mg [extended release] [contains tartrazine]</p>
----------------------------------	--	---

Phentermine	Adipex-P®; Ionamin®; Anorexiant; Central Nervous System Stimulant; Sympathomimetic;	Capsule, oral, as hydrochloride: 15 mg, 30 mg, 37.5 mg Adipex-P®: 37.5 mg Capsule, resin complex: Ionamin®: 15 mg Tablet, oral, as hydrochloride: 37.5 mg Adipex-P®: 37.5 mg	<p>Pharmacotherapy for weight loss is recommended only for obese patients with a body mass index ≥ 30 kg/m², or ≥ 27 kg/m² in the presence of other risk factors such as hypertension, diabetes, and/or dyslipidemia or a high waist circumference; therapy should be used in conjunction with a comprehensive weight management program. Rule out organic causes of obesity (eg, untreated hypothyroidism) prior to use.</p> <p>Note: Phentermine is not approved for long-term use. The limited usefulness of medications in this class should be weighed against possible risks associated with their use. Consult weight loss guidelines for current pharmacotherapy recommendations.</p>
Aluminum Hydroxide	Alenic Alka Tablet ; Gaviscon® Tablet ; Genaton Tablet ; Antacid;	Tablet, chewable: Aluminum hydroxide 80 mg and magnesium trisilicate 20 mg	

	Antacid;Antidote;Calcium	Tablet, Oral:	
	Salt;Electrolyte	Generic: 1250 mg (elemental calcium 500 mg)	
Antacid ;Calcium	Supplement,		CHEWABLE RESTRICTED TO
Antacid ;Oysco 500	Oral;Phosphate	Tablet Chewable, Oral:	DIALYSIS PATIENTS FOR
Calcium Carbonate ;Tums ;	Binder;	Generic: 500 mg	PHOSPHATE BINDER
		Suspension, oral: 320 mg/5 mL (473 mL)	
Aluminum Hydroxide	Antacid;Antidote;Protectant, Topical;	[sugar free; contains benzyl alcohol; mint flavor]	

<p>Alamag Plus ;Aldroxicon I ;Aldroxicon II ;Almacone Double Strength ;Almacone ;Alumina-Magnesia- Simethicone ;Gelusil ;Geri-Mox ;HyVee Advanced Antacid ;Maalox Advanced Maximum Strength ;Mi-Acid Maximum Strength ;Mi-Acid ;Mintox Plus ;Mintox Regular Strength ;Mylanta Classic Maximum Strength Liquid ;Mylanta Classic Regular Strength Liquid Aluminum Hydroxide ;Rulox ;</p>	<p>Antacid;Antiflatulent; Antacid;Electrolyte Supplement, Oral;Magnesium Salt;</p>	<p>Liquid, Oral: Generic: Aluminum hydroxide 200 mg, magnesium hydroxide 200 mg, and simethicone 20 mg per 5 mL (360 mL); Aluminum hydroxide 400 mg, magnesium hydroxide 400 mg, and simethicone 40 mg per 5 mL (360 mL) Suspension, Oral: Generic: Aluminum hydroxide 200 mg, magnesium hydroxide 200 mg, and simethicone 20 mg per 5 mL (30 mL); Aluminum hydroxide 225 mg, magnesium hydroxide 200 mg, and simethicone 25 mg per 5 mL (360 mL); Aluminum hydroxide 400 mg, magnesium hydroxide 400 mg, and simethicone 40 mg per 5 mL (30 mL, 355 mL)</p>
<p>Magnesium Oxide</p>		<p>Tablet, oral: 400 mg Suspension, Oral: Milk of Magnesia: 400 mg/5 mL (30 mL)</p>
<p>Magnesium Hydroxide ; Milk of Magnesia ;</p>	<p>Antacid;Laxative;Magnesium Salt;</p>	<p>[contains methylparaben, propylene glycol, propylparaben]</p>

Albendazole	Albenza;	Anthelmintic;	Tablet, Oral: Albenza: 200 mg [contains saccharin sodium]
Pyrantel Pamoate	Pamix ;Pin-X ;Reeses Pinworm Medicine ;	Anthelmintic;	Suspension, Oral [strength expressed as base]: Reeses Pinworm Medicine: 50 mg/mL (30 mL) [contains saccharin sodium, sodium benzoate]
Nitroglycerin	Nitro-Bid®;Nitro-Dur®;NitroQuick®;	Antianginal Agent;Antidote, Extravasation;Vasodilator;	Injection, solution: 5 mg/mL Ointment, topical: Nitro-Bid®: 2% (30 g) Tablet, sublingual: NitroQuick®: 0.4 mg (1/150grain) Transdermal system, topical [once-daily patch]: Nitro-Dur®: 0.1 mg/hour; 0.2 mg/hour; 0.4 mg/hour; 0.6 mg/hour
Nadolol	Corgard®;	Antianginal Agent;Antihypertensive;Beta-Blocker, Nonselective;	Tablet, oral: 20 mg, 40 mg, 80 mg Corgard®: 20 mg, 40 mg, 80 mg [scored]
NiCARDipine	Cardene IV;	Antianginal Agent;Antihypertensive;Calcium Channel Blocker;Calcium Channel Blocker, Dihydropyridine;	Solution, Intravenous, as hydrochloride: Cardene IV: 20 mg (200 mL); 40 mg (200 mL) Generic: 2.5 mg/mL ()

		Antianginal Agent;Antihypertensive;Calcium Channel Blocker;Calcium Channel Blocker;	Tablet Extended Release 24 Hour, Oral: Generic: 30 mg, 60 mg, 90 mg
NIFEdipine	Procardia XL;Procardia ;		
Isosorbide Dinitrat	Isordil;	Antianginal Agent;Vasodilator;	Tablet, Oral: Generic: 5 mg, 10 mg
Isosorbide Mononi	Imdur®;	Antianginal Agent;Vasodilator;	Tablet, extended release, oral: 30 mg, 60 mg, 120 mg Imdur®: 30 mg, 60 mg
BusPIRone		Antianxiety Agent, Miscellaneous;	Tablet, oral, as hydrochloride: 7.5 mg, 10 mg, 30 mg
Disopyramide	Norpace® CR;	Antiarrhythmic Agent, Class Ia;	Capsule, controlled release, oral: Norpace® CR: 100 mg Capsule, extended release, oral: 150 mg
Procainamide	Pronestyl-SR®;	Antiarrhythmic Agent, Class Ia;	Injection, solution, as hydrochloride: 100 mg/mL () [contains sodium metabisulfite] Tablet, as hydrochloride: Pronestyl-SR®: 500 mg
QuiNIDine		Antiarrhythmic Agent, Class Ia;Antimalarial Agent;	Injection, solution, as gluconate: 80 mg/mL () [contains disodium edetate]

Lidocaine (System Xylocaine®;	Antiarrhythmic Agent, Class Ib;Local Anesthetic;	<p>Infusion [premixed in D5W], as hydrochloride: 0.4% (2, 500 mL)</p> <p>Injection, solution, as hydrochloride (Xylocaine®): 1% ()</p> <p>Injection, solution, as hydrochloride: 1% (20 mL), 2% (20 mL) [contains sodium chloride]</p> <p>Injection, solution, as hydrochloride [preservative free]: 2% (5 mL) [contains sodium chloride 6 mg/mL]</p> <p>Solution, viscous, as hydrochloride: 2% (20 mL, 100 mL)</p>
Sotalol	Sorine®;	<p>Antiarrhythmic Agent, Class II;Antiarrhythmic Agent, Class III;Antihypertensive;Beta-Adrenergic Blocker, Nonselective;</p> <p>Tablet, oral, as hydrochloride: 80 mg, 120 mg</p>
Propranolol	Inderal® LA;	<p>Antiarrhythmic Agent, Class II;Antihypertensive ;Beta-Adrenergic Blocker, Nonselective;</p> <p>Capsule, extended release, oral, as hydrochloride: 60 mg</p> <p>Capsule, sustained release, oral, as hydrochloride: Inderal® LA: 60 mg, 80 mg</p> <p>Injection, solution, as hydrochloride: 1 mg/mL (1 mL)</p> <p>Tablet, oral, as hydrochloride: 10 mg, 40 mg</p>

Esmolol	Brevibloc;	Antiarrhythmic Agent, Class II;Antihypertensive ;Beta-Blocker, Beta-1 Selective;	Solution, Intravenous, as hydrochloride [preservative free]: Generic: 2500 mg/2 (2)
Amiodarone	Cordarone®;Pacerone®;	Antiarrhythmic Agent, Class III;	Injection, solution, as hydrochloride: 50 mg/mL (3 mL) [contains benzyl alcohol and polysorbate 80] Tablet, oral, as hydrochloride: 200 mg
Verapamil		Antiarrhythmic Agent, Class IV;Antihypertensive;Calcium Channel Blocker;	Injection, solution, as hydrochloride [preservative free]: 2.5 mg/mL (2 mL)
Digoxin	Lanoxin®;	Antiarrhythmic Agent, Miscellaneous;Cardiac Glycoside;	Elixir, oral [pediatric]: Lanoxin®: 0.05 mg/mL (60 mL) [contains alcohol 10%; lime flavor] Injection, solution: Lanoxin®: 0.25 mg/mL (2 mL) [contains alcohol 10% and propylene glycol] Tablet, oral: Lanoxin®: 125 mcg, 250 mcg
Adenosine	Adenocard®;	Antiarrhythmic Agent, Miscellaneous;Diagnostic Agent;	Injection, solution [preservative free]: Adenocard® IV: 3 mg/mL (2 mL)

Gentamicin (Systemic)	Antibiotic, Aminoglycoside;	Injection, solution, as sulfate: 40 mg/mL (2 mL)	
Tobramycin (Systemic)	Antibiotic, Aminoglycoside;	Injection, solution: 40 mg/mL (2 mL)	
Gentamicin (Ophthl Gentak™);	Antibiotic, Aminoglycoside;A ntibiotic, Ophthalmic;	Solution, Ophthalmic: Generic: 0.3% (5 mL)	
Tobramycin (Ophthalmic)	Antibiotic, Aminoglycoside;A ntibiotic, Ophthalmic;	Solution, ophthalmic: Generic: 0.3% (5 mL) [contains benzalkonium chloride]	
Gentamicin (Topical)	Antibiotic, Aminoglycoside;A ntibiotic, Topical;	Ointment, External: Generic: 0.1% (15 g)	Gentamicin cream is available via fast-track non-formulary approval for dialysis patients with dialysis site infections
Ertapenem INVanz;	Antibiotic, Carbapenem;	Solution Reconstituted, Injection: Generic: 1 g (1 ea)	
Meropenem Merrem ;	Antibiotic, Carbapenem;	Solution Reconstituted, Intravenous [preservative free]: Generic: 1 g (1 ea)	
Cefadroxil	Antibiotic, Cephalosporin (First Generation);	Capsule, Oral: Generic: 500 mg	
CeFAZolin	Antibiotic, Cephalosporin (First Generation);	Infusion [iso-osmotic dextrose solution]: 1 g (Injection, powder for reconstitution: 1 g, 10 g	

Cephalexin		Antibiotic, Cephalosporin (First Generation);	Capsule, oral: 250 mg, 500 mg Powder for suspension, oral: 250 mg/5 mL (100 mL, 200 mL) [mixed berry flavor]
Cefepime	Maxipime;	Antibiotic, Cephalosporin (Fourth Generation);	Solution Reconstituted, Injection, as hydrochloride: Maxipime: 1 g (1 ea); 2 g (1 ea) Generic: 1 g (1 ea); 2 g (1 ea) Solution Reconstituted, Intravenous, as hydrochloride: Maxipime: 1 g (1 ea); 2 g (1 ea)
CefoTEtan	Cefotan®;	Antibiotic, Cephalosporin (Second Generation);	Injection, powder for reconstitution: Cefotan®: 2 g
Cefprozil		Antibiotic, Cephalosporin (Second Generation);	Suspension Reconstituted, Oral: Generic: 125 mg/5 mL (, 75 mL, 100 mL); 250 mg/5 mL (, 75 mL, 100 mL)
Cefuroxime	Ceftin;	Antibiotic, Cephalosporin (Second Generation);	Tablet, Oral, as axetil [strength expressed as base]: Generic: 250 mg, 500 mg

Cefdinir	Omnicef®;	Antibiotic, Cephalosporin (Third Generation);	Capsule, oral: 300 mg Omnicef®: 300 mg Powder for oral suspension: 125 mg/5 mL (60 mL, 100 mL); 250 mg/5 mL (60 mL, 100 mL) Omnicef®: 125 mg/5 mL (60 mL, 100 mL) [contains sodium benzoate and sucrose 2.86 g/5 mL; strawberry flavor]; 250 mg/5 mL (60 mL, 100 mL) [contains sodium benzoate and sucrose 2.86 g/5 mL; strawberry flavor]
Cefixime	Suprax ;	Antibiotic, Cephalosporin (Third Generation);	Capsule, Oral: Generic: 400 mg Suspension Reconstituted, Oral: Generic: 200 mg/5 mL ()
Cefotaxime	Claforan®;	Antibiotic, Cephalosporin (Third Generation);	Injection, powder for reconstitution, as sodium: 1 g, 2 g [contains sodium 50.5 mg (2.2 mEq)/g]
CefTAZidime	Fortaz®;	Antibiotic, Cephalosporin (Third Generation);	Injection, powder for reconstitution: Fortaz®: 1 g, 2 g
CefTRIAXone	Rocephin®;	Antibiotic, Cephalosporin (Third Generation);	Injection, powder for reconstitution: 250 mg, 1 g, 2 g [contains sodium 83 mg (3.6 mEq)/g]
Ciprofloxacin (Syst Cipro®;		Antibiotic, Fluoroquinolone;	Tablet, oral, as hydrochloride [strength expressed as base]: Cipro®: 250 mg, 500 mg

Ciprofloxacin (Ophthalmic)	Antibiotic, Fluoroquinolone;A ntibiotic, Ophthalmic;	Solution, ophthalmic, as hydrochloride: 0.3% (5 mL) [contains benzalkonium chloride]	
Moxifloxacin (Opht Vigamox;	Antibiotic, Fluoroquinolone;A ntibiotic, Ophthalmic;	Solution, Ophthalmic: Generic: 0.5% (3 mL)	
Ofloxacin (Ophthal Ocuflor;	Antibiotic, Fluoroquinolone;A ntibiotic, Ophthalmic;	Solution, Ophthalmic: Generic: 0.3% ()	
LevoFLOXacin (Sys Levaquin®;	Antibiotic, Fluoroquinolone;A ntibiotic, Respiratory Fluoroquinolone;	Injection, solution [preservative free]: Levaquin®: 25 mg/mL (20 mL) Tablet, oral: 250 mg, 500 mg	
Moxifloxacin (Systemic)	Antibiotic, Fluoroquinolone;A ntibiotic, Respiratory Fluoroquinolone;	Tablet, Oral: Generic: 400 mg	For TB treatment only in consultation with TB specialist
Cleocin HCl®;Cleocin Phosphate®;Cleocin Clindamycin (Syste®;	Antibiotic, Lincosamide;	Capsule, oral, as hydrochloride: 150 mg Injection, solution, as phosphate (Cleocin Phosphate®): 150 mg/mL (6 mL) [contains benzyl alcohol and disodium edetate 0.5 mg/mL] Suspension, oral: 75 mg/mL	

Clindamycin (Topic Cleocin®;	Antibiotic, Lincosamide;Topic al Skin Product, Acne;	<p>Cream, Vaginal, as phosphate [strength expressed as base]: Cleocin: 2% (40 g) [contains benzyl alcohol] Generic: 2% (40 g)</p> <p>Solution, External, as phosphate [strength expressed as base]: Cleocin-T: 1% (60 mL) [contains isopropyl alcohol, propylene glycol] Generic: 1% (60 mL) Generic: 1% (60 ea)</p>
Azithromycin (Syst x® Z-PAK®;	Antibiotic, Macrolide;	<p>Powder for suspension, immediate release, oral, as dihydrate: Zithromax®: 100 mg/5 mL (15 mL) [contains sodium 3.7 mg/5 mL; cherry-crème de vanilla-banana flavor]; 200 mg/5 mL (15 mL) [contains sodium 7.4 mg/5 mL; cherry-crème de vanilla-banana flavor]; 1 g/packet [contains sodium 37 mg/packet; banana-cherry flavor]</p> <p>Tablet, oral, as dihydrate: Zithromax®: 250 mg [contains sodium 0.9 mg/tablet] Zithromax® Z-PAK® [unit-dose pack]: 250 mg (6s) [contains sodium 0.9 mg per tablet]</p> <p>Tablet, oral, as monohydrate: 250 mg [contains sodium 0.21 mg/tablet]</p>

			Powder for suspension, oral, as ethylsuccinate: EryPed®: 400 mg/5 mL (100 mL) [banana flavor]
Erythromycin (Syst EryPed®;Erythrocin®;	Antibiotic, Macrolide;		Tablet, oral, as stearate: Erythrocin®: 250 mg
Erythromycin and Sulfisoxazole	Antibiotic, Macrolide;Antibiotic, Macrolide Combination;Antibiotic, Sulfonamide Derivative;		Powder for suspension, oral: Erythromycin ethylsuccinate 200 mg and sulfisoxazole acetyl 600 mg per 5 mL (200 mL) [strawberry-banana flavor]
Erythromycin (Ophthalmic)	Antibiotic, Macrolide;Antibiotic, Ophthalmic;		Ointment, ophthalmic: 0.5% (3.5 g)
Dapsone (Systemic)	Antibiotic, Miscellaneous;		Tablet, oral: 25 mg, 100 mg
Fosfomicin	Monurol;	Antibiotic, Miscellaneous;	Packet, Oral: Generic: 3 g (1 ea)
Methenamine	Hiprex;	Antibiotic, Miscellaneous;	Tablet, Oral: Generic: 1 g
Nitrofurantoin	Furadantin®;Macrodantin®;	Antibiotic, Miscellaneous;	Capsule, oral [macrocrystal]: Macrochantin®: 50 mg Capsule, oral [macrocrystal/monohydrate]: 100 mg Suspension, oral: Furadantin®: 25 mg/5 mL (470 mL)

Sulfamethoxazole Sulfatrim®;	Antibiotic, Miscellaneous;Ant ibiotic, Sulfonamide Derivative;	Suspension, oral [pediatric]: Sulfatrim®: Sulfamethoxazole 200 mg and trimethoprim 40 mg per 5 mL (480 mL) [contains alcohol ≤0.5%; cherry flavor] Tablet, double strength: 800/160: Sulfamethoxazole 800 mg and trimethoprim 160 mg
Aztreonam (System Azactam);	Antibiotic, Monobactam;	Solution Reconstituted, Injection [preservative free]: Generic: 2 g (1 ea)
Bacitracin and Poly Polysporin® ;	Antibiotic, Ophthalmic;	Ointment, ophthalmic: Bacitracin 500 units and polymyxin B 10,000 units per g (3.5 g)
Bacitracin, Neomy Topical ; Neosporin® Neo To Go® ;Neosporin®	Antibiotic, Ophthalmic;	Ointment, ophthalmic: Bacitracin 400 units, neomycin 3.5 mg, and polymyxin B 10,000 units per g (3.5 g)
Bacitracin (Ophthalmic)	Antibiotic, Ophthalmic;	Ointment, Ophthalmic: Generic: 500 units/g (3.5 g)
Neomycin, Polymyxin B, and Gramicidin	Antibiotic, Ophthalmic;	Solution, ophthalmic: Neomycin 1.75 mg, polymyxin B 10,000 units, and gramicidin 0.025 mg per 1 mL () [contains alcohol 0.5% and thimerosal]
Sulfacetamide (Ophthalmic)	Antibiotic, Ophthalmic;	Solution, ophthalmic, as sodium: Generic: 10% (15 mL)

Trimethoprim and Polymyxin B	Antibiotic, Ophthalmic;	Solution, ophthalmic: Trimethoprim 1 mg and polymyxin B sulfate 10,000 units per 1 mL () Generic: Trimethoprim 1 mg and polymyxin B sulfate 10,000 units per 1 mL () [contains benzalkonium chloride]
Chlorhexidine Gluconate (Oral)	Antibiotic, Oral Rinse;	Solution, Mouth/Throat: Generic: 0.12% (473 mL)
Neomycin, Polymyxin B, and Hydrocortisone (Otic)	Antibiotic, Otic;Antibiotic/Corticosteroid, Otic;Corticosteroid;	Suspension, otic: Generic: Neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per 1 mL () [contains thimerosal]
Amoxicillin	Amoxil®; Antibiotic, Penicillin;	Capsule, oral: 250 mg, 500 mg Powder for suspension, oral: Amoxil®: 250 mg/5 mL (100 mL, 1) [contains sodium benzoate; bubblegum flavor]

		<p>Powder for suspension, oral: 200: Amoxicillin 200 mg and clavulanate potassium 28.5 mg per 5 mL (, 100 mL) [contains phenylalanine 7 mg/5 mL and potassium 0.14 mEq/5 mL; orange flavor]; 400: Amoxicillin 400 mg and clavulanate potassium 57 mg per 5 mL (, 100 mL) [contains phenylalanine 7 mg/5 mL and potassium 0.29 mEq/5 mL; orange flavor] Tablet, oral: 250/125: Amoxicillin 250 mg and clavulanate potassium 125 mg [contains potassium] 500/125: Amoxicillin 500 mg and clavulanate potassium 125 mg [contains potassium]</p>
Amoxicillin and Cl: Augmentin®;	Antibiotic, Penicillin;	
Ampicillin	Antibiotic, Penicillin;	Injection, powder for reconstitution: 1 g, 2 g [contains sodium 2.9 mEq/g]
Ampicillin and Sult Unasyn®;	Antibiotic, Penicillin;	Injection, powder for reconstitution: Unasyn®: 1.5 g, 3 g [contains sodium 115 mg (5 mEq)/1.5 g]
Dicloxacillin	Antibiotic, Penicillin;	Capsule, oral: 250 mg
Nafcillin	Antibiotic, Penicillin;	Injection, powder for reconstitution: 2 g, 10 g
Penicillin V Potassium	Antibiotic, Penicillin;	<p>Powder for solution, oral: 250 mg/5 mL (200 mL) [contains phenylalanine 4.5 mg/5 mL; fruit flavor] Tablet, oral: 250 mg, 500 mg</p>

Penicillin G Benzat Bicillin® L-A;	Antibiotic, Penicillin;	Injection, suspension: Bicillin® L-A: 600,000 units/mL (1 mL, 2 mL)
Penicillin G Benzat 900/300; Bicillin® C-R	Antibiotic, Penicillin;	Injection, suspension: Bicillin® C-R 900/300: 1,200,000 units: Penicillin G benzathine 900,000 units and penicillin G procaine 300,000 units per 2 mL (2 mL)
Penicillin G (Parenteral/Aqueous)	Antibiotic, Penicillin;	Injection, powder for reconstitution, as sodium: 5 million units [contains sodium 1.68 mEq per 1 million units]
Piperacillin	Antibiotic, Penicillin;	Injection, powder for reconstitution: 3 g [contains sodium 42.5 mg (1.85 mEq)/g]
Piperacillin and Ta: Zosyn®;	Antibiotic, Penicillin;	Note: 8:1 ratio of piperacillin sodium/tazobactam sodium Infusion [premixed iso-osmotic solution, frozen] and Injection, powder for reconstitution: 2.25 g: Piperacillin 2 g and tazobactam 0.25 g 3.375 g: Piperacillin 3 g and tazobactam 0.375 g 4.5 g: Piperacillin 4 g and tazobactam 0.5 g

Doxycycline	Vibramycin®;	Antibiotic, Tetracycline Derivative;	Capsule, oral, as hyclate: 100 mg Injection, powder for reconstitution, as hyclate: 100 mg Suspension, oral, as calcium: Vibramycin®: 50 mg/5 mL (473 mL) [contains sodium metabisulfite; raspberry-apple flavor]
Minocycline (Systemone)	CoreMino; Minocin; Minolira; Solodyn; Ximino	Antibiotic, Tetracycline Derivative;	Capsule, Oral: Generic: 50 mg, 100 mg
Chlorhexidine Gluc Scrub	Betasept Surgical	Antibiotic, Topical;	Liquid, External: Betasept Surgical Scrub: 4% (118 mL)
MetroNIDAZOLE (T Metrogel)		Antibiotic, Topical;	Gel, External: Generic: 0.75% (45 g) Gel, Vaginal: Generic: 0.75% (70 g)
Mupirocin	Bactroban®;	Antibiotic, Topical;	Note: Strength expressed as base Cream, topical, as calcium: Bactroban Cream®: 2% (15 g, 30 g) [contains benzyl alcohol] Ointment, topical: 2% (0.9 g, 22 g) Bactroban®: 2% (22 g) [contains polyethylene glycol]
Silver Sulfadiazine SSD		Antibiotic, Topical;	Cream, topical: 1% (25 g, 50 g, 400 g)
Gentian Violet		Antibiotic, Topical; Antifungal Agent, Topical;	Solution, topical: 2% (30 mL) [contains ethyl alcohol 10%]

Silver Nitrate	Antibiotic, Topical;Cauterizin g Agent, Topical;Topical Skin Product, Antibacterial;	Applicator sticks, topical: Silver nitrate 75% and potassium nitrate 25%
Neomycin, Polymyxin B, and Dexametha	Antibiotic/Corticosteroid, Ophthalmic;	Ointment, ophthalmic: Generic: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per g (3.5 g) Suspension, ophthalmic: Generic: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per 1 mL (5 mL) [contains benzalkonium chloride]
Sulfacetamide and Blephamide®;	Antibiotic/Corticosteroid, Ophthalmic;	Suspension, ophthalmic [drops]: Blephamide®: Sulfacetamide sodium 10% and prednisolone acetate 0.2% (5 mL,) [contains benzalkonium chloride]
Tobramycin and Dc TobraDex®;	Antibiotic/Corticosteroid, Ophthalmic;	Suspension, ophthalmic: Generic: Tobramycin 0.3% and dexamethasone 0.1% (5 mL) [contains benzalkonium chloride] Ointment, Ophthalmic: TobraDex: Tobramycin 0.3% and dexamethasone 0.1% (3.5 g) [contains chlorobutanol]

Cyclopentolate	Cyclogyl®;	Anticholinergic Agent, Ophthalmic;	Solution, ophthalmic, as hydrochloride: Generic: 1% (2 mL) [contains benzalkonium chloride]
Atropine (Ophthalmic)		Anticholinergic Agent, Ophthalmic; Ophthalmic Agent, Mydriatic;	Solution, ophthalmic, as sulfate: 1% (5 mL) [contains benzalkonium chloride]
Homatropine	Isopto® Homatropine;	Anticholinergic Agent, Ophthalmic; Ophthalmic Agent, Mydriatic;	Solution, ophthalmic, as hydrobromide: Isopto® Homatropine: 2% (5 mL); 5% (5 mL)
Tropicamide	Mydriacyl®;	Anticholinergic Agent, Ophthalmic; Ophthalmic Agent, Mydriatic;	Solution, ophthalmic [drops]: Mydriacyl®: 1% (15 mL) [contains benzalkonium chloride]
Dicyclomine		Anticholinergic Agent;	Tablet, oral, as hydrochloride: 10 mg, 20 mg
Glycopyrrolate (Sy: Robinul;		Anticholinergic Agent;	Tablet, Oral: Generic: 1 mg
Hyoscyamine		Anticholinergic Agent;	Capsule, extended release, oral, as sulfate: 0.375 mg Tablet, sublingual, as sulfate: 0.125 mg
Ipratropium (Oral Inhalation)		Anticholinergic Agent;	Solution, for nebulization, as bromide [preservative free]: 0.02% (2.5 mL)

Tiotropium	Spiriva® HandiHaler®;	Anticholinergic Agent;Anticholinergic Agent, Long-Acting;	Aerosol Solution, Inhalation: Spiriva Respimat: 1.25 mcg/actuation (4 g); 2.5 mcg/actuation (4 g) [contains benzalkonium chloride, disodium edta]
Umeclidinium and Anoro Ellipta;		Anticholinergic Agent;Anticholinergic Agent, Long-Acting;Beta2 Agonist;Beta2-Adrenergic Agonist, Long-Acting;	Aerosol Powder Breath Activated, Inhalation: Anoro Ellipta: Umeclidinium 62.5 mcg and vilanterol 25 mcg per inhalation (7 dose, 30 dose) [contains milk protein]
Atropine (Systemic)		Anticholinergic Agent;Antidote;Antispasmodic Agent, Gastrointestinal;	Injection, solution, as sulfate: 0.1 mg/mL (); 0.4 mg/mL (20 mL)
Ipratropium and Al ;	Combivent®;DuoNeb	Anticholinergic Agent;Beta2-Adrenergic Agonist;	Aerosol, for oral inhalation: Combivent®: Ipratropium bromide 18 mcg and albuterol sulfate 103 mcg per inhalation (14.7 g) [contains chlorofluorocarbon and soya lecithin] Solution, for nebulization: Generic: Ipratropium bromide 0.5 mg and albuterol (base) 2.5 mg per 3 mL (30s)

Heparin	Hep-Lock U/P; Hep-Lock®; HepFlush®-10;	Anticoagulant;	Injection, solution, as sodium [lock flush preparation; porcine intestinal mucosa source]: 10 units/mL (5 mL); 100 units/mL (1 mL, 30 mL) [contains benzyl alcohol] Injection: 5000 units/mL (1 mL, 30 mL)
Apixaban	Eliquis;	Anticoagulant; Anti coagulant, Factor Xa Inhibitor; Direct Oral Anticoagulant (DOAC);	Tablet, Oral: Eliquis: 2.5 mg, 5 mg
Rivaroxaban	Xarelto;	Anticoagulant; Anti coagulant, Factor Xa Inhibitor; Direct Oral Anticoagulant (DOAC);	Tablet, Oral: Xarelto: 2.5 mg, 10 mg, 15 mg, 20 mg
Enoxaparin	Lovenox®;	Anticoagulant; Anti coagulant, Low Molecular Weight Heparin;	Injection, solution, as sodium [preservative free]: Lovenox®: 30 mg/0.3 mL (0.3 mL); 40 mg/0.4 mL (0.4 mL); 60 mg/0.6 mL (0.6 mL); 80 mg/0.8 mL (0.8 mL); 100 mg/mL (1 mL); 150 mg/mL (1 mL)
Warfarin	Coumadin®;	Anticoagulant; Anti coagulant, Vitamin K Antagonist;	Tablet, oral, as sodium: 1 mg, 2 mg, 2.5 mg, 3 mg, 5 mg, 7.5 mg

Mirtazapine		Antidepressant, Alpha-2 Antagonist;	Tablet, oral: 15 mg, 30 mg
BuPROPion	Wellbutrin;Wellbutri n SR;Wellbutrin XL;	Antidepressant, Dopamine/Norepi nephrine- Reuptake Inhibitor;Dopamin e and Norepinephrine - Reuptake Inhibitor;Smoking Cessation Aid;	Tablet, oral, as hydrochloride: 75 mg, 100 mg Tablet, extended release, oral, as hydrochloride: 100 mg, 150 mg Tablet, extended release 24 hour, oral, as hydrochloride: 150 mg, 300 mg
Citalopram	CeleXA®;	Antidepressant, Selective Serotonin Reuptake Inhibitor;	Tablet, oral: 20 mg, 40 mg
Escitalopram	Lexapro;	Antidepressant, Selective Serotonin Reuptake Inhibitor;	Tablet, Oral: Generic: 5 mg, 10 mg, 20 mg
FLUoxetine		Antidepressant, Selective Serotonin Reuptake Inhibitor;	Capsule, Oral: Generic: 10 mg, 20 mg, 40 mg Tablet, Oral: Generic: 10 mg, 20 mg, 60 mg Solution, Oral: Generic: 20 mg/5 mL (120 mL)

PARoxetine	Paxil;	Antidepressant, Selective Serotonin Reuptake Inhibitor;	Tablet, Oral, as hydrochloride [strength expressed as base]: Generic: 20 mg	
Sertraline	Zoloft®;	Antidepressant, Selective Serotonin Reuptake Inhibitor;	Tablet, oral: 25 mg, 50 mg, 100 mg Zoloft®: 25 mg, 50 mg, 100 mg	
TraZODone		Antidepressant, Serotonin Reuptake Inhibitor/Antagoni st;Serotonin Modulator;	Tablet, oral, as hydrochloride: 50 mg (outpatients only), 100 mg (inpatients only)	50 mg tablets are for outpatient use only. 100 mg tablets are for inpatient us only.
DULoxetine	Cymbalta®;	Antidepressant, Serotonin/Norepin ephrine Reuptake Inhibitor;	Capsule, delayed release, enteric coated pellets, oral: Cymbalta®: 20 mg, 30 mg, 60 mg	
Venlafaxine	Effexor®;Effexor® XR;	Antidepressant, Serotonin/Norepin ephrine Reuptake Inhibitor;	Capsule, extended release, oral: 37.5 mg, 75 mg, 150 mg Tablet, oral: 37.5 mg, 75 mg	
Desipramine		Antidepressant, Tricyclic (Secondary Amine);	Tablet, oral, as hydrochloride: 25 mg, 50 mg	

Nortriptyline	Antidepressant, Tricyclic (Secondary Amine);	Capsule, oral: 10 mg, 25 mg, 50 mg	
Amitriptyline	Antidepressant, Tricyclic (Tertiary Amine);	Tablet, oral, as hydrochloride: 10 mg, 25 mg, 50 mg	
ClomiPRAMINE	Antidepressant, Tricyclic (Tertiary Amine);	Capsule, oral, as hydrochloride: 25 mg	
Doxepin (Systemic)	Antidepressant, Tricyclic (Tertiary Amine);	Capsule, Oral: Generic: 10 mg, 25 mg, 50 mg Tablet, Oral: Generic: 3 mg, 6 mg	Note: lower strengths (3mg, 6mg) are indicated for insomnia; higher strengths (10mg, 25mg, 50mg) are indicated for depression/anxiety/bipolar disorder.
Imipramine	Antidepressant, Tricyclic (Tertiary Amine);	Tablet, oral, as hydrochloride: 10 mg, 25 mg	
Ketamine	Antidepressant;General Anesthetic;	Injection, solution: 100 mg/mL (5 mL)	

			Tablet, oral, as hydrochloride: 500 mg
MetFORMIN		Antidiabetic Agent, Biguanide;	Tablet, extended release, oral, as hydrochloride: 500 mg
			Tablet: Antidiabetic Agent, 2.5/500: Glyburide 2.5 and metformin Biguanide;Antidiab hydrochloride 500 mg etic Agent, 5/500: Glyburide 5 mg and metformin Sulfonylurea; hydrochloride 500 mg
SITagliptin	Januvia;	Antidiabetic Agent, Dipeptidyl Peptidase 4 (DPP- 4) Inhibitor;	Tablet, Oral: Generic: 25 mg, 50 mg, 100 mg
			Pen-injector, Subcutaneous: Bydureon: 2 mg (1 ea) Solution Pen-injector, Subcutaneous: Antidiabetic Agent, Byetta 10 MCG Pen: 10 mcg/0.04 mL (2.4 mL) [contains metacresol] Glucagon-Like Peptide-1 (GLP-1) Receptor Agonist; Byetta 5 MCG Pen: 5 mcg/0.02 mL (1.2 mL) [contains metacresol]
Exenatide	Bydureon;Byetta 10 MCG Pen;Byetta 5 MCG Pen;		

Semaglutide	Ozempic;	<p>Solution Pen-injector, Subcutaneous: Ozempic (0.25 or 0.5 MG/DOSE): 0.25 mg or 0.5 mg per dose [2 mg/1.5 mL] (1.5 mL) [contains phenol, propylene glycol] Ozempic (1 MG/DOSE): 1 mg per dose [2 mg/1.5 mL] (1.5 mL) [contains phenol, propylene glycol] Ozempic (2 MG/DOSE): 8 mg/3 mL (3 mL) [contains phenol, propylene glycol]</p>	
Empagliflozin	Jardiance;	<p>Antidiabetic Agent, Sodium-Glucose Cotransporter 2 (SGLT2) Inhibitor;Sodium- Glucose Cotransporter 2 (SGLT2) Inhibitor;</p>	<p>Tablet, Oral: Jardiance: 10 mg, 25 mg</p>
GlipiZIDE	Glucotrol®;	<p>Antidiabetic Agent, Sulfonylurea;</p>	<p>Tablet, oral: 5 mg, 10 mg</p>
GlyBURIDE		<p>Antidiabetic Agent, Sulfonylurea;</p>	<p>Tablet, oral: 2.5 mg, 5 mg</p> <p>Only for use in pregnancy</p>
TOLAZamide		<p>Antidiabetic Agent, Sulfonylurea;</p>	<p>Tablet, oral: 250 mg</p>

Pioglitazone	Actos;	Antidiabetic Agent, Tablet, Oral: Thiazolidinedione;	Generic: 15 mg, 30 mg, 45 mg
Bismuth Subsalicylate		Antidiarrheal;	Tablet, chewable, oral, as subsalicylate: 262 mg [sugar free; contains sodium 0.1 mg/tablet]
Diphenoxylate and Atropine		Antidiarrheal;	Tablet: 2.5/0.025: Diphenoxylate hydrochloride 2.5 mg and atropine sulfate 0.025 mg
Loperamide		Antidiarrheal;	Capsule, oral, as hydrochloride: 2 mg
Octreotide	SandoSTATIN LAR®; SandoSTATIN®;	Antidiarrheal; Antidote; Somatostatin Analog;	Injection, solution, as acetate [preservative free]: 0.05 mg/mL (1 mL)
Psyllium	Konsyl-D™;	Antidiarrheal; Fiber Supplement; Laxative, Bulk-Producing;	Powder, oral: Konsyl-D™: 3.4 g/dose (397 g) [contains calcium 6 mg/teaspoon, dextrose 3.1 g/teaspoon, potassium 31 mg/teaspoon, and sodium 3 mg/teaspoon]
Vasopressin		Antidiuretic Hormone Analog; Hormone, Posterior Pituitary;	Injection, solution: 20 units/mL (0.5 mL)
Terbutaline	Brethine®;	Antidote, Extravasation; Beta 2 Agonist;	Injection, solution, as sulfate: Brethine®: 1 mg/mL (1 mL) Tablet, oral, as sulfate: Brethine®: 5 mg

Dextrose		Antidote, Hypoglycemia;Intravenous Nutritional Therapy;	Infusion: 5% (2, 500 mL, 1000 mL); Injection, solution: 50% (Gel, oral: 40%
Charcoal, Activated		Antidote;	Powder for suspension, oral: USP (30 g)
Dimercaprol	BAL in Oil®;	Antidote;	Injection, oil: BAL in Oil®: 100 mg/mL (3 mL) [contains benzyl benzoate and peanut oil]
Flumazenil	Romazicon®;	Antidote;	Injection, solution: Romazicon®: 0.1 mg/mL (5 mL) [contains disodium edetate 0.01%]
Ipecac Syrup		Antidote;	Syrup, oral: USP (30 mL) [contains ethyl alcohol]
Pralidoxime	Protopam®;	Antidote;	Injection, powder for reconstitution, as chloride: Protopam®: 1 g
Protamine		Antidote;	Injection, solution, as sulfate [preservative free]: 10 mg/mL (5 mL) Generic: 10 mg/mL (25 mL)
Glucagon	Gvoke Kit;	Antidote;Antidote, Hypoglycemia;Dia gnostic Agent;	Kit, for injection: Glucagon Emergency Kit: 1 mg [contains lactose 49 mg]
Potassium Iodide	SSKI®;	Antidote;Antithyroid Agent;Expectorant ;	Solution, oral: SSKI®: 1 g/mL (30 mL)

Calcium Acetate	PhosLo®;	Antidote;Calcium Salt;Phosphate Binder;	Gelcap, oral: 667 mg
Deferoxamine	Desferal®;	Antidote;Chelating Agent;	Injection, powder for reconstitution, as mesylate: Desferal®: 500 mg
Leucovorin		Antidote;Chemotherapy Modulating Agent;Rescue Agent (Chemotherapy);Vitamin, Water Soluble;	Injection, powder for reconstitution, as calcium: 350 mg Tablet, oral, as calcium: 5 mg
Methylene Blue		Antidote;Diagnostic Agent;Phenothiazine Derivative;	Injection, solution [preservative free]: 10 mg/mL (1 mL)
Acetylcysteine	Acetadote;Mucomyst;	Antidote;Mucolytic Agent;	Solution, Inhalation: Generic: 20% [200 mg/mL] (4 mL, 30 mL) Solution, Intravenous [preservative free]: Generic: 200 mg/mL (30 mL)
Naloxone	Narcan®;	Antidote;Opioid Antagonist;	Liquid, Nasal, as hydrochloride: Generic: 4 mg/0.1 mL (2 ea) Injection, solution, as hydrochloride [preservative free]: Generic: 0.4 mg/mL (1 mL); 1 mg/mL (2 mL)

Naltrexone	Antidote;Opioid Antagonist;	Suspension Reconstituted, Intramuscular: Vivitrol: 380 mg (1 ea) Tablet, Oral, as hydrochloride: Generic: 50 mg
Sodium Zirconium Lokelma;	Antidote;Potassium Binder;	Packet, Oral: Lokelma: 5 g (30 ea), 10 g (30 ea)
Sugammadex Bridion;	Antidote;Selective Relaxant Binding Agent;	Solution, Intravenous [preservative free]: Bridion: 500 mg/5 mL (5 mL)
Hydroxocobalamin Cyanokit;	Antidote;Vitamin, Water Soluble;	Solution Reconstituted, Intravenous: Cyanokit: 5 g (1 ea)
Trimethobenzamide	Antiemetic;	Suppository, rectal, as hydrochloride: 100 mg [contains benzocaine 2%]
Metoclopramide	Antiemetic;Dopamine Antagonist;Gastrointestinal Agent, Prokinetic;Serotonin 5-HT4 Receptor Agonist;	Injection, solution: 5 mg/mL Solution, oral, as hydrochloride: 5 mg/5 mL (473 mL) [alcohol free, sugar free; berry-citrus flavor] Tablet, oral: 10 mg
Perphenazine	Antiemetic;First Generation (Typical) Antipsychotic;Phenothiazine Derivative;	Tablet, oral: 2 mg

Prochlorperazine Compro™;	Antiemetic;First Generation (Typical) Antipsychotic;Phenothiazine Derivative; Injection, solution, as edisylate: 5 mg/mL (2 mL) [contains benzyl alcohol] Suppository, rectal: Compro™: 25 mg [contains coconut oil and palm oil] Tablet, oral, as maleate: 5 mg
Promethazine Phenergan®;	Antiemetic;Histamine H1 Antagonist; First Generation;Phenothiazine Derivative; Suppository, rectal, as hydrochloride: 12.5 mg, 25 mg Syrup, oral, as hydrochloride: 6.25 mg/5 mL (473 mL) [gluten free; contains alcohol 7% and sugar 37%; tropical fruit flavor] Tablet, oral, as hydrochloride: 25 mg
Hydroxyzine	Antiemetic;Histamine H1 Antagonist; First Generation;Piperazine Derivative; Capsule, oral, as pamoate: 25 mg Injection, solution, as hydrochloride: 25 mg/mL (1 mL); 50 mg/mL Syrup, oral, as hydrochloride: 10 mg/5 mL (480 mL) [contains alcohol 0.5%; peppermint flavor]
Meclizine	Antiemetic;Histamine H1 Antagonist; First Generation;Piperazine Derivative; Tablet, oral, as hydrochloride: 25 mg

			Injection, solution: Generic: 2 mg/mL (2 mL) Solution, oral: Generic: 4 mg/5 mL () [contains sodium benzoate; strawberry flavor] Tablet, oral: Generic: 4 mg; 8 mg
Ondansetron	Zofran®; Zofran® ODT;	Antiemetic; Selective 5-HT ₃ Receptor Antagonist;	Tablet Disintegrating, Oral: Generic: 4 mg, 8 mg
			Solution, Intravenous: Generic: 1000 mg/ () Solution, Intravenous [preservative free]: Cyklokapron: 1000 mg/ () Generic: 1000 mg/ (); 1000 mg/100 mL in NaCl 0.7% (100 mL)
Tranexamic Acid	Cyklokapron; Lysteda ;	Antifibrinolytic Agent; Antihemophilic Agent; Hemostatic Agent; Lysine Analog;	Tablet, Oral: Lysteda: 650 mg Generic: 650 mg
Simethicone	Mytab Gas ;	Antiflatulent;	Tablet, chewable, oral: 80 mg
Clotrimazole (Topical)		Antifungal Agent, Imidazole Derivative; Antifungal Agent, Oral Nonabsorbed/Partially Absorbed; Antifungal Agent, Topical; Antifungal Agent, Vaginal;	Cream, topical/vaginal: 1% (45 g) [contains benzyl alcohol] Cream, topical: 1% (30 g)

Clotrimazole (Oral Mycelex®;	Antifungal Agent, Imidazole Derivative;Antifung al Agent, Oral Nonabsorbed;	Troche, oral: Mycelex®: 10 mg
Ketoconazole (Top Ketodan;	Antifungal Agent, Imidazole Derivative;Antifung al Agent, Topical;	Shampoo, External: Generic: 2% (120 mL)
Nystatin (Oral)	Antifungal Agent, Oral Nonabsorbed/Part ially Absorbed;	Suspension, oral: 100,000 units/mL (60 mL, 480 mL) [contains alcohol <1%; fruit flavor] Tablet, oral: 500,000 units
Griseofulvin	Grifulvin V®;Gris- PEG®;	Antifungal Agent, Oral; Tablet, oral, microsize: Grifulvin V®: 125 mg/5 mL (120 mL) [contains alcohol 0.2%] Tablet, oral, microsize: Grifulvin V®: 500 mg Tablet, oral, ultramicrosize: Gris-PEG®: 125 mg
Terbinafine (Syster LamISIL ;	Antifungal Agent, Oral;	Tablet, Oral: Generic: 250 mg
Fluconazole	Diflucan®;	Antifungal Agent, Oral;Antifungal Agent, Parenteral; Tablet, oral: Generic: 100 mg, 150 mg, 200 mg Suspension Reconstituted, Oral: Generic: 40 mg/mL (35 mL)

Nystatin (Topical)	Antifungal Agent, Topical;	Cream, topical: 100,000 units/g (15 g, 30 g) Powder, topical: 100,000 units/g (15 g) [contains talc]
Betamethasone and Clotrimazole	Antifungal Agent, Topical;Corticosteroid, Topical;	Cream, topical: Betamethasone dipropionate 0.05% (base) and clotrimazole 1% (45 g) [contains benzyl alcohol]
Nystatin and Triamcinolone	Antifungal Agent, Topical;Corticosteroid, Topical;	Cream, topical: Nystatin 100,000 units and triamcinolone acetonide 0.1% (60 g)
Colchicine	Antigout Agent;	Tablet, oral: 0.6 mg
Allopurinol	Antigout Agent;Xanthine Oxidase Inhibitor;	Tablet, oral: 100 mg, 300 mg
Hydrocortisone (Topical)	Antihemorrhoidal Agent;Corticosteroid, Rectal;Corticosteroid, Topical;	Suppository, rectal, as acetate: 25 mg Generic: 25 mg (12 ea) Cream, Rectal, as base: Generic: 2.5% (28.35 g)
Zinc Oxide	Antihemorrhoidal Agent;Topical Skin Product;	Ointment, topical: 20% (30 g)

Glecaprevir and Pii Mavyret;	Antihepaciviral, NS3/4A Protease Inhibitor (Anti- HCV);Antihepacivi ral, NS5A Inhibitor;NS3/4A Inhibitor;NS5A Inhibitor;	Tablet, Oral: Mavyret: Glecaprevir 100 mg and pibrentasvir 40 mg
Sofosbuvir and Vel Epcclusa;	Antihepaciviral, NS5A Inhibitor;Antihepa civiral, Polymerase Inhibitor (Anti- HCV);NS5A Inhibitor;NS5B RNA Polymerase Inhibitor;	Tablet, Oral: Generic: Sofosbuvir 400 mg and velpatasvir 100 mg

<p>ZyrTEC;ZyrTEC Allergy ;ZyrTEC Children’s Allergy ;ZyrTEC Children’s</p> <p>Cetirizine (Systemi Hives Relief ;</p>	<p>Antihistamine, H1 Blocker, Nonsedating;</p>	<p>Syrup, Oral, as hydrochloride: ZyrTEC: 5 mg/5 mL (120 mL, 480 mL) [contains propylene glycol; banana-grape flavor] ZyrTEC Children’s Allergy: 5 mg/5 mL (118 mL) [dye free, sugar free; contains propylene glycol, sodium benzoate] ZyrTEC Children’s Hives Relief: 5 mg/5 mL (120 mL) [contains propylene glycol; grape flavor]</p> <p>Tablet, Oral, as hydrochloride: ZyrTEC: 5 mg, 10 mg Generic: 5 mg, 10 mg</p>
<p>Hydrochlorothiazide and Triamterene</p>	<p>Antihypertensive;Antihypertensive Agent, Combination;Diuretic, Potassium-Sparing;Diuretic, Thiazide;</p>	<p>Tablet, oral: 50/75: Hydrochlorothiazide 50 mg and triamterene 75 mg</p>
<p>Carvedilol Coreg®;</p>	<p>Antihypertensive;Beta-Blocker With Alpha-Blocking Activity;</p>	<p>Tablet, oral: 6.25 mg, 12.5 mg, 25 mg</p>
<p>Labetalol</p>	<p>Antihypertensive;Beta-Blocker With Alpha-Blocking Activity;</p>	<p>Injection, solution, as hydrochloride: 5 mg/mL Generic: 5 mg/mL (20 mL) Tablet, Oral, as hydrochloride: Generic: 100 mg, 200 mg</p>

Atenolol		Antihypertensive; Beta-Blocker, Beta-1 Selective;	Tablet, oral: 25 mg, 50 mg, 100 mg
			Injection, solution, as tartrate: 1 mg/mL (5 mL)
Metoprolol		Antihypertensive; Beta-Blocker, Beta-1 Selective;	Tablet, oral, as tartrate: 50 mg Tablet, extended release, oral, as succinate: 25 mg, 50 mg, 100mg
AmLODIPine	Norvasc®;	Antihypertensive; Calcium Channel Blocker;	Tablet, oral: 5 mg, 10 mg
			Capsule, extended release, oral, as hydrochloride [once-daily dosing]: Generic: 120 mg, 180 mg, 240 mg, 300 mg, 360 mg
DiLTIAZem	Cardizem® CD;	Antihypertensive; Calcium Channel Blocker;	Injection, solution, as hydrochloride: 5 mg/mL (5 mL)
			Solution, Injection: Generic: 0.25 mg/mL ()
Bumetanide	Bumex;	Antihypertensive; Diuretic, Loop;	Tablet, Oral: Generic: 0.5 mg, 1 mg, 2 mg
			Injection, solution: 10 mg/mL (4 mL) Injection, solution [preservative free]: 10 mg/mL (2 mL,) Solution, oral: 10 mg/mL (60 mL) [sugar free; contains alcohol 11.6%; orange flavor]
Furosemide		Antihypertensive; Diuretic, Loop;	Tablet, oral: 20 mg, 40 mg, 80 mg
Torsemide	Soanz;	Antihypertensive; Diuretic, Loop;	Tablet, Oral: Generic: 5 mg, 10 mg, 20 mg, 100 mg

AMILoride	Antihypertensive;D iuretic, Potassium- Sparing;	Tablet, Oral, as hydrochloride: Generic: 5 mg
Spironolactone	Antihypertensive;D iuretic, Potassium- Sparing;Mineraloc orticoid (Aldosterone) Receptor Antagonist;	Tablet, oral: 25 mg, 100 mg
HydroCHLORothia Microzide®;	Antihypertensive;D iuretic, Thiazide;	Capsule, oral: Microzide®: 12.5 mg Tablet, oral: 25 mg
Chlorthalidone	Antihypertensive;D iuretic, Thiazide- Related;	Tablet, Oral: Generic: 25 mg, 50 mg, 100 mg
Indapamide	Antihypertensive;D iuretic, Thiazide- Related;	Tablet, Oral: Generic: 1.25 mg, 2.5 mg
HydrALAZINE	Antihypertensive;V asodilator;	Injection, solution, as hydrochloride: 20 mg/mL (1 mL) [contains methylparaben and propylene glycol and propylparaben] Tablet, oral, as hydrochloride: 25 mg
Nitroprusside	Nitropress®; Antihypertensive;V asodilator;	Injection, solution, as sodium: Nitropress®: 25 mg/mL (2 mL)

Azo Boric Acid Boric Acid (Vaginal ;Maintain Boric Acid ;	Anti-infective Agent, Vaginal;	Suppository, Vaginal [preservative free]: Boric Acid: 600 mg (30 ea) [dye free, fragrance free, perfume free]
DexAMETHasone (Ophthalmic)	Anti-inflammatory Agent, Ophthalmic;Cortic osteroid, Ophthalmic;Cortic osteroid, Otic;	Solution, Ophthalmic, as phosphate: Generic: 0.1% (5 mL)
DexAMETHasone (Systemic)	Anti-inflammatory Agent;Antiemetic; Corticosteroid, Systemic;	Elixir, as base: 0.5 mg/5 mL (240 mL) Injection, solution, as sodium phosphate: 4 mg/mL (1 mL, 5 mL), 10 mg/mL (1 mL) [contains benzyl alcohol and sodium sulfite] Tablet, oral: 0.5 mg, 2 mg, 4 mg
Ezetimibe	Zetia;	Antilipemic Agent, 2-Azetidinone; Tablet, Oral: Generic: 10 mg
Cholestyramine Re Prevalite;Questran;	Antilipemic Agent, Bile Acid Sequestrant;	Packet, Oral: Generic: 4 g (1 ea, 60 ea)
Fenofibrate and De ;Trilipix;	Antara;Fenoglide;Fib ricor;Lipofen;Lofibra ;Tricor;Triglida ;Trilipix;	Antilipemic Agent, Fibric Acid; Tablet, Oral, as fenofibrate: Tricor: 48 mg [contains fd&c blue #2 aluminum lake, fd&c yellow #10 aluminum lake, fd&c yellow #6 aluminum lake, soybean lecithin] Generic: 40 mg, 48 mg, 54 mg, 120 mg, 145 mg, 160 mg

Atorvastatin		Antilipemic Agent, HMG-CoA Reductase Inhibitor;	Tablet, Oral: Generic: 10 mg, 20 mg, 40 mg, 80 mg
Pravastatin		Antilipemic Agent, HMG-CoA Reductase Inhibitor;	Tablet, Oral, as sodium: Generic: 10 mg, 20 mg, 40 mg, 80 mg
Rosuvastatin	Crestor;	Antilipemic Agent, HMG-CoA Reductase Inhibitor;	Tablet, Oral: Crestor: 5 mg, 10 mg, 20 mg, 40 mg Generic: 5 mg, 10 mg, 20 mg, 40 mg
Omega-3 Fatty Acid Fish Oil ;	Lovaza;Omega-3	Antilipemic Agent, Omega-3 Fatty Acids;	Capsule, Oral: Lovaza: 1 g [contains soybean oil, tocopherol, dl-alpha (vit e)] Capsule, Oral: Nature Made Fish Oil: 1000 mg, 1200 mg Generic: 1000 mg, 1200 mg
Colestipol	Colestid®;	Antilipemic Agent;Antilipemic Agent, Bile Acid Sequestrant;	Granules, oral, as hydrochloride: Colestid®: 5 g/7.5 g packet Tablet, oral, as hydrochloride: Colestid®: 1 g
Simvastatin	Zocor®;	Antilipemic Agent;Antilipemic Agent, HMG-CoA Reductase Inhibitor;	Tablet, oral: 5 mg, 40 mg, 80 mg Zocor®: 5 mg, 10 mg, 20 mg, 40 mg, 80 mg

Lithium	Antimanic Agent;	Capsule, oral, as carbonate: Generic: 150 mg, 300 mg Tablet Extended Release, oral, as carbonate: Generic: 300 mg, 450 mg	Can consider addition of amiloride if concern for polyuria or other signs of renal toxicity
Carbamazepine	Carbatrol®;TEGretol® ;TEGretol®-XR;	Antimanic Agent;Antiseizure Agent, Miscellaneous;	Capsule, extended release, oral: 200 mg, 300 mg Suspension, oral: 100 mg/5 mL (480 mL) [alcohol free; citrus-vanilla flavor] Tablet, oral: 200 mg Tablet, chewable, oral: 100 mg Tablet, extended release, oral: 100 mg, 400 mg

Divalproex	Depakote®;Depakote® ER;Depakote® Sprinkle;	Antimanic Agent;Antiseizure Agent, Miscellaneous;Histone Deacetylase (HDAC) Inhibitor;	<p>Capsule, sprinkle, oral: 125 mg [strength expressed as valproic acid] Depakote® Sprinkle: 125 mg [strength expressed as valproic acid] Tablet, delayed release, oral: 125 mg [strength expressed as valproic acid], 250 mg [strength expressed as valproic acid], 500 mg [strength expressed as valproic acid] Depakote®: 125 mg, 250 mg, 500 mg [strength expressed as valproic acid] Tablet, extended release, oral: 250 mg [strength expressed as valproic acid], 500 mg [strength expressed as valproic acid] Depakote® ER: 250 mg, 500 mg [strength expressed as valproic acid]</p>
------------	--	--	--

Valproic Acid and [kote® Sprinkle;	Antimanic Agent;Antiseizure Agent, Miscellaneous;Histone Deacetylase (HDAC) Inhibitor;	Capsule, sprinkle, oral, as divalproex sodium: Depakote® Sprinkle: 125 mg Syrup, oral, as valproate sodium: Depakene®: 250 mg/5 mL (480 mL) Tablet, delayed release, oral, as divalproex sodium: Depakote®: 250 mg Generic: 125mg, 250mg Tablet Extended Release 24 Hour, oral, as divalproex sodium: Depakote® ER: 250 mg, 500 mg Generic: 250 mg, 500 mg
ChlorproMAZINE	Antimanic Agent;First Generation (Typical) Antipsychotic;Phenothiazine Derivative;	Injection, solution, as hydrochloride: 25 mg/mL (2 mL) [contains sodium metabisulfite 1 mg/mL and sodium sulfite 1 mg/mL] Tablet, oral, as hydrochloride: 10 mg, 25 mg
ARIPiprazole	Antimanic Agent;Second Generation (Atypical) Antipsychotic;	Prefilled Syringe, Intramuscular: Abilify Maintena: 300 mg (1 ea); 400 mg (1 ea) Tablet, Oral: Generic: 2 mg, 5 mg, 10 mg, 15 mg, 20 mg, 30 mg
OLANZapine	Antimanic Agent;Second Generation (Atypical) Antipsychotic;	Solution Reconstituted, Intramuscular: Generic: 10 mg (1 ea) Tablet, Oral: Generic: 2.5 mg, 5 mg, 7.5 mg, 10 mg, 15 mg, 20 mg

QUEtiapine	SEROquel®;	Antimanic Agent;Second Generation (Atypical) Antipsychotic;	Tablet, oral: Generic: 25 mg, 50 mg, 100 mg, 200 mg, 300 mg, 400 mg
RisperiDONE	RisperDAL®;	Antimanic Agent;Second Generation (Atypical) Antipsychotic;	Tablet, oral: 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3mg Injection: 25 mg, 37.5 mg, 50 mg
Ziprasidone	Geodon;	Antimanic Agent;Second Generation (Atypical) Antipsychotic;	Capsule, Oral, as hydrochloride: Geodon: 20 mg, 40 mg, 60 mg, 80 mg Generic: 20 mg, 40 mg, 60 mg, 80 mg Solution Reconstituted, Intramuscular, as mesylate [strength expressed as base, preservative free]: Geodon: 20 mg (1 ea) Generic: 20 mg (1 ea)
Ergotamine and C ₂	Cafergot®;	Antimigraine Agent;Central Nervous System Stimulant;Ergot Derivative;	Tablet: Cafergot®: 1/100: Ergotamine tartrate 1 mg and caffeine 100 mg
Dihydroergotamine		Antimigraine Agent;Ergot Derivative;	Injection: 1 mg/mL
Eletriptan	Relpax;	Antimigraine Agent;Serotonin 5-HT _{1B} , 1D Receptor Agonist;	Tablet, Oral: Generic: 40 mg

Rizatriptan	Maxalt;Maxalt-MLT;	Antimigraine Agent;Serotonin 5-HT1B, 1D Receptor Agonist;	Tablet Disintegrating, Oral: Maxalt-MLT: 5 mg Maxalt-MLT: 5 mg Maxalt-MLT: 10 mg Maxalt-MLT: 10 mg Generic: 5 mg, 10 mg
SUMAtriptan		Antimigraine Agent;Serotonin 5-HT1B, 1D Receptor Agonist;	Tablet, Oral, as succinate [strength expressed as base]: Generic: 50 mg
CycloPHOSphamic Cytoxan®;		Antineoplastic Agent, Alkylating Agent;Antineoplastic Agent, Alkylating Agent (Nitrogen Mustard);Antirheumatic Miscellaneous;Immunosuppressant Agent;	Tablet, oral: Cytoxan®: 50 mg
Methotrexate		Antineoplastic Agent, Antimetabolite (Antifolate);Antirheumatic, Disease Modifying;Immunosuppressant Agent;	Injection, solution [preservative free]: 25 mg/mL (2 mL, 4 mL) Tablet, oral: 2.5 mg

Mercaptopurine	Antineoplastic Agent, Antimetabolite; Antineoplastic Agent, Antimetabolite (Purine Analog); Immunosuppressant Agent; Tablet, oral: 50 mg	
Fluorouracil (Topic Efudex®;	Antineoplastic Agent, Antimetabolite; Antineoplastic Agent, Antimetabolite (Pyrimidine Analog); Topical Skin Product; Cream, topical: Efudex®: 5% (40 g)	
Anastrozole	Antineoplastic Agent, Aromatase Inhibitor; Tablet, Oral: Generic: 1 mg	
Letrozole	Femara;	Antineoplastic Agent, Aromatase Inhibitor; Tablet, Oral: Femara: 2.5 mg Generic: 2.5 mg

Tamoxifen	Nolvadex®;	Antineoplastic Agent, Estrogen Receptor Antagonist; Selective Estrogen Receptor Modulator (SERM);	Tablet, oral: 10 mg
Leuprolide	Lupron Depot (1-Month); Lupron Depot (3-Month); Lupron Depot (4-Month); Lupron Depot (6-Month);	Antineoplastic Agent, Gonadotropin-Releasing Hormone Agonist; Gonadotropin Releasing Hormone Agonist;	Kit, Intramuscular, as acetate: Lupron Depot (1-Month): 7.5 mg Lupron Depot (6-Month): 45 mg Kit, Intramuscular, as acetate [preservative free]: Lupron Depot (1-Month): 3.75 mg Lupron Depot (3-Month): 11.25 mg, 22.5 mg Lupron Depot (4-Month): 30 mg
Megestrol		Antineoplastic Agent, Hormone; Appetite Stimulant; Progestin;	Suspension, oral, as acetate: 40 mg/mL (240 mL) [contains alcohol 0.6% and sodium benzoate; lemon-lime flavor] Tablet, oral, as acetate: 40 mg
Hydroxyurea	Hydrea®;	Antineoplastic Agent, Miscellaneous;	Capsule, oral: Hydrea®: 500 mg
Permethrin		Antiparasitic Agent, Topical; Pediculicide; Scabicide;	Cream, External: Generic: 5% (60 g) Lotion, External: Generic: 1% (2 x 59 mL)

Benzotropine	Cogentin®;	Anti-Parkinson Agent, Anticholinergic;Anticholinergic Agent;	Solution, for injection, as mesylate: Cogentin®: 1 mg/mL (2 mL) Tablet, oral, as mesylate: 1 mg
Trihexyphenidyl		Anti-Parkinson Agent, Anticholinergic;Anticholinergic Agent;	Tablet, oral, as hydrochloride: 2 mg
Levodopa and Carl Sinemet® CR;		Anti-Parkinson Agent, Decarboxylase Inhibitor;Anti-Parkinson Agent, Dopamine Precursor;	Tablet: 100/10: Levodopa 100 mg and carbidopa 10 mg 100/25: Levodopa 100 mg and carbidopa 25 mg 250/25: Levodopa 250 mg and carbidopa 25 mg Tablet, extended release: 100/25: Levodopa 100 mg and carbidopa 25 mg Tablet, sustained release: 100/25: Levodopa 100 mg and carbidopa 25 mg 200/50: Levodopa 200 mg and carbidopa 50 mg
Pramipexole	Mirapex ;	Anti-Parkinson Agent, Dopamine Agonist;	Tablet, Oral, as dihydrochloride monohydrate: Generic: 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg

Bromocriptine	Parlodel® SnapTabs®;	Anti-Parkinson Agent, Dopamine Agonist; Antidiabetic Agent, Dopamine Agonist; Ergot Derivative; Hyperprolactinemia Agent, Dopamine (D2) Agonist;	Tablet, oral, as mesylate: Parlodel® SnapTabs®: 2.5 mg
Amantadine	Symmetrel®;	Anti-Parkinson Agent, Dopamine Agonist; Antiviral Agent, Adamantane;	Capsule, oral, as hydrochloride: 100 mg Capsule, softgel, oral, as hydrochloride: 100 mg Syrup, oral, as hydrochloride: 50 mg/5 mL (473 mL) [alcohol free, dye free, sugar free; raspberry flavor]
Selegiline		Anti-Parkinson Agent, MAO Type B Inhibitor; Antidepressant, Monoamine Oxidase Inhibitor;	Tablet, oral, as hydrochloride: 5 mg
Aspirin and Dipyrid Aggrenox®;		Antiplatelet Agent;	Capsule, variable release: Aggrenox®: Aspirin 25 mg (immediate release) and dipyridamole 200 mg (extended release) [contains lactose, sucrose]

Ticagrelor	Brilinta;	Antiplatelet Agent; Antiplatelet Agent, Non-thienopyridine; P2Y ₁₂ Antagonist;	Tablet, Oral: Generic: 60 mg, 90 mg
Clopidogrel	Plavix®;	Antiplatelet Agent; Antiplatelet Agent, Thienopyridine; P2Y ₁₂ Antagonist;	Tablet, oral: 75 mg
Cilostazol		Antiplatelet Agent; Phosphodiesterase-3 Enzyme Inhibitor; Vasodilator;	Tablet, Oral: Generic: 50 mg, 100 mg
Dipyridamole		Antiplatelet Agent; Vasodilator;	Tablet, oral: 25 mg, 50 mg
Atovaquone	Mepron;	Antiprotozoal;	Suspension, Oral: Generic: 750 mg/5 mL (2)
Dolutegravir	Tivicay; Tivicay PD;	Antiretroviral, Integrase Inhibitor (Anti-HIV);	Tablet, Oral: Tivicay: 10 mg, 25 mg, 50 mg Tablet Soluble, Oral: Tivicay PD: 5 mg
Raltegravir	Isentress;	Antiretroviral, Integrase Inhibitor (Anti-HIV);	Tablet, Oral: Isentress: 400 mg

<p>Triumeq;Triumeq Abacavir, Dolutegr. PD;</p>	<p>Antiretroviral, Integrase Inhibitor (Anti- HIV);Antiretroviral, Reverse Transcriptase Inhibitor, Nucleoside (Anti- HIV);</p> <p>Tablet, Oral: Triumeq: Abacavir 600 mg, dolutegravir 50 mg, and lamivudine 300 mg Tablet Soluble, Oral: Triumeq PD: Abacavir 60 mg, dolutegravir 5 mg, and lamivudine 30 mg</p>
<p>Bictegravir, Emtrici Biktarvy;</p>	<p>Antiretroviral, Integrase Inhibitor (Anti- HIV);Antiretroviral, Reverse Transcriptase Inhibitor, Nucleoside (Anti- HIV);Antiretroviral, Reverse Transcriptase Inhibitor, Nucleotide (Anti- HIV);</p> <p>Tablet, Oral: Biktarvy: Bictegravir 30 mg, emtricitabine 120 mg, and tenofovir alafenamide 15 mg, Bictegravir 50 mg, emtricitabine 200 mg, and tenofovir alafenamide 25 mg</p>

Emtricitabine and Descovy;	<p>Antiretroviral, Reverse Transcriptase Inhibitor, Nucleoside (Anti- HIV);Antiretroviral, Reverse Transcriptase Inhibitor, Nucleotide (Anti- HIV);</p> <p>Tablet, Oral: Descovy: Emtricitabine 120 mg and tenofovir alafenamide 15 mg Descovy: Emtricitabine 200 mg and tenofovir alafenamide 25 mg [contains fd&c blue #2 aluminum lake]</p>
Emtricitabine and Truvada;	<p>Antiretroviral, Reverse Transcriptase Inhibitor, Nucleoside (Anti- HIV);Antiretroviral, Reverse Transcriptase Inhibitor, Nucleotide (Anti- HIV);</p> <p>Tablet, Oral: Generic: Emtricitabine 200 mg and tenofovir disoproxil fumarate 300 mg</p>

		Antirheumatic Miscellaneous;Cosmetic Agent, Implant;Ophthalmic Agent, Viscoelastic;Skin and Mucous Membrane Agent, Miscellaneous;	Injection, gel, intra-articular [cross-linked hyaluronate]: Gel-One: 10 mg/mL (3 mL) [derived from or manufactured using an avian source] Injection, solution, intra-articular [sodium hyaluronate]: Euflexxa: 10 mg/mL (2 mL)
Hyaluronate and D Euflexxa;Gel-One;			Tablet, Oral: Arava: 10 mg, 20 mg Generic: 10 mg, 20 mg
Leflunomide	Arava;	Antirheumatic, Disease Modifying;	
		Antirheumatic, Disease Modifying;Gastrointestinal Agent, Miscellaneous;Immunosuppressant Agent;Monoclonal Antibody;Tumor Necrosis Factor (TNF) Blocking Agent;	Solution Reconstituted, Intravenous [preservative free]: Renflexis: infliximab-abda 100 mg (1 ea) [contains polysorbate 80]
InFLIXimab	Renflexis;		

		Antirheumatic, Disease Modifying; Gastrointestinal Agent, Miscellaneous; Monoclonal	
Humira; Humira Pen; Humira Pen-Crohn's Starter; Humira Pen-Psoriasis Starter;		Antibody; Tumor Necrosis Factor (TNF) Blocking Agent;	Kit, Subcutaneous [preservative-free, citrate-free]: 40 mg/0.4 mL Kit, Subcutaneous [contains polysorbate 80]: 40 mg/0.8 mL
Adalimumab			
		Antiseborrheic Agent, Topical;	Shampoo: Micropulverized sulfur 2% and salicylic acid 2%
Sulfur and Salicylic Acid			
		Antiseborrheic Agent, Topical; Topical Skin Product;	Lotion, topical: 2.5% (120 mL)
Selenium Sulfide			
		Antiseizure Agent, Barbiturate; Barbiturate;	Elixir, oral: 20 mg/5 mL (480 mL) [orange flavor] Injection, solution, as sodium: Luminal®: 60 mg/mL; 130 mg/mL (1 mL) [contains alcohol 10% and propylene glycol] Tablet, oral: 15 mg, 16.2 mg, 30 mg, 100 mg
PHENobarbital	Luminal®;		
		Antiseizure Agent, Benzodiazepine; Benzodiazepine;	Tablet, oral: 0.5 mg, 1 mg
Clonazepam			

Diazepam	Diastat®;Diastat® AcuDial™;	Antiseizure Agent, Benzodiazepine;B enzodiazepine;	Gel, rectal: Pediatric rectal tip [4.4 cm]: Diastat®: 5 mg/mL (0.5 mL) Pediatric/Adult rectal tip [4.4 cm]: Diastat® AcuDial™: 10 mg (2 mL) Injection, solution: 5 mg/mL (2 mL,) Tablet, oral: 5 mg
LORazepam		Antiseizure Agent, Benzodiazepine;B enzodiazepine;	Injection, solution: 2 mg/mL (1 mL) Tablet, oral: 0.5 mg, 1 mg
Midazolam		Antiseizure Agent, Benzodiazepine;B enzodiazepine;	Solution, Injection: Generic: 5 mg/mL (1 mL); 10 mg/2 mL (2 mL); 50 mg/ () Solution, Nasal: Nayzilam: 5 mg/0.1 mL (1 ea) [contains propylene glycol]
Fosphenytoin	Cerebyx®;	Antiseizure Agent, Hydantoin;	Injection, solution, as sodium: 75 mg/mL (2 mL,) [equivalent to phenytoin sodium 50 mg/mL] Cerebyx®: 75 mg/mL (2 mL) [equivalent to phenytoin sodium 50 mg/mL] Injection, solution, as sodium [preservative free]: 75 mg/mL (2 mL)

Phenytoin	Dilantin-125®; Dilantin® Infatabs®; Dilantin® Kapseals®;	Antiseizure Agent, Hydantoin;	Capsule, extended release, oral, as sodium: Dilantin® Kapseals®: 100 mg Injection, solution, as sodium: 50 mg/mL Suspension, oral: Dilantin-125®: 125 mg/5 mL Tablet, chewable, oral: Dilantin® Infatabs®: 50 mg
Lacosamide	Vimpat;	Antiseizure Agent, Miscellaneous;	Solution, Oral: Generic: 10 mg/mL (200 mL) Tablet, Oral: Generic: 50 mg, 100 mg, 150 mg, 200 mg
Lamotrigine		Antiseizure Agent, Miscellaneous;	Tablet, oral: 25 mg, 100 mg, 150 mg, 200 mg Tablet, chewable/dispersible, oral: 5 mg, 25 mg
Levetiracetam		Antiseizure Agent, Miscellaneous;	Solution, Intravenous: Generic: 500 mg/5 mL (5 mL) Solution, Oral: Keppra: 100 mg/mL (473 mL) Generic: 100 mg/mL Tablet, Oral: Generic: 250 mg, 500 mg, 750 mg, 1000 mg
Oxcarbazepine	Trileptal;	Antiseizure Agent, Miscellaneous;	Suspension, Oral: Generic: 300 mg/5 mL (2) Tablet, Oral: Generic: 150 mg, 300 mg, 600 mg
Topiramate	Topamax®;	Antiseizure Agent, Miscellaneous;	Tablet, oral: 25 mg, 50mg, 100 mg

Primidone		Antiseizure Agent, Miscellaneous;Barbiturate;	Tablet, oral: 50 mg, 250 mg
Acetazolamide	Diamox® Sequels®;	Antiseizure Agent, Miscellaneous;Carbonic Anhydrase Inhibitor;Diuretic, Carbonic Anhydrase Inhibitor;Ophthalmic Agent, Antiglaucoma;	Capsule, sustained release, oral: Diamox® Sequels®: 500 mg Injection, powder for reconstitution, as sodium: 500 mg Tablet, oral: 250 mg
Magnesium Sulfate		Antiseizure Agent, Miscellaneous;Electrolyte Supplement, Parenteral;Magnesium Salt;	Injection, solution [preservative free]: 500 mg/mL (2 mL)
Gabapentin	Neurontin®;	Antiseizure Agent, Miscellaneous;GABA Analog;	Capsule, oral: 100 mg, 300 mg, 400 mg Neurontin®: 100 mg, 300 mg, 400 mg
Pregabalin	Lyrica;	Antiseizure Agent, Miscellaneous;GABA Analog;	Capsule, Oral: Lyrica: 25 mg, 50 mg, 75 mg, 100 mg, 150 mg, 200 mg, 225 mg, 300 mg
Ethosuximide	Zarontin;	Antiseizure Agent, Succinimide;	Capsule, Oral: Generic: 250 mg

	Betadine	Antiseptic, Ophthalmic;	Solution, Ophthalmic: Betadine Ophthalmic Prep: 5% (30 mL)
Povidone-Iodine (C Ophthalmic Prep;			
FlavoxATE	Urispas®;	Antispasmodic Agent, Urinary;	Tablet, oral: Urispas®: 100 mg
			Tablet, Oral, as chloride: Generic: 5 mg Tablet Extended Release 24 Hour, Oral, as chloride: Generic: 5 mg, 10 mg, 15 mg
OxyBUTYnin		Antispasmodic Agent, Urinary;	Solution, Oral, as chloride: Generic: 5 mg/5 mL (473 mL)
		Antithyroid Agent;Thioamide;	Tablet, oral: 10 mg
MethIMazole			
		Antithyroid Agent;Thioamide;	Tablet, oral: 50 mg
Propylthiouracil			
Ethambutol	Myambutol®;	Antitubercular Agent;	Tablet, oral, as hydrochloride: 100 mg, 400 mg
		Antitubercular Agent;	Tablet, oral: 300 mg
Isoniazid			
		Antitubercular Agent;	Tablet, oral: 500 mg
Pyrazinamide			
		Antitubercular Agent;Rifamycin;	Capsule, oral: 300 mg
RifAMPin	Rifadin®;		
		Antitubercular Agent;Rifamycin;	Tablet, Oral: Priftin: 150 mg [contains disodium edta, fd&c blue #2 aluminum lake]
Rifapentine	Priftin;		
Benzonatate		Antitussive;	Capsule, softgel, oral: 100 mg

Guaifenesin and C Cheratussin AC ;	Antitussive;Expectorant;	Syrup, oral: Guaifenesin 100 mg and codeine phosphate 10 mg per 5 mL (, 120 mL)
Guaifenesin and D Q-Tussin DM ;	Antitussive;Expectorant;	Liquid, oral: Q-Tussin DM: 100/10: guaifenesin 100 mg and dextromethorphan hydrobromide 10 mg per 5 mL (120 mL) [cherry flavor]
Antivenin (Crotalid CroFab™ [Ovine];	Antivenin;	Injection, powder for reconstitution: CroFab™ [ovine]: Derived from Crotalus adamanteus, C. atrox, C. scutulatus, and Agkistrodon piscivorus snake venoms [ovine origin; contains thimerosal; manufactured with papain]
Trifluridine	Antiviral Agent, Ophthalmic;	Solution, ophthalmic: 1% (7.5 mL) [contains thimerosal]
Acyclovir (Topical) Zovirax;	Antiviral Agent, Topical;	Cream, External: Generic: 5% (5 g) Ointment, External: Generic: 5% (15 g)
Acyclovir (Systemic)	Antiviral Agent;	Capsule, oral: 200 mg Injection, powder for reconstitution, as sodium [preservative free]: 500 mg Tablet, oral: 800 mg
ValGANCiclovir Valcyte;	Antiviral Agent;	Tablet, Oral: Generic: 450 mg
Vidarabine	Antiviral Agent;	Ointment, ophthalmic, as monohydrate: 3% [30 mg/mL = 28 mg/mL base] (3.5 g)

				Note: check patient's kidney function as well as drug interactions. CRCL >60 = use 300mg strength CRCL 30-60 = use 150mg strength CRCL < 30 = not recommended	For drug interaction checking, please utilize both Lexicomp Interactions menu as well as the Liverpool COVID interactions website: https://www.covid19-druginteractions.org/checker
Nirmatrelvir and Paxlovid (150/100); Paxlovid (300/100);	Paxlovid (150/100); Paxlovid (300/100);	Antiviral Agent; Cytochrome P-450 Inhibitor;	Tablet Therapy Pack, Oral: Paxlovid (300/100): Nirmatrelvir 20 x 150 mg and ritonavir 10 x 100 mg (6 ea, 30 ea) Paxlovid (150/100): Nirmatrelvir 10 x 150 mg and ritonavir 10 x 100 mg (2 ea, 4 ea, 20 ea)		
ValACYclovir	Valtrex;	Antiviral Agent; Antiviral Agent, Oral;	Tablet, Oral: Generic: 500 mg, 1 g		
Osetamivir	Tamiflu®;	Antiviral Agent; Neuraminidase Inhibitor;	Capsule, as phosphate: Tamiflu®: 30 mg, 45 mg, 75 mg Powder for oral suspension: Tamiflu®: 12 mg/mL (25 mL) [contains sodium benzoate; tutti-frutti flavor]		
Butalbital, Aspirin, and Caffeine		Barbiturate;	Capsule, oral: Butalbital 50 mg, aspirin 325 mg, and caffeine 40 mg		
Chlordiazepoxide		Benzodiazepine;	Capsule, oral, as hydrochloride: 10 mg, 25 mg		
Temazepam		Benzodiazepine;	Capsule, oral: 15 mg		
Isoproterenol	Isuprel®;	Beta1/Beta2 Agonist;	Injection, solution, as hydrochloride: Isuprel®: 0.2 mg/mL (1 mL) [contains sodium metabisulfite]		

Albuterol	ProAir HFA;	Beta2 Agonist;	Aerosol, for oral inhalation: ProAir HFA: 90 mcg/actuation (8.5 g) Solution, for nebulization: 0.083% (3 mL)
Budesonide and Formoterol Symbicort;		Beta2 Agonist; Beta2-Adrenergic Agonist, Long-Acting; Corticosteroid, Inhalant (Oral);	Aerosol, Inhalation: Generic: Budesonide 160 mcg and formoterol fumarate dihydrate 4.5 mcg per actuation (10.2 g); Budesonide 80 mcg and formoterol fumarate dihydrate 4.5 mcg per actuation (10.2 g)
Fluticasone and Salmeterol Advair Diskus; Wixela;	Advair	Beta2 Agonist; Beta2-Adrenergic Agonist, Long-Acting; Corticosteroid, Inhalant (Oral);	Powder, for oral inhalation: 100/50: Fluticasone propionate 100 mcg and salmeterol 50 mcg (60s) 250/50: Fluticasone propionate 250 mcg and salmeterol 50 mcg (60s) 500/50: Fluticasone propionate 500 mcg and salmeterol 50 mcg (60s)
Dorzolamide and Timolol Cosopt; Cosopt PF;		Beta-Adrenergic Blocker, Nonselective; Carbonic Anhydrase Inhibitor (Ophthalmic); Ophthalmic Agent, Antiglaucoma;	Solution, Ophthalmic: Generic: Dorzolamide 2% and timolol 0.5% ()
Betaxolol (Ophthalmic Betoptic S®);		Beta-Blocker, Beta-1 Selective; Ophthalmic Agent, Antiglaucoma;	Solution, ophthalmic: 0.5% (5 mL,) [contains benzalkonium chloride] Suspension, ophthalmic: Betoptic S®: 0.25% () [contains benzalkonium chloride]

Carteolol (Ophthalmic)	Beta-Blocker, Nonselective;Ophth almic Agent, Antiglaucoma;	Solution, Ophthalmic, as hydrochloride: Generic: 1% (5 mL)
Timolol (Ophthalmic Timoptic-XE®;	Beta-Blocker, Nonselective;Ophth almic Agent, Antiglaucoma;	Solution, ophthalmic, as maleate: Generic: 0.5% (5 mL) [contains benzalkonium chloride]
Alendronate	Fosamax®;	Bisphosphonate Derivative; Tablet, oral: 5 mg, 10 mg, 35 mg, 40 mg, 70 mg
Zoledronic Acid	Reclast;	Bisphosphonate Derivative; Solution, Intravenous [preservative free]: Generic: 5 mg/100 mL (100 mL)
Prothrombin Complex Concentrate (PCC);	Kcentra;	Blood Product Derivative;Hemost atic Agent;Prothrombin Complex Concentrate Kit, Intravenous [preservative free]: Kcentra: ~500 units, ~1000 units [pyrogen free; contains albumin human, antithrombin iii (human), heparin]

			Injection, powder for reconstitution [preservative free]: Carimune® NF: 3 g, 6 g, 12 g Gammagard S/D®: 2.5 g, 5 g, 10 g Injection, solution [preservative free]: Flebogamma®: 5% Flebogamma® DIF: 5% GamaSTAN™ S/D: 15% to 18% Gammagard® Liquid: 10% Gammaplex®: 5% Gamunex®: 10% Gamunex®-C: 10% Hizentra®: 200 mg/mL Octagam®: 5% Privigen®: 10% Vivaglobin®: 160 mg/mL (3 mL, , 20 mL)
Immune Globulin	bin®; C;Hizentra®;Octagam®; m®;Privigen®;Vivaglobin®;	Blood Product Derivative;Immune Globulin;	
Rabies Immune Gl	BayRab®;	Blood Product Derivative;Immune Globulin;	Injection, solution [preservative free]: BayRab®: 150 int. units/mL (2 mL)
Rho(D) Immune Gl	RhoGAM®;	Blood Product Derivative;Immune Globulin;	Injection, solution [preservative free]: RhoGAM®: ~300 mcg [contains polysorbate 80]
Albumin	Plasbumin®-25;	Blood Product Derivative;Plasma Volume Expander, Colloid;	Injection, solution [human]: Plasbumin®-25: 25% ()
Pentoxifylline		Blood Viscosity Reducer Agent;	Tablet, extended release, oral: 400 mg

CycloSPORINE (Sy E [®] ; Neoral [®] ;SandIMMUN	Calcineurin Inhibitor;Immunos uppressant Agent;	Capsule, softgel, oral [modified]: Neoral [®] : 25 mg, 100 mg [contains castor oil and dehydrated alcohol 11.9% and propylene glycol] Capsule, softgel, oral [non-modified]: SandIMMUNE [®] : 25 mg, 100 mg [contains dehydrated alcohol 12.7%]
Tacrolimus (Syster Prograf;	Calcineurin Inhibitor;Immunos uppressant Agent;	Capsule, Oral: Generic: 0.5 mg, 1 mg, 5 mg
Tacrolimus (Topica Protopic ;	Calcineurin Inhibitor;Immunos uppressant Agent;Topical Skin Product;	Ointment, External: Generic: 0.03% (30 g); 0.1% (30 g)
Calcium Citrate and Vitamin D	Calcium Salt;	Tablet: Calcium citrate 400 mg and vitamin D 500 int. units
Calcium Gluconate	Calcium Salt;Electrolyte Supplement, Oral;Electrolyte Supplement, Parenteral;	Injection, solution [preservative free]: 10% ()
Calcium Chloride	Calcium Salt;Electrolyte Supplement, Parenteral;	Solution, Intravenous: Generic: 10% () Solution, Intravenous [preservative free]: Generic: 10% ()
Lipid Emulsion (Pl: Intralipid;	Caloric Agent;	Emulsion, Intravenous: Intralipid: 20% (2)

Dorzolamide	Trusopt®;	Carbonic Anhydrase Inhibitor (Ophthalmic); Ophthalmic Agent, Antiglaucoma;	Generic: 2% () [contains benzalkonium chloride]
MethazolAMIDE		Carbonic Anhydrase Inhibitor; Diuretic, Carbonic Anhydrase Inhibitor; Ophthalmic Agent, Antiglaucoma;	Tablet, oral: 50 mg
Sodium Phosphate Enema ;	Fleet® Enema for Children ; Fleet®	Cathartic; Electrolyte Supplement, Parenteral; Laxative, Bowel Evacuant;	Solution, rectal [enema]: Fleet® Enema for Children: Monobasic sodium phosphate 9.5 g and dibasic sodium phosphate 3.5 g per 59 mL delivered dose (66 mL) Fleet® Enema: Monobasic sodium phosphate 19 g and dibasic sodium phosphate 7 g per 118 mL delivered dose (133 mL)
Dexmethylphenidate	Focalin; Focalin XR;	Central Nervous System Stimulant;	Capsule Extended Release 24 Hour, Oral, as hydrochloride: Generic: 5 mg, 10 mg, 15 mg, 20 mg Tablet, Oral, as hydrochloride: Generic: 2.5 mg, 5 mg, 10 mg
Dextroamphetamine	Dexedrine; ProCentra; Zenzedi;	Central Nervous System Stimulant;	Tablet, Oral, as sulfate: Generic: 10 mg

			Capsule, extended release, oral: Generic: 5mg, 10 mg, 15 mg, 20 mg, 25 mg, 30 mg Tablet, Oral: Generic: 5mg, 10 mg, 15 mg, 20 mg, 25 mg, 30 mg
Dextroamphetamine	Adderall XR®;	Central Nervous System Stimulant;	
			Tablet Extended Release, Oral, as hydrochloride: Generic: 18 mg, 27 mg, 36 mg, 54 mg
Methylphenidate	Concerta;QuillChew ER;Quillivant XR;	Central Nervous System Stimulant;	Tablet, Oral, as hydrochloride: Generic: 5 mg, 10 mg, 20 mg
Edetate Disodium	Endrate®;	Chelating Agent;	Injection, solution: Endrate®: 150 mg/mL (20 mL)
PenicillAMINE	Depen®;	Chelating Agent;	Tablet, oral: Depen®: 250 mg
Lubiprostone	Amitiza;	Chloride Channel Activator;Gastrointestinal Agent, Miscellaneous;	Capsule, Oral: Amitiza: 8 mcg Amitiza: 24 mcg [contains fd&c red #40, fd&c yellow #10 (quinoline yellow)]
Epoetin Alfa	Epogen®;	Colony Stimulating Factor;Erythropoiesis-Stimulating Agent (ESA);Hematopoietic Agent;	Injection, solution: Epogen®: 10,000 units/mL (2 mL), 20,000 units/mL (1 mL) [contains benzyl alcohol] Injection, solution [preservative free]: Epogen®: 2000 units/mL (1 mL)
Copper IUD	Paragard Intrauterine Copper;	Contraceptive;	Intrauterine Device, Intrauterine: Paragard Intrauterine Copper:

<p>Jasmiel;Lo- Zumandimine;Loryn a;Nikki;Ocella;Syeda ;Vestura;Yasmin 28;YAZ;Zumandimin Ethinyl Estradiol ar e;</p>	<p>Contraceptive;Estr ogen and Progestin Combination;</p>	<p>Generic: Ethinyl estradiol 0.03 mg and drospirenone 3 mg [21 active tablets and 7 inactive tablets]</p>
<p>Zovia™ 1/35;Zovia™ Ethinyl Estradiol ar 1/50;</p>	<p>Contraceptive;Estr ogen and Progestin Combination;</p>	<p>Tablet, oral: Zovia™ 1/35: Ethinyl estradiol 0.035 mg and ethynodiol diacetate 1 mg [21 light pink tablets and 7 white inactive tablets] Zovia™ 1/50: Ethinyl estradiol 0.05 mg and ethynodiol diacetate 1 mg [21 pink tablets and 7 white inactive tablets]</p>
<p>Ethinyl Estradiol ar NuvaRing;</p>	<p>Contraceptive;Estr ogen and Progestin Combination;</p>	<p>Ring, vaginal: NuvaRing: Ethinyl estradiol 0.015 mg/day and etonogestrel 0.12 mg/day (3s) [3- week duration]</p>
<p>Camrese® 91;Levlen® 28;Seasonique® 91;Tri-Levlen® Ethinyl Estradiol ar 28;Trivora® 28;</p>	<p>Contraceptive;Estr ogen and Progestin Combination;</p>	<p>Tablet, monophasic formulation: Levlen® 28: Levora® 28: Tablet, triphasic formulation: Myzitra® 28:] Tri-Levlen® 28: Trivora® 28: Tablet, extended cycle regimen: Camrese® 91: Seasonique® 91:</p>

<p>Ethinyl Estradiol ar Xulane;Zafemy;</p>	<p>Contraceptive;Estr ogen and Progestin Combination;</p>	<p>Patch Weekly, Transdermal: Xulane: Ethinyl estradiol 35 mcg and norelgestromin 150 mcg per day (1 ea, 3 ea) Zafemy: Ethinyl estradiol 35 mcg and norelgestromin 150 mcg per day (1 ea, 3 ea)</p>
<p>Ethinyl Estradiol ar Novum® 7/7/7-21;</p>	<p>Contraceptive;Estr ogen and Progestin Combination;</p>	<p>Brevicon®;Loestrin® 21 1/20;Loestrin® Fe 1.5/30;Loestrin® Fe 1/20;Norinyl® 1/35-28;Ortho-Novum® 1/35-28;Ortho-Novum® 7/7/7-21; Tablet, monophasic formulation: Loestrin® 21 1/20: Loestrin® Fe 1.5/30: Loestrin® Fe 1/20: Brevicon®: Norinyl® 1/35-28: Ortho-Novum® 1/35-28: Ortho-Novum® 7/7/7-21:</p>
<p>Ethinyl Estradiol ar Nessa Lo;</p>	<p>Contraceptive;Estr ogen and Progestin Combination;</p>	<p>Ethinyl Estradiol ar Nessa Lo; Estarylla;Femynor;Mono-Linya;MonoNessa;Ortho Tri-Cyclen;Ortho Tri-Cyclen Lo;Ortho-Cyclen;Previfem;Sprintec;Tri-Estarylla;Tri-Linya;Tri-Lo-Estarylla;Tri-Lo-Marzia;Tri-Lo-Sprintec;Tri-Previfem;Tri-Sprintec;TriNessa;TriNessa Lo; Tablet, oral [monophasic formulation]: Estarylla: Femynor: MonoNessa, Ortho-Cyclen: Previfem: Mono-Linya, Sprintec: Ortho Tri-Cyclen: Tri-Estarylla Tri-Linya: Tri-Previfem: Tri-Sprintec: TriNessa:</p>

Ethinyl Estradiol and Norgestrel® 28;	Contraceptive;Estr ogen and Progesterin Combination;	Tablet, oral: Ogestrel® 28: Ethinyl estradiol 0.05 mg and norgestrel 0.5 mg
Norethindrone and Ortho-Novum® 1/50;	Contraceptive;Estr ogen and Progesterin Combination;	Tablet, monophasic formulation: Ortho-Novum® 1/50: Norethindrone 1 mg and mestranol 0.05 mg [21 yellow tablets and 7 green inactive tablets]
Ulipristal Ella;	Contraceptive;Pro gestin Receptor Modulator;	Tablet, Oral, as acetate: Ella: 30 mg
Etonogestrel Nexplanon;	Contraceptive;Pro gestin;	Implant, Subcutaneous: Nexplanon: 68 mg (1 ea)
Levonorgestrel (IUI Mirena);	Contraceptive;Pro gestin;	Intrauterine Device, Intrauterine: Mirena: 20 mcg/24 hr
Levonorgestrel (Sy: Plan B One-Step ;	Contraceptive;Pro gestin;	Tablet, Oral: Generic: 1.5 mg
Depo-Provera® MedroxyPROGESTI Contraceptive;	Contraceptive;Pro gestin;	Suspension, Intramuscular, as acetate: Generic: 150 mg/mL (1 mL) Tablet, oral, as acetate: Generic: 5 mg, 10 mg
Norethindrone Nor-QD®;	Contraceptive;Pro gestin;	Tablet, oral: Nor-QD®: 0.35 mg Tablet, Oral, as acetate: Generic: 5 mg
Norgestrel Opill;	Contraceptive;Pro gestin;	Tablet, Oral: Opill: 0.075 mg (28s)

		Aerosol, for oral inhalation, as dipropionate: QVAR®: 40 mcg/inhalation (7.3 g) [chlorofluorocarbon free; contains ethanol; 100 metered actuations]
Beclomethasone (QVAR®;	Corticosteroid, Inhalant (Oral);	QVAR®: 80 mcg/inhalation (7.3 g)
		Powder, for oral inhalation: Pulmicort Flexhaler: 180mcg/inhalation (225 mg) Suspension, for nebulization: Pulmicort Respules: 0.25 mg/2 mL (2 mL); 0.5 mg/2 mL (2 mL)
Budesonide (Oral I Respules;	Pulmicort Flexhaler;Pulmicort Corticosteroid, Inhalant (Oral);	
		Powder, for oral inhalation, as furoate: Asmanex® Twisthaler®: 110 mcg (30 units) [contains lactose; delivers 100 mcg/actuation] Asmanex® Twisthaler®: 220 mcg (14 units, 30 units, 60 units, 120 units) [contains lactose; delivers 200 mcg/actuation] Aerosol, Inhalation, as furoate: Asmanex HFA: 50 mcg/actuation (13 g); 100 mcg/actuation (13 g); 200 mcg/actuation (13 g)
Mometasone (Oral Twisthaler®;	Asmanex HFA;Asmanex® Corticosteroid, Inhalant (Oral);	
		Suspension, Nasal, as propionate: Generic: 50 mcg/actuation (16 g)
Fluticasone (Nasal)	Corticosteroid, Nasal;	
		Suspension, ophthalmic, as base: 0.1% (5 mL) FML Forte®: 0.25% (5 mL) [contains benzalkonium chloride]
Fluorometholone FML Forte®;	Corticosteroid, Ophthalmic;	

PrednisoLONE (Op Mild®;	Pred Forte®;Pred	Corticosteroid, Ophthalmic;	Suspension, ophthalmic, as acetate: Generic: 0.12% (5 mL); 1% (5 mL)
Cortisone		Corticosteroid, Systemic;	Tablet, oral, as acetate: 25 mg
Fludrocortisone		Corticosteroid, Systemic;	Tablet, oral, as acetate: 0.1 mg
Hydrocortisone (S) CORTEF®;	Cortef®;Solu-	Corticosteroid, Systemic;	Injection, powder for reconstitution, as sodium succinate: Solu-CORTEF®: 100 mg Tablet, oral, as base: 10 mg, 20 mg
MethylPREDNISolc MEDROL ®;	Depo-Medrol®;Medrol;Solu-	Corticosteroid, Systemic;	Injection, powder for reconstitution, as sodium succinate: Solu-MEDROL ®: 125 mg, 500 mg, 1 g Injection, suspension, as acetate: Depo-Medrol®: 40 mg/mL (1 mL), 80 mg/mL (1 mL) Tablet Therapy Pack, Oral: Generic: 4 mg (21 ea)
PrednisoLONE (Sy: Pred Mild®;		Corticosteroid, Systemic;	Syrup, oral, as base: 15 mg/5 mL (473 mL) [contains alcohol 5% and propylene glycol and sodium benzoate; berry flavor]
PredniSONE	Deltasone®;	Corticosteroid, Systemic;	Solution, oral: 1 mg/mL (500 mL) [dye free; contains alcohol 5% and propylene glycol and sodium benzoate; peppermint-vanilla flavor] Tablet, oral: 1 mg, 5 mg, 10 mg, 20 mg

		Aerosol, for oral inhalation, as acetone: Azmacort®: 200 mcg/actuation (20 g) [contains chlorofluorocarbon] Injection, suspension, as acetone: Kenalog®-10: 10 mg/mL (5 mL) [contains benzyl alcohol and polysorbate 80] Kenalog®-40: 40 mg/mL (1 mL,) [contains benzyl alcohol and polysorbate 80]
Triamcinolone (Sys 10®;Kenalog-40®; Azmacort® ;Kenalog-	Corticosteroid, Systemic;	
Betamethasone (Topical)	Corticosteroid, Topical;	Cream, External, as dipropionate [strength expressed as base]: Generic: 0.05% (15 g, 45 g)
Clobetasol (Topical)	Corticosteroid, Topical;	Ointment, External, as propionate: Generic: 0.05% (15 g) Solution, External, as propionate: Generic: 0.05% (25 mL,)
Fluocinolone (Topi Derma-Smoother;	Corticosteroid, Topical;	Oil, External, as acetone: Generic: 0.01% (118.28 mL)
Triamcinolone (Topical)	Corticosteroid, Topical;	Cream, External, as acetone: Generic: 0.025% (15 g, 454 g); 0.1% (15 g, 454 g) Ointment, External, as acetone Generic: 0.1% (15 g, 454 g)
Etomidate	Cortisol Synthesis Inhibitor;General Anesthetic;	Injection, solution [preservative free]: 2 mg/mL () [contains propylene glycol]
Fluorescein	Diagnostic Agent;	Strip, ophthalmic, as sodium: 1 mg
Histoplasmin	Diagnostic Agent;	Injection: 1:100

Tuberculin Tests	Aplisol;Tubersol;	Diagnostic Agent;	<p>Solution, Intradermal: Aplisol: 5 units/0.1 mL (1 mL, 5 mL) [latex free; contains phenol, polysorbate 80] Tubersol: 5 units/0.1 mL (1 mL, 5 mL) [contains phenol, polysorbate 80]</p>	Restricted to pediatrics only
Ferumoxytol	Feraheme;	Diagnostic Agent;Iron Preparations;	<p>Solution, Intravenous [preservative free]: Generic: 510 mg/17 mL (17 mL)</p>	
Lactobacillus	<p>Culturelle Baby Digestive Calm + Comfort ;Culturelle Kids Purely Probiotics ;</p>	<p>Dietary Supplement;Probiotic;</p>	<p>Granules: Culturelle Kids Purely Probiotics: L. rhamnosus 5 billion colony-forming units per packet (30s) [contains sucrose] Liquid, Oral: Culturelle Baby Calm + Comfort: L. rhamnosus and Bifidobacterium animalis 2 billion colony-forming units per 5 drops (8.5 mL) Tablet, chewable, Oral: Culturelle Kids Purely Probiotics: L. rhamnosus 5 billion colony-forming units per tablet (30s)</p>	

Lactobacillus	BioGaia ;Culturelle Baby ;Culturelle Kids ;	Dietary Supplement;Probiotic;	Liquid, Oral: Culturelle Baby, Probiotic Drops (for ages 0-12 months): BioGaia, Probiotic Drops (for ages 0-12 months): Powder, Oral: Culturelle Kids, Probiotic Packet (for ages >1-12 years): Tablet, chewable, Oral: Culturelle Kids, Probiotic Chewable Tablets (for ages 3-12 years):	For use in pediatric patients only
Saccharomyces bc Florastor ;		Dietary Supplement;Probiotic;	Capsule, oral: Generic: 250 mg	FOR HOSPITAL (ER/INPT) USE ONLY
Sodium Hypochlor Dakin's Solution;		Disinfectant, Antibacterial (Topical);	Solution, topical (Dakin's): 0.125%, 0.25%, 0.5% Dakin's 1/2, 1/4, or 1/8 strength: Extemporaneously prepared by Pharmacy	
Mannitol (Systemic)		Diuretic, Osmotic;	Injection, solution: 25% ()	
MetOLazone		Diuretic, Thiazide-Related;	Tablet, oral: 2.5 mg, 5 mg	
Potassium Phosph Neutral;	Phospha 250™	Electrolyte Supplement, Oral;	Tablet: Phospha 250™ Neutral: Monobasic potassium phosphate 155 mg, dibasic sodium phosphate 852 mg, and monobasic sodium phosphate 130 mg	

		Tablet, extended release, oral: Generic: 10 mEq, 20 mEq Solution, Oral: Generic: 20 mEq/15 mL (10%) (473 mL) Packet, Oral: Generic: 20 mEq **for hospital use only**	Potassium packets for solution are for hospital use only
Potassium Chlorid Klor-Con;	Electrolyte Supplement, Oral; Electrolyte Supplement, Parenteral;	Solution, Intravenous: 2 mEq/mL (20 mL) Potassium 20 mEq/100 mL (100 mL) Potassium 40 mEq/L	Concentrated potassium for injection to be used for admixture by inpatient pharmacy staff only
Dextrose and Ringer's Injection (Lactated)	Electrolyte Supplement, Parenteral;	Solution, Intravenous: Generic: Dextrose 5% in Lactated Ringer's	
Ringer's Injection (Lactated)	Electrolyte Supplement, Parenteral;	Injection: 1000 mL	
Sodium Chloride	Deep Sea ;Muro 128® ; Electrolyte Supplement, Parenteral; Genitourinary Irrigant; Irrigant; Lubricant, Ocular; Sodium Salt;	Nebulization Solution, Inhalation: Generic: 0.9% (3 mL), 3% (4 mL) Ointment, Ophthalmic: Generic: 5% (3.5 g) Solution, Injection: Generic: 0.9% (Solution, Intravenous: Generic: 0.45% (1000 mL); 0.9% (, 100 mL, 2, 500 mL, 1000 mL); 3% (500 mL) Solution, Nasal: Generic: 0.65% (44 mL) [contains benzalkonium chloride] Solution, Ophthalmic: Generic: 5% (15 mL)	

Potassium Phosphate	Electrolyte Supplement, Parenteral; Urinary Acidifying Agent;	Injection, solution: Potassium 4.4 mEq and phosphorus 3 mmol per mL (5 mL, 15 mL,) [equivalent to potassium 170 mg and phosphate 285 mg per mL]
Pancrelipase	Pancrease®; Pangestyme™ EC; Enzyme;	Zenpep; Creon
Methylergonovine	Methergine®; Ergot Derivative;	Injection, solution, as maleate: Generic: 0.2 mg/mL (1 mL) Tablet, oral, as maleate: Generic: 0.2 mg
Estradiol and Norelgestromin	CombiPatch; Estrogen and Progestin Combination;	Patch Twice Weekly, Transdermal: CombiPatch: estradiol 0.05 mg and norethindrone acetate 0.14 mg per day (8 ea); 0.05/0.25: Estradiol 0.05 mg and norethindrone acetate 0.25 mg per day (8 ea)
Estradiol (Systemic)	Estrace; Vivelle-Dot; Estrogen Derivative;	Tablet, oral: Generic: 1 mg, 2 mg Patch Weekly, Transdermal: 0.0375 mg/24 hr (4 ea) Patch Twice Weekly, Transdermal: Generic: 0.025 mg/24 hr (1 ea, 8 ea); 0.0375 mg/24 hr (1 ea, 8 ea); 0.05 mg/24 hr (1 ea, 8 ea); 0.075 mg/24 hr (1 ea, 8 ea); 0.1 mg/24 hr (1 ea, 8 ea)
Estradiol (Topical)	Estrace; Estrogen Derivative;	Cream, Vaginal: Generic: 0.1 mg/g (42.5 g)
Estrogens (Conjugated/Equine, Systemic)	Estrogen Derivative;	Injection, powder for reconstitution: 25 mg Tablet, oral: 0.3 mg, 0.625 mg, 0.9 mg, 1.25 mg

Estrogens (Conjug; Premarin®;	Estrogen Derivative;	Cream, vaginal: 0.625 mg/g (42.5 g)
Estropipate Ogen®;	Estrogen Derivative;	Tablet, oral: 1.25 mg
DiphenhydrAMINE ;Genahist™;	Ethanolamine Derivative;Histamine H1 Antagonist;Histamine H1 Antagonist, First Generation;	Capsule, oral, as hydrochloride: 25 mg Elixir, oral, as hydrochloride: Banophen™: 12.5 mg/5 mL (120 mL) Injection, solution, as hydrochloride: 50 mg/mL (1 mL) Tablet, oral, as hydrochloride: 25 mg Genahist™: 25 mg
Doxylamine Sleep Aid ;	Ethanolamine Derivative;Histamine H1 Antagonist;Histamine H1 Antagonist, First Generation;	Tablet, Oral, as succinate: Sleep Aid: 25 mg [scored; contains fd&c blue #1 aluminum lake]
Doxylamine and Py Diclegis;	Ethanolamine Derivative;Histamine H1 Antagonist;Histamine H1 Antagonist, First Generation;Vitamin, Water Soluble;	Tablet Delayed Release, Oral: Generic: doxylamine succinate 10 mg and pyridoxine hydrochloride 10 mg

			Injection, oil, as decanoate: Haldol® Decanoate: 50 mg/mL (1 mL); 100 mg/mL (5 mL) [contains benzyl alcohol and sesame oil] Injection, solution, as lactate: Haldol®: 5 mg/mL () [contains methylparaben]	
Haloperidol	Haldol®;Haldol® Decanoate;	First Generation (Typical) Antipsychotic;	Tablet, oral: 0.5 mg, 1 mg, 2 mg, 10 mg	
Thiothixene		First Generation (Typical) Antipsychotic;	Capsule, oral: 1 mg, 2 mg, 10 mg	
FluPHENAZine		First Generation (Typical) Antipsychotic;Phe nothiazine Derivative;	Injection, oil, as decanoate: 25 mg/mL (5 mL) [contains benzyl alcohol and sesame oil]	
Thioridazine		First Generation (Typical) Antipsychotic;Phe nothiazine Derivative;	Tablet, oral, as hydrochloride: 10 mg, 25 mg	
Ursodiol	Actigall ;Reltone;Urso 250 ;Urso Forte;	Gallstone Dissolution Agent;	Capsule, Oral: Generic: 200 mg, 300 mg, 400 mg Tablet, Oral: Generic: 250 mg, 500 mg	
Saliva Substitute	Biotene Oral Balance ;	Gastrointestinal Agent, Miscellaneous;	Gel, oral: Biotene Oral Balance: Glycerin, water, sorbitol, xylitol, carbomer, hydroxyethylcellulose, sodium hydroxide (42 g) [alcohol-free, sugar-free]	RESTRICTED TO DENTAL PROVIDERS ONLY

Sucralfate	Carafate;	Gastrointestinal Agent, Miscellaneous;	Suspension, Oral: Carafate: 1 g/ (420 mL) [contains fd&c red #40, methylparaben; cherry flavor] Tablet, Oral: Generic: 1 g
Acetic Acid (Topical)		Genitourinary Irrigant;	Solution, for irrigation [preservative free]: 0.25% (1000 mL)
Sorbitol		Genitourinary Irrigant;Laxative, Osmotic;	Solution, oral: 70% (480 mL)
Vancomycin		Glycopeptide;	Capsule, oral: 125 mg, 250 mg Injection, powder for reconstitution: 500 mg, 1 g
Ferric Sub sulfate	Monsels Ferric Sub sulfate;	Hemostatic Agent;	Solution, External: Monsels Ferric Sub sulfate: (8 mL, 60 mL)
Cyproheptadine		Histamine H1 Antagonist;Histamine H1 Antagonist, First Generation;Piperidine Derivative;	Tablet, Oral, as hydrochloride: Generic: 4 mg
Azelastine (Nasal)	Astelin ;Astepro;	Histamine H1 Antagonist;Histamine H1 Antagonist, Second Generation;	Solution, Nasal, as hydrochloride: Generic: 0.1% (30 mL)

Ketotifen (Ophthal Zaditor ;	Histamine H1 Antagonist;Histamine H1 Antagonist, Second Generation;Mast Cell Stabilizer;Piperidine Derivative;	Solution, Ophthalmic: Zaditor: 0.025% (5 mL) [contains benzalkonium chloride] Generic: 0.025% (5 mL)
Fexofenadine ;	Histamine H1 Antagonist;Histamine H1 Antagonist, Second Generation;Piperidine Derivative;	Tablet, Oral, as hydrochloride: Generic: 60mg, 180 mg
Olopatadine (Opht Allergy ;	Histamine H1 Antagonist;Histamine H1 Antagonist, Second Generation;Piperidine Derivative;	Solution, Ophthalmic: Generic: 0.2% (2.5 mL)
Cimetidine	Histamine H2 Antagonist;	Solution, oral: 300 mg/5 mL (237 mL) [gluten free, sugar free; contains alcohol 2.8%; peach flavor] Tablet, oral: 400 mg

Famotidine	Acid Controller Max St ;Acid Controller Original Str ;Acid Reducer Maximum Strength ;Acid Reducer ;Heartburn Relief Max St ;Heartburn Relief ;Pepcid;Pepcid AC Maximum Strength ;	Histamine H2 Antagonist;	Solution, Intravenous: Generic: 20 mg (); 20 mg/2 mL (2 mL); 40 mg/4 mL (4 mL); 200 mg/20 mL (20 mL) Solution, Intravenous [preservative free]: Generic: 20 mg/2 mL (2 mL) Suspension Reconstituted, Oral: Generic: 40 mg/5 mL () Tablet, Oral: Generic: 10 mg, 20 mg, 40 mg
Ramelteon	Rozerem;	Hypnotic, Miscellaneous;Mel atonin Receptor Agonist;	Tablet, Oral: Generic: 8 mg
Zolpidem	Ambien®;	Hypnotic, Miscellaneous;No nbenzodiazepine Benzodiazepine Receptor Agonist;	Tablet, oral, as tartrate: 5 mg, 10 mg
Nirsevimab	Beyfortus;	Immune Globulin;Monoclo nal Antibody;	Solution Prefilled Syringe, Intramuscular [preservative free]: Beyfortus: Nirsevimab-alip 100 mg/mL (1 mL); Nirsevimab-alip 50 mg/0.5 mL (0.5 mL) [contains polysorbate 80] Obtained through VFC program

AzaTHIOprine	Azasan;Imuran;	Immunosuppressant Agent;	Tablet, Oral: Generic: 50 mg
Mycophenolate	CellCept®;	Immunosuppressant Agent;	Capsule, oral, as mofetil: CellCept®: 250 mg
Inhalation Devices	AeroChamber™;	Inhalation, Miscellaneous;	AeroChamber™, AeroChamber™ with mask (small, medium, large)
Insulin Aspart Prot:	NovoLOG® Mix 70/30 FlexPen®;	Insulin, Combination;	Injection, suspension: NovoLOG® Mix 70/30 FlexPen®: Insulin aspart protamine suspension 70% [intermediate acting] and insulin aspart solution 30% [rapid acting]: 100 units/mL (3 mL)
Insulin NPH and In:	NovoLIN® 70/30;	Insulin, Combination;	Injection, suspension: NovoLIN® 70/30: 100 units/mL: Insulin NPH suspension 70% [intermediate acting] and insulin regular solution 30% [short-acting] ()
Insulin NPH	NovoLIN® N;	Insulin, Intermediate-Acting;	Injection, suspension: NovoLIN® N: 100 units/mL ()
Insulin Detemir	Levemir;Levemir FlexPen;	Insulin, Long-Acting;	Solution, Subcutaneous: Levemir: 100 units/mL () [contains metacresol, phenol] Solution Pen-injector, Subcutaneous: Levemir FlexPen: 100 units/mL (3 mL) [contains metacresol, phenol]

Insulin Glargine	Lantus;Lantus SoloStar;	Insulin, Long-Acting;	Solution, Subcutaneous: Lantus: 100 units/mL () [contains metacresol] Solution Pen-injector, Subcutaneous: Lantus SoloStar: 100 units/mL (3 mL) [contains metacresol]
Insulin Aspart	NovoLOG FlexPen;NovoLOG®;	Insulin, Rapid-Acting;	Solution, Subcutaneous: NovoLOG: 100 units/mL () [contains metacresol, phenol] Solution Pen-injector, Subcutaneous: NovoLOG FlexPen: 100 units/mL (3 mL) [contains metacresol, phenol]
Insulin Regular	NovoLIN® R;	Insulin, Short-Acting;	Injection, suspension: NovoLIN® R: 100 units/mL ()
Dextrose and Sodium Chloride		Intravenous Nutritional Therapy;	Injection: D5 1/4NS: Dextrose 5% in sodium chloride 0.225% (500 mL) D5 1/2NS: Dextrose 5% in sodium chloride 0.45% (500 mL) D5NS: Dextrose 5% in sodium chloride 0.9% (500 mL, 1000 mL)
Diatrizoate Meglun Gastrografin;		Iodinated Contrast Media;Radiologica I/Contrast Media, Ionic (High Osmolality);	Solution, Oral: Gastrografin: Diatrizoate meglumine 660 mg and diatrizoate sodium 100 mg per 1 mL (30 mL, 120 mL) [contains disodium edta, polysorbate 80, saccharin sodium]

Ferrous Sulfate	Fer-Gen Sol ;	Iron Preparations;	Elixir, oral: 220 mg/5 mL (480 mL) Liquid, oral [drops]: Fer-Gen Sol: 75 mg/0.6 mL () Tablet, oral: 325 mg [elemental iron 65 mg]
Iron Sucrose	Venofer;	Iron Preparations;	Solution, Intravenous [preservative free]: Venofer: 20 mg/mL ()
Cantharidin	Ycanth;	Keratolytic Agent;	Solution, External [unit dose]: Ycanth: Cantharidin 0.7% (1s)

	<p>Aluvea ;Aquaphilic/Carbami de ;Atrac-Tain ;Beta Care Betamide ;Carb- O-Lac5 ;Carb-O- Philic/10 ;Carmol ;CEM- Urea;Cerovel;Derma l Therapy Finger Care ;Dermasorb XM;DPM ;Gordons Urea;Hydro 35;Kerafoam 42 ;Keralac;Lanaphilic/ Urea ;Latrix;Latrix XM;Mycocide CX Callus Exfoliator ;Nutraplus ;Rea Lo 39;Rea Lo 40;Rea-Lo ;Remeven;Rynoderm ;TL Urea ;U-Kera E ;Ultra Mide 25 ;Umecta;Uramaxin; Ure-K;Urea Hydrating;Ureacin- 10 ;Urevaz;Utopic;X-</p>	<p>Keratolytic Agent;Topical Skin Product;</p>	<p>Cream, vaginal: Amino-Cerv™: 8.34% (82.5 g)</p>
Urea (Topical)	Viate ;		
Mineral Oil		Laxative, Lubricant;	Oil, rectal [enema]: 100% (130 mL) Suppository, rectal: 82.5% (25)
Glycerin	Sani-Supp® ;	Laxative, Osmotic;	Sani-Supp®: 82.5% (25)

Polyethylene Glycc MiraLax ;	Laxative, Osmotic;	Packet, Oral: Generic: 17 g/dose (30 ea) **for hospital use only** Powder, Oral: Generic: 17 g/dose (238 g, 510 g)
Polyethylene Glycc GoLYTELY;	Laxative, Osmotic;	Powder for solution, oral: GoLYTELY: PEG 3350 236 g, sodium sulfate 22.74 g, sodium bicarbonate 6.74 g, sodium chloride 5.86 g, and potassium chloride 2.97 g (4000 mL) [regular flavor]
Sodium Sulfate, Pc Kit;	Laxative, Osmotic;	Solution, oral: Generic: Sodium sulfate 17.5 g, potassium sulfate 3.13 g, and magnesium sulfate 1.6 g per 177 mL [contains sodium benzoate]
Magnesium Citrate Citroma® ;	Laxative, Saline; Magnesium Salt;	Solution, oral: Citroma®: 290 mg/5 mL (296 mL) [contains magnesium 48 mg/5 mL and potassium 13 mg/5 mL; lemon flavor]
Bisacodyl	Laxative, Stimulant;	Suppository, rectal: 10 mg

	Doc-Q-Lax ;Dok Plus ;Geri-Stool ;Peri- Colace ;Senexon-S ;Senna Plus ;SennaLax-S ;Senokot-S ;SenoSol- Docusate and Senı SS ;	Laxative, Stimulant;Stool Softener;	Tablet, oral: Doc-Q-Lax: Docusate sodium 50 mg and sennosides 8.6 mg Dok Plus: Geri-Stool: Peri-Colace: Senexon-S: SennaLax-S: Senna Plus: Senokot-S: SenoSol-SS
Montelukast	Singulair;	Leukotriene- Receptor Antagonist;	Tablet, Oral: Generic: 10 mg Tablet Chewable, Oral: Generic: 4 mg, 5 mg
Proparacaine		Local Anesthetic, Ophthalmic;	Solution, ophthalmic, as hydrochloride: 0.5% (15 mL) [contains benzalkonium chloride]
Benzocaine, Butan Cetacaine®;		Local Anesthetic;	Aerosol, topical [spray]: Cetacaine®: Benzocaine 14%, butamben 2%, and tetracaine hydrochloride 2% (56 g) [contains benzalkonium chloride]
BUPIvacaine	Marcaine®;	Local Anesthetic;	Injection, solution, as hydrochloride [preservative free]: Marcaine®: 0.5% (30 mL)

			Injection, solution: 1% / 1:100,000: Lidocaine hydrochloride 1% and epinephrine 1:100,000 (20 mL) [contains sodium metabisulfite] 2% / 1:100,000: Lidocaine hydrochloride 2% and epinephrine 1:100,000 (20 mL) [contains sodium metabisulfite]	
Lidocaine and Epinephrine		Local Anesthetic;		
Lidocaine and Prilocaine		Local Anesthetic;	Cream, topical: 2.5% / 2.5%: Lidocaine 2.5% and prilocaine 2.5% (5 g, 30 g)	
ROPivacaine	Naropin;	Local Anesthetic;	Solution, Injection, as hydrochloride [preservative free]: Generic: 2 mg/mL (20 mL)	
Ocular Lubricant	Refresh Lacri-Lube ;	Lubricant, Ocular;Ophthalmic Agent, Miscellaneous;	Ointment, ophthalmic [preservative free]: Generic: Mineral oil 42.5% and white petrolatum 57.3% (3.5 g)	
Lifitegrast	Xiidra;	Lymphocyte Function- Associated Antigen 1 (LFA-1) Antagonist;	Solution, Ophthalmic [preservative free]: Xiidra: 5% (5 ea)	Restricted to Eye Clinic only
Cromolyn (Oral Inhalation)		Mast Cell Stabilizer;	Nebulization Solution, Inhalation, as sodium: Generic: 20 mg/2 mL (2 mL)	
Lodoxamide	Alomide®;	Mast Cell Stabilizer;	Solution, ophthalmic: Alomide®: 0.1% () [contains benzalkonium chloride]	
Benadryl® and Maalox®		Miscellaneous Product;	Suspension, oral: Extemporaneously prepared by Pharmacy	

Benadryl®, Lidocaine, and Nystatin	Miscellaneous Product;	Solution: 1:1:1, extemporaneously prepared by Pharmacy	
Benadryl®, Maalox®, and Xylocaine®	Miscellaneous Product;	Suspension: Extemporaneously prepared by Pharmacy	
Lidocaine and Maalox®	Miscellaneous Product;	Suspension: 1:1, 1:3; extemporaneously prepared by Pharmacy	
Nystatin, Benadryl®, Lidocaine, and Maal	Miscellaneous Product;	Suspension: Extemporaneously prepared by Pharmacy	
Xylocaine® (Viscous) and Benadryl®	Miscellaneous Product;	Solution	
Palivizumab	Synagis®; Monoclonal Antibody;	Injection, solution [preservative free]: Synagis®: 100 mg/mL (1 mL)	Obtained through VFC program
Succinylcholine	Neuromuscular Blocker Agent, Depolarizing;	Injection, solution, as chloride: 20 mg/mL ()	
Rocuronium	Neuromuscular Blocker Agent, Nondepolarizing;	Solution, Intravenous, as bromide: Generic: 50 mg/5 mL (5 mL); 100 mg/ () Solution, Intravenous, as bromide [preservative free]: Generic: 50 mg/5 mL (5 mL); 100 mg/ ()	
Vecuronium	Norcuron®; Neuromuscular Blocker Agent, Nondepolarizing;	Injection, powder for reconstitution, as bromide: Norcuron®: 10 mg [contains benzyl alcohol]	

Memantine	Namenda;	N-Methyl-D-Aspartate (NMDA) Receptor Antagonist;	<p>Solution, Oral, as hydrochloride: Generic: 2 mg/mL (240 mL, 360 mL)</p> <p>Tablet, Oral, as hydrochloride: Namenda: 5 mg [contains fd&c blue #2 (indigotine), fd&c yellow #6 (sunset yellow)] Namenda: 10 mg Generic: 5 mg, 10 mg, 5 mg (28s) and 10 mg (21s)</p>
Ketorolac (Ophthalmic)	Acular®;	Nonsteroidal Anti-inflammatory Drug (NSAID), Ophthalmic;	<p>Solution, ophthalmic, as tromethamine: Generic: 0.5% (5 mL) [contains benzalkonium chloride]</p>
Ibuprofen	Motrin®;	Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;	<p>Suspension, oral: 100 mg/5 mL (120 mL) [alcohol free; contains sodium benzoate; grape flavor]</p> <p>Suspension, oral: 100 mg/5 mL (480 mL) [berry flavor]</p> <p>Tablet, oral: 400 mg, 800 mg</p>
Indomethacin		Nonsteroidal Anti-inflammatory Drug (NSAID), Oral;	<p>Capsule, oral: 50 mg</p>

Diclofenac (Topica Voltaren;	Nonsteroidal Anti-inflammatory Drug (NSAID); Nonsteroidal Anti-inflammatory Drug (NSAID), Topical;	Gel, Transdermal, as sodium: Voltaren: 1% (100 g) [contains isopropyl alcohol, propylene glycol]
Atomoxetine Strattera;	Norepinephrine Reuptake Inhibitor, Selective;	Capsule, Oral: Generic: 10 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg, 100 mg
Fluoride PreviDent® 5000 Plus™;	Nutritional Supplement;	Cream, oral, as sodium [toothpaste]: PreviDent® 5000 Plus™: 1.1% (51 g) [spearmint flavor]
Pilocarpine (Ophthalmic)	Ophthalmic Agent, Antiglaucoma; Ophthalmic Agent, Miotic;	Solution, ophthalmic, as hydrochloride [drops]: 1% (15 mL); 2% (15 mL); 4% (15 mL)
Latanoprost	Ophthalmic Agent, Antiglaucoma; Prostaglandin, Ophthalmic;	Solution, Ophthalmic: Generic: 0.005% (2.5 mL)
Artificial Tears	Ophthalmic Agent, Miscellaneous;	Solution, ophthalmic: 1.4% (15 mL) [contains benzalkonium chloride]

Refresh Celluvisc Carboxymethylcell ;Refresh Plus ;	Ophthalmic Agent, Miscellaneous;	Solution, Ophthalmic, as sodium: Refresh Plus: 0.5% (30 ea) Solution, Ophthalmic, as sodium [preservative free]: Refresh Celluvisc: 1% (30 ea)
Ophthalmic Irrigant Mixture	Ophthalmic Agent, Miscellaneous;	Solution, ophthalmic: 120 mL
Cyclopentolate and Cyclomydril®;	Ophthalmic Agent, Mydriatic;	Solution, ophthalmic: Cyclomydril®: Cyclopentolate hydrochloride 0.2% and phenylephrine hydrochloride 1% (5 mL) [contains benzalkonium chloride]
Acetic Acid and Hy Acetasol® HC;	Otic Agent, Anti- infective;	Solution, otic [drops]: Acetasol® HC: Acetic acid 2%, propylene glycol diacetate 3%, and hydrocortisone 1% ()
Acetic Acid (Otic)	Otic Agent, Anti- infective;	Solution, otic [drops]: Generic: 2% (15 mL) [alcohol free]
Carbamide Peroxide	Otic Agent, Cerumenolytic;	Solution, otic [drops]: Generic: 6.5% (15 mL)
ClomiPHENE	Ovulation Stimulator; Selective Estrogen Receptor Modulator (SERM);	Tablet, oral, as citrate: 50 mg
Oxytocin Pitocin®;	Oxytocic Agent;	Injection, solution: Pitocin®: 10 units/mL (1 mL)

			Tablet, Oral: Chantix: 0.5 mg Chantix: 1 mg [contains fd&c blue #2 aluminum lake] Chantix Continuing Month Pak: 1 mg [contains fd&c blue #2 aluminum lake] Chantix Starting Month Pak: 0.5 mg x 11 & 1 mg x 42
Varenicline (System Month Pak;	Chantix;Chantix Continuing Month Pak;Chantix Starting Month Pak;	Partial Nicotine Agonist;Smoking Cessation Aid;	
Water for Injection (Bacteriostatic)		Pharmaceutical Aid;	Injection: 30 mL
Water for Injection (Sterile)		Pharmaceutical Aid;	Injection: 20 mL, 1000 mL
Water for Irrigation (Sterile)		Pharmaceutical Aid;	Solution: 1000 mL
White Petrolatum	Skin Protectant ;	Pharmaceutical Aid;Topical Skin Product;	Ointment: 5 g **NOTE: FOR HOSPITAL USE ONLY**
Sevelamer	Renvela®;	Phosphate Binder;	Tablet, oral, as carbonate: Renvela®: 800 mg
Theophylline		Phosphodiesterase Enzyme Inhibitor, Nonselective;	Tablet, controlled release, oral: 100 mg Tablet, extended release, oral: 100 mg, 200 mg, 300 mg
Sildenafil	Revatio;Viagra;	Phosphodiesterase-5 Enzyme Inhibitor;	Tablet, Oral: Generic: 20 mg, 100 mg
Tadalafil	Cialis;	Phosphodiesterase-5 Enzyme Inhibitor;	Tablet, Oral: Generic: 2.5 mg, 5 mg
Progesterone	Prometrium;	Progestin;	Capsule, Oral: Generic: 100 mg, 200 mg

MiSOPROStol	Cytotec;	Prostaglandin;	Tablet, Oral: Generic: 200 mcg
Dimethicone (Topical)	Secura Dimethicone Protectant ;	Protectant, Topical;Topical Skin Product;	Solution, External: Nix Ultra: 4%, 3.4 oz
Omeprazole	Konvomep;PriLOSEC ;	Proton Pump Inhibitor;	Capsule, delayed release, oral: Generic: 20 mg, 40 mg Suspension, oral, compounded: Konvomep: 2 mg/mL (containing 84mg sodium bicarbonate per mL)
Pantoprazole	Protonix;	Proton Pump Inhibitor;Substituted Benzimidazole;	Solution Reconstituted, Intravenous [preservative free]: Generic: 40 mg (1 ea) Tablet Delayed Release, Oral: Generic: 20 mg, 40 mg
Ammonia Spirit (Aromatic)		Respiratory Stimulant;	Solution for inhalation [ampul]: 1.7% to 2.1% (0.33 mL)
RifAXIMin	Xifaxan;	Rifamycin;	Tablet, Oral: Xifaxan: 200 mg [contains edetate (edta) disodium] Xifaxan: 550 mg
Salsalate		Salicylate;	Tablet, oral: 750 mg
Lurasidone	Latuda;	Second Generation (Atypical) Antipsychotic;	Tablet, Oral, as hydrochloride: Generic: 20 mg, 40 mg, 60 mg, 80 mg, 120 mg
Baclofen		Skeletal Muscle Relaxant;	Tablet, oral: 10 mg
Cyclobenzaprine		Skeletal Muscle Relaxant;	Tablet, oral, as hydrochloride: 10 mg
Methocarbamol		Skeletal Muscle Relaxant;	Tablet, oral: 750 mg

Orphenadrine	Skeletal Muscle Relaxant;	Solution, Injection, as citrate: Generic: 30 mg/mL (2 mL) Solution, Injection, as citrate [preservative free]: Generic: 30 mg/mL (2 mL)
Imiquimod	Aldara;	Skin and Mucous Membrane Agent; Topical Skin Product;
Cream, External: Aldara: 5% (12 ea) [contains benzyl alcohol, cetyl alcohol, methylparaben, propylparaben, sorbitan monostearate(sorbitan stearate)] Generic: 5% (1 ea, 12 ea, 24 ea)		
Nicotine	Nicorette Mini ;Nicorette ;Nicotine Mini ;Nicotine Step 1 ;Nicotine Step 2 ;Nicotine Step 3 ;	Smoking Cessation Aid;
Gum, Mouth/Throat, as polacrilex: Generic: 2 mg (110 ea); 4 mg (110 ea) Lozenge, Mouth/Throat, as polacrilex: Nicorette Mini: 2 mg (81 ea); 4 mg (81 ea) Generic: 2 mg (72 ea, 81 ea); 4 mg (72 ea, 81 ea) Patch 24 Hour, Transdermal: Generic: 7 mg/24 hr (14 ea); 14 mg/24 hr (14 ea); 21 mg/24 hr (14 ea)		
Docusate	Doc-Q-Lace ;	Stool Softener;
Capsule, softgel, oral, as sodium: 100 mg Syrup, oral, as sodium: Doc-Q-Lace: 60 mg/15 mL (480 mL)		

Alteplase	Activase®;	Thrombolytic Agent;	Injection, powder for reconstitution [recombinant]: Activase®: 50 mg [29 million int. units], 100 mg [58 million int. units] [contains polysorbate 80; derived from or manufactured using Chinese hamster ovary cells; supplied with diluent]
Tenecteplase	TNKase™;	Thrombolytic Agent;	Injection, powder for reconstitution [recombinant]: TNKase™: 50 mg
Levothyroxine	Synthroid®;	Thyroid Product;	Tablet, oral, as sodium: Generic: 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 125 mcg, 150 mcg, 175 mcg
Aluminum Acetate		Topical Skin Product;	Powder
Coal Tar	Polytar® ;	Topical Skin Product;	Shampoo, topical: Polytar®: Coal tar 0.5% (177 mL)
Lactic Acid and AmLactin® ;		Topical Skin Product;	Lotion, topical: AmLactin®: Lactic acid 12% with ammonium hydroxide (225 g)
Lanolin		Topical Skin Product;	Ointment: 30 g
Moisturizing Cream		Topical Skin Product;	Cream
Personal Lubricant		Topical Skin Product;	Jelly
Calcipotriene	Calcitrene; Dovonex; Sorilux;	Topical Skin Product; Vitamin D Analog;	Ointment, External: Generic: 0.005% (60 g)
Zinc Sulfate	Orazinc ; Zinc 15 ;	Trace Element;	Capsules, Oral: Generic: 220 mg

Probenecid	Uricosuric Agent;	Tablet, oral: 500 mg
Pneumococcal Co Pevnar®;	Vaccine, Inactivated (Bacterial);	Injection, suspension: Pevnar®: 2 mcg of each saccharide for serotypes 4, 9V, 14, 18C, 19F, and 23F and 4 mcg of serotype 6B per 0.5 mL (0.5 mL) [contains packaging contains natural rubber/natural latex]
Diphtheria and Tetanus Toxoid	Vaccine;Vaccine, Inactivated (Bacterial);	Injection, suspension: Diphtheria 6.6 Lf units and tetanus 5 Lf units per 0.5 mL (5 mL) [contains thimerosal]
Diphtheria, Tetanus Boostrix®;Infanrix®;Tri pedia®;	Vaccine;Vaccine, Inactivated (Bacterial);	Injection, powder for reconstitution: Tripedia®: Diphtheria 6.7 Lf units, tetanus 5 Lf units, and acellular pertussis vaccine 46.8 mcg (0.5 mL) [contains packaging contains natural rubber/natural latex and thimerosal] Injection, suspension: Boostrix®: Diphtheria 2.5 Lf units, tetanus 5 Lf units, and acellular pertussis 8 mcg per 0.5 mL (0.5 mL) [contains aluminum and polysorbate 80 ≤100 mcg/0.5 mL] Infanrix®: Diphtheria 25 Lf units, tetanus 10 Lf units, and acellular pertussis vaccine 25 mcg per 0.5 mL (0.5 mL)

<p>ActHIB®; PedvaxHIB® Haemophilus b Co ;</p>	<p>Vaccine; Vaccine, Inactivated (Bacterial);</p>	<p>Injection, powder for reconstitution [preservative free]: ActHIB®: Haemophilus b capsular polysaccharide 10 mcg and tetanus toxoid 24 mcg per dose [contains sucrose 8.5%] Injection, suspension: PedvaxHIB®: Haemophilus b capsular polysaccharide 7.5 mcg and Neisseria meningitidis OMPC 125 mcg per 0.5 mL (0.5 mL) [contains aluminum 225 mcg/0.5 mL]</p>
<p>Meningococcal (Gr Menactra®);</p>	<p>Vaccine; Vaccine, Inactivated (Bacterial);</p>	<p>Injection, solution: Menactra®: 4 mcg each of polysaccharide antigen groups A, C, Y, and W-135 per 0.5 mL [conjugated to diphtheria toxoid protein 48 mcg; adjuvant and preservative free; vial stopper contains dry, natural latex rubber]</p>
<p>Menomune®- Meningococcal Pol A/C/Y/W-135;</p>	<p>Vaccine; Vaccine, Inactivated (Bacterial);</p>	<p>Injection, powder for reconstitution [preservative free]: Menomune®-A/C/Y/W-135: 50 mcg each of polysaccharide antigen groups A, C, Y, and W-135 (1) [contains packaging contains natural rubber/natural latex]</p>

Pneumococcal Co Pevnar 13;	Vaccine;Vaccine, Inactivated (Bacterial);	Injection, suspension: Pevnar 13: 2 mcg of each capsular saccharide for serotypes 1, 3, 4, 5, 6A, 7F, 9V, 14, 18C, 19A, 19F, and 23F, and 4 mcg of serotype 6B [bound to diphtheria CRM197 protein ~34 mcg] per 0.5 mL (0.5 mL) [contains aluminum, polysorbate 80, and yeast]
Pneumococcal Co Pevnar 20;	Vaccine;Vaccine, Inactivated (Bacterial);	Suspension Prefilled Syringe, Intramuscular: Pevnar 20: 0.5 mL (0.5 mL) [contains polysorbate 80]
Pneumococcal Co Capvaxive;	Vaccine;Vaccine, Inactivated (Bacterial);	Solution Prefilled Syringe, Intramuscular [preservative free]: Capvaxive: 0.5 mL (0.5 mL)
Pneumococcal Pol Pneumovax® 23;	Vaccine;Vaccine, Inactivated (Bacterial);	Injection, solution: 25 mcg each of 23 polysaccharide isolates/0.5 mL
Diphtheria, Tetanu Pediarix™;	Vaccine;Vaccine, Inactivated (Bacterial);Vaccin e, Inactivated (Viral);	Injection, suspension: Pediarix™: Diphtheria toxoid 25 Lf, tetanus toxoid 10 Lf, inactivated PT 25 mcg, FHA 25 mcg, pertactin 8 mcg, HBsAg 10 mcg, poliovirus type 1 40 DU, poliovirus type 2 8 DU, and poliovirus type 3 32 DU per 0.5 mL (0.5 mL) [contains packaging contains natural rubber/natural latex]

Typhoid Vaccine	Typhim Vi;Vivotif;	Vaccine;Vaccine, Inactivated (Bacterial);Vaccine, Live (Bacterial);	Capsule, enteric coated, Oral [live]: Vivotif: Viable S. typhi Ty21a 2-10 x 10 ⁹ colony-forming units [contains lactose 180-200 mg/capsule and sucrose 3.3-34.2 mg/capsule] Injection, solution [inactivated]: Typhim Vi: Purified Vi capsular polysaccharide 25 mcg/0.5 mL (0.5 mL,) [derived from S. typhi Ty2 strain]
Hepatitis A Inactivated	Twinrix®;	Vaccine;Vaccine, Inactivated (Viral);	Injection, suspension: Twinrix®: Inactivated hepatitis A virus 720 ELISA units and hepatitis B surface antigen 20 mcg per mL (1 mL)
Hepatitis A Vaccine	Havrix®;	Vaccine;Vaccine, Inactivated (Viral);	Injection, suspension [adult]: Havrix®: Viral antigen 1440 ELISA units/mL (1 mL)
Human Papilloma	Gardasil®;	Vaccine;Vaccine, Inactivated (Viral);	Injection, suspension [preservative free]: Gardasil®: HPV 6 L1 protein 20 mcg, HPV 11 L1 protein 40 mcg, HPV 16 L1 protein 40 mcg, and HPV 18 L1 protein 20 mcg per 0.5 mL (0.5 mL) [contains aluminum, polysorbate 80; manufactured using S. cerevisiae (baker's yeast)]
Poliovirus Vaccine	IPOL®;	Vaccine;Vaccine, Inactivated (Viral);	Injection, suspension: IPOL®: Type 1 poliovirus 40 D antigen units/0.5 mL, Type 2 poliovirus 8 D antigen units/0.5 mL, and Type 3 poliovirus 32 D antigen units/0.5 mL (0.5 mL)

Rabies Virus Vaccines; Imovax® Rabies;	Vaccine;Vaccine, Inactivated (Viral);	Injection, powder for reconstitution: Imovax® Rabies: 2.5 int. units
Hepatitis B Vaccines; Engerix-B®;	Vaccine;Vaccine, Inactivated (Viral);Vaccine, Recombinant;	Injection, suspension: Recombinant DNA, adult: Engerix-B®: Hepatitis B surface antigen 20 mcg/mL (1 mL) Recombinant DNA, pediatric/adolescent: Engerix-B®: Hepatitis B surface antigen 10 mcg/0.5 mL (0.5 mL)
Hepatitis B Vaccines; Heplisav-B;	Vaccine;Vaccine, Inactivated (Viral);Vaccine, Recombinant;	Solution, Intramuscular [preservative free]: Heplisav-B: Hepatitis B surface antigen 20 mcg/0.5 mL (0.5 mL) [contains polysorbate 80] Solution Prefilled Syringe, Intramuscular [preservative free]: Heplisav-B: 20 mcg/0.5 mL (0.5 mL) [contains polysorbate 80]
Respiratory Syncytial Virus Vaccines; Arexvy;	Vaccine;Vaccine, Inactivated (Viral);Vaccine, Recombinant;	Suspension Reconstituted, Intramuscular: Arexvy: 120 mcg/0.5 mL (1 ea) [contains polysorbate 80]
Respiratory Syncytial Virus Vaccines; Abrysvo;	Vaccine;Vaccine, Inactivated (Viral);Vaccine, Recombinant;	Solution Reconstituted, Intramuscular [preservative free]: Abrysvo: 120 mcg/0.5 mL (1 ea) [contains polysorbate 80]
Measles, Mumps, and Rubella Vaccines; M-M-R® II;	Vaccine;Vaccine, Live (Viral);	Injection, powder for reconstitution [preservative free]: M-M-R® II: Measles virus 1000 TCID50, rubella virus 1000 TCID50, and mumps virus 20,000 TCID50

Rotavirus Vaccine Rotarix;	Vaccine;Vaccine, Live (Viral);	Powder, for suspension, oral [preservative free; human derived]: Rotarix: G1P[8] ≥106 CCID50 per 1 mL [contains sorbitol, sucrose; supplied with diluent which may contain natural rubber/natural latex in packaging]	
Zoster Vaccine (Re Shingrix;	Vaccine;Vaccine, Recombinant;	Suspension Reconstituted, Intramuscular: Shingrix: 50 mcg [contains polysorbate 80]	
Calcitriol (Systemi Rocaltrol;	Vitamin D Analog;	Capsule, Oral: Rocaltrol: 0.25 mcg [contains fd&c yellow #6 (sunset yellow), methylparaben, propylparaben] Generic: 0.5 mcg	
Cholecalciferol	Vitamin D Analog;	Capsule, Oral [preservative free]: Generic: 2000 units, 5000 units Tablet, Oral: Generic: 1000 units, 2000 units,	
Ergocalciferol Calciferol™;Drisdol®;	Vitamin D Analog;	Capsule, softgel, oral: 50,000 int. units	
Phytonadione Mephyton®;	Vitamin, Fat Soluble;	Injection, aqueous colloidal: 2 mg/mL (0.5 mL); 10 mg/mL (1 mL) Tablet, oral: Mephyton®: 5 mg	
Ascorbic Acid Ascor;	Vitamin, Water Soluble;	Solution, Intravenous [preservative free]: Ascor: 500 mg/mL () [contains edetate (edta) disodium]	FOR HOSPITAL (ER/INPT) USE ONLY
Cyanocobalamin	Vitamin, Water Soluble;	Injection, solution: 1000 mcg/mL (1 mL) [contains benzyl alcohol] Tablet, sublingual: 2500 mcg	

Folic Acid	Vitamin, Water Soluble;	Injection, solution, as sodium folate: 5 mg/mL Tablet, oral: 1 mg	
Pyridoxine	Vitamin, Water Soluble;	Injection, solution, as hydrochloride: 100 mg/mL (1 mL) [contains aluminum] Tablet, oral, as hydrochloride: 50 mg	
Thiamine	Vitamin, Water Soluble;	Injection, solution, as hydrochloride: 100 mg/mL (2 mL) Tablet, oral, as hydrochloride: 100 mg	
Vitamin B Complex Nephrocaps®;	Vitamin, Water Soluble;	Capsule	For renal patients only.
High Potency B with Vitamin B Complex C; Total B w/ C; Vitamins (Multiple, M.V.I. Adult™);	Vitamin;	Tablet	
Hexavitamin; Systan Vitamins (Multiple) e ICaps AREDS2;	Vitamin;	Tablet Capsule	Hexavitamin for ER/INPT use only. AREDS2 prescribing restricted to Eye Clinic only.
Poly-Vi-Sol With Iron; Poly-Vi-Sol; Tri-Vi-Vitamins (Multiple) Sol;	Vitamin;	Solution, drops:	

<p>A-Free Prenatal ;Azesco;CitraNatal 90 DHA;CitraNatal Assure;CitraNatal B- Calm;CitraNatal Bloom;CitraNatal Bloom DHA ;CitraNatal DHA;CitraNatal Harmony;CitraNatal Rx;Concept DHA;; ***See Comments and Restrictions for Vitamins (Multiple/ more*** Vitamin;</p>	<p>Content varies depending on product used. For more detailed information on ingredients in these and other multivitamins, please refer to specific product labeling.</p>	<p>OptiNate;Paire OB Plus DHA;PreCare;Pren a1 True;Prenatabs FA;Prenatabs Rx;Prenatal 19;Prenatal One Daily ;Prenatal Rx 1;Prenate AM;Prenate DHA;Prenate Elite; TriCare Prenatal DHA One;TriCare Prenatal ;TriStart DHA;VIL-Rx ;Vinate Care ;Virt-C DHA;Virt-PN DHA;Vitafol Ultra</p>
<p>Fluticasone HFA A Flovent HFA;</p>		